

Mobile Phone Base-Station Audit

Audit site: KENT COLLEGE
WHITSTABLE ROAD
CANTERBURY
KENT
CT2 9DT

The Radiocommunications Agency (RA) is responsible for management of the civil radio spectrum in the UK. The Government has asked the RA to implement a national measurement programme to ensure that emissions from cellular base stations do not exceed the guidelines for public maximum exposure set by the International Commission on Non-Ionizing Radiation Protection (ICNIRP).

Electric field strength measurements made in various bands are referenced to and presented alongside the relevant ICNIRP public maximum exposure levels. On the left hand side of the results page(s) is a graphical representation of the radio spectrum surveyed at each location on the site. The green line on each graph indicates the ICNIRP guideline exposure level for that frequency band. To the right hand side of each graph is a table showing the ten highest level emissions recorded within a band.

Further explanation of the results and their context within the ICNIRP guidelines can be provided by the RA officers at the time of the audit or by contacting the RA on 020 7211 0211 or by e-mail at rfaudit@ra.gsi.gov.uk

Results taken from all audit sites and further information on the audit programme can be found on the RA website at www.radio.gov.uk

Report Summary

As the radio spectrum is continually changing, these measurements can only provide information on the radio frequency (RF) conditions for the specific locations at the time of the survey.

The Radiocommunications Agency performed this survey of the RF emission environment prevailing in the vicinity of KENT COLLEGE on 13 December 2002.

The following table, sorted in descending order of signal level, summarises the results obtained at each measurement location.

Summary of results:		
Location	Total Band Exposure	Relationship to ICNIRP Limit
RUGBY PITCH AREA	5.55E-05	1/18008
LIBRARY	5.48E-05	1/18254
SPORTS HALL	3.59E-05	1/27825
AUSTEN HOUSE	6.88E-06	1/145265
SPANISH CLASSROOM 15	4.95E-06	1/201881
MAIN ENTRANCE AREA	4.02E-06	1/248899

Issued on behalf of the Radiocommunications Agency.

Issued by:

Received by:

JP
Radiocommunications Specialist


MR G CARMINATI
HEAD TEACHER

Site: KENT COLLEGE
Location: AUSTEN HOUSE


NGR: TQ13285923 **Taken from GPS**
Start Time: 13 December 2002 10:19:25
Officer: JP

Receiver:
Manufacturer: ROHDE&SCHWARZ
Model: EB200
Serial Number: 837.752/028


Antenna:
Manufacturer: Antenna Research Associates
Model: LPD-3500
Serial Number: 0000



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
942.800	1.10E-06	4.71	2.34E-07
929.800	7.23E-07	4.65	1.56E-07
930.200	6.60E-07	4.65	1.42E-07
927.000	3.13E-07	4.63	6.76E-08
940.200	2.76E-07	4.70	5.86E-08
952.200	2.31E-07	4.76	4.85E-08
951.200	1.79E-07	4.76	3.76E-08
954.200	1.60E-07	4.77	3.36E-08
938.800	1.38E-07	4.69	2.93E-08
947.400	1.17E-07	4.74	2.47E-08
Band Exposure Quotient:			1.00E-06



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
1,808.800	1.44E-05	9.04	1.60E-06
1,834.000	2.34E-06	9.17	2.55E-07
1,828.600	2.07E-06	9.14	2.26E-07
1,826.000	1.13E-06	9.13	1.24E-07
1,822.000	6.45E-07	9.11	7.08E-08
1,809.000	1.78E-07	9.04	1.96E-08
1,808.600	1.35E-07	9.04	1.49E-08
1,830.400	2.80E-08	9.15	3.06E-09
1,828.800	2.79E-08	9.14	3.05E-09
1,823.800	2.30E-08	9.12	2.52E-09
Band Exposure Quotient:			2.34E-06



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
1,864.000	1.01E-05	9.32	1.08E-06
1,861.600	7.62E-06	9.31	8.19E-07
1,859.800	4.90E-06	9.30	5.27E-07
1,853.400	2.60E-06	9.27	2.81E-07
1,858.200	1.55E-06	9.29	1.66E-07
1,856.400	1.34E-06	9.28	1.45E-07
1,867.000	1.04E-06	9.34	1.11E-07
1,840.800	9.89E-07	9.20	1.07E-07
1,859.200	8.71E-07	9.30	9.37E-08
1,871.200	3.09E-07	9.36	3.30E-08
Band Exposure Quotient:			3.54E-06

Total number of measurements: 572


Total Band Exposure Quotient: **6.88E-06**

Site: KENT COLLEGE
Location: RUGBY PITCH AREA


NGR: TR 1309 5913 **Taken from GPS**
Start Time: 13 December 2002 10:46:58
Officer: JP

Receiver:
Manufacturer: ROHDE&SCHWARZ
Model: EB200
Serial Number: 837.752/028


Antenna:
Manufacturer: Antenna Research Associates
Model: LPD-3500
Serial Number: 0000



Frequency (MHz)	Maximum Exposure (W/m ²)	ICNIRP Limit (W/m ²)	Frequency Exposure Quotient
942.200	7.80E-05	4.71	1.66E-05
958.400	7.76E-05	4.79	1.62E-05
938.800	1.86E-05	4.69	3.96E-06
947.400	1.51E-05	4.74	3.18E-06
927.000	1.47E-05	4.63	3.16E-06
951.200	1.42E-05	4.76	2.98E-06
952.200	4.93E-06	4.76	1.04E-06
930.200	3.46E-06	4.65	7.45E-07
942.800	2.65E-06	4.71	5.62E-07
929.800	2.09E-06	4.65	4.48E-07
Band Exposure Quotient:			5.08E-05



Frequency (MHz)	Maximum Exposure (W/m ²)	ICNIRP Limit (W/m ²)	Frequency Exposure Quotient
1,830.400	7.02E-06	9.15	7.68E-07
1,828.600	9.44E-07	9.14	1.03E-07
1,808.800	8.30E-07	9.04	9.18E-08
1,834.000	5.75E-07	9.17	6.27E-08
1,822.000	3.02E-07	9.11	3.31E-08
1,836.800	1.18E-07	9.18	1.28E-08
1,835.000	1.05E-07	9.18	1.14E-08
1,829.600	8.83E-08	9.15	9.65E-09
1,830.600	8.07E-08	9.15	8.82E-09
1,830.200	7.02E-08	9.15	7.67E-09
Band Exposure Quotient:			1.16E-06



Frequency (MHz)	Maximum Exposure (W/m ²)	ICNIRP Limit (W/m ²)	Frequency Exposure Quotient
1,872.600	7.26E-06	9.36	7.75E-07
1,852.400	5.18E-06	9.26	5.59E-07
1,843.800	4.76E-06	9.22	5.16E-07
1,866.400	4.32E-06	9.33	4.63E-07
1,859.800	3.89E-06	9.30	4.19E-07
1,870.600	1.99E-06	9.35	2.13E-07
1,847.800	1.70E-06	9.24	1.84E-07
1,850.000	1.59E-06	9.25	1.72E-07
1,840.800	2.72E-07	9.20	2.96E-08
1,842.200	2.38E-07	9.21	2.58E-08
Band Exposure Quotient:			3.55E-06

Total number of measurements: 572

Total Band Exposure Quotient: **5.55E-05**

Site: KENT COLLEGE

Location: SPORTS HALL

NGR: TR 1304 5923 **Taken from GPS**
Start Time: 13 December 2002 11:11:03

Officer: JP

Receiver:

Manufacturer: ROHDE&SCHWARZ

Model: EB200


Serial Number: 837.752/028

Antenna:


Manufacturer: Antenna Research Associates

Model: LPD-3500


Serial Number: 0000



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
958.400	5.01E-05	4.79	1.04E-05
942.200	1.27E-05	4.71	2.69E-06
930.200	6.45E-06	4.65	1.39E-06
929.800	4.46E-06	4.65	9.59E-07
942.800	2.42E-06	4.71	5.12E-07
940.200	1.78E-06	4.70	3.78E-07
958.600	6.92E-07	4.79	1.44E-07
958.200	6.45E-07	4.79	1.35E-07
956.200	5.10E-07	4.78	1.07E-07
938.800	2.39E-07	4.69	5.10E-08
Band Exposure Quotient:			1.73E-05



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
1,830.400	1.65E-05	9.15	1.80E-06
1,828.600	6.24E-06	9.14	6.82E-07
1,822.000	3.39E-06	9.11	3.72E-07
1,808.800	2.45E-06	9.04	2.71E-07
1,836.800	1.39E-06	9.18	1.51E-07
1,826.000	1.03E-06	9.13	1.13E-07
1,830.600	1.89E-07	9.15	2.07E-08
1,823.800	1.55E-07	9.12	1.70E-08
1,830.200	1.37E-07	9.15	1.50E-08
1,837.400	1.27E-07	9.19	1.38E-08
Band Exposure Quotient:			3.55E-06




Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
1,859.800	6.46E-05	9.30	6.95E-06
1,872.600	2.00E-05	9.36	2.13E-06
1,866.400	1.46E-05	9.33	1.57E-06
1,871.200	9.54E-06	9.36	1.02E-06
1,861.600	4.59E-06	9.31	4.93E-07
1,864.000	3.84E-06	9.32	4.12E-07
1,843.800	3.69E-06	9.22	4.01E-07
1,867.000	3.52E-06	9.34	3.77E-07
1,852.400	2.37E-06	9.26	2.56E-07
1,840.800	2.21E-06	9.20	2.40E-07
Band Exposure Quotient:			1.50E-05

Total number of measurements: 572


Total Band Exposure Quotient: **3.59E-05**

Site: KENT COLLEGE
Location: SPANISH CLASSROOM 15
NGR: TR13025939 **Taken from GPS**
Start Time: 13 December 2002 11:29:29
Officer: JP


Receiver:
 Manufacturer: ROHDE&SCHWARZ
 Model: EB200
 Serial Number: 837.752/028
Antenna:
 Manufacturer: Antenna Research Associates
 Model: LPD-3500
 Serial Number: 0000



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
938.800	2.08E-06	4.69	4.44E-07
952.200	1.49E-06	4.76	3.13E-07
951.200	1.49E-06	4.76	3.12E-07
927.000	9.69E-07	4.63	2.09E-07
954.200	6.53E-07	4.77	1.37E-07
958.400	6.16E-07	4.79	1.29E-07
942.200	5.28E-07	4.71	1.12E-07
947.400	4.99E-07	4.74	1.05E-07
940.200	4.27E-07	4.70	9.08E-08
929.800	3.97E-07	4.65	8.55E-08
Band Exposure Quotient:			2.22E-06



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
1,826.000	5.41E-06	9.13	5.92E-07
1,828.600	4.52E-06	9.14	4.94E-07
1,836.800	1.83E-06	9.18	1.99E-07
1,822.000	7.58E-07	9.11	8.32E-08
1,834.000	5.12E-07	9.17	5.59E-08
1,808.800	3.54E-07	9.04	3.92E-08
1,830.400	1.37E-07	9.15	1.50E-08
1,822.200	7.24E-08	9.11	7.95E-09
1,828.800	5.69E-08	9.14	6.23E-09
1,825.800	4.50E-08	9.13	4.93E-09
Band Exposure Quotient:			1.52E-06



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
1,859.800	3.63E-06	9.30	3.91E-07
1,842.200	3.21E-06	9.21	3.48E-07
1,871.200	1.99E-06	9.36	2.13E-07
1,866.400	9.46E-07	9.33	1.01E-07
1,872.600	3.81E-07	9.36	4.07E-08
1,861.600	1.67E-07	9.31	1.79E-08
1,867.000	1.61E-07	9.34	1.72E-08
1,854.200	1.37E-07	9.27	1.47E-08
1,864.000	1.13E-07	9.32	1.21E-08
1,852.400	9.87E-08	9.26	1.07E-08
Band Exposure Quotient:			1.21E-06

Total number of measurements: 572

Total Band Exposure Quotient: 4.95E-06

Site: KENT COLLEGE

Location: LIBRARY

NGR: TR 1313 5926 **Taken from GPS**
Start Time: 13 December 2002 11:50:09

Officer: JP

Receiver:

Manufacturer: ROHDE&SCHWARZ

Model: EB200


Serial Number: 837.752/028

Antenna:


Manufacturer: Antenna Research Associates

Model: LPD-3500


Serial Number: 0000



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
942.200	3.57E-05	4.71	7.57E-06
942.800	3.49E-05	4.71	7.41E-06
930.200	2.88E-05	4.65	6.19E-06
929.800	2.88E-05	4.65	6.19E-06
958.400	1.86E-05	4.79	3.88E-06
940.200	1.74E-05	4.70	3.70E-06
956.200	1.34E-05	4.78	2.80E-06
947.400	7.05E-07	4.74	1.49E-07
930.000	6.16E-07	4.65	1.32E-07
927.000	5.20E-07	4.63	1.12E-07
Band Exposure Quotient:			3.92E-05



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
1,828.600	1.43E-05	9.14	1.56E-06
1,834.000	1.32E-05	9.17	1.44E-06
1,830.400	1.11E-05	9.15	1.22E-06
1,826.000	9.40E-06	9.13	1.03E-06
1,836.800	9.16E-06	9.18	9.97E-07
1,822.000	2.40E-06	9.11	2.63E-07
1,808.800	2.13E-06	9.04	2.36E-07
1,828.800	2.27E-07	9.14	2.48E-08
1,830.600	1.25E-07	9.15	1.37E-08
1,828.400	1.16E-07	9.14	1.27E-08
Band Exposure Quotient:			6.89E-06



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
1,871.200	1.86E-05	9.36	1.99E-06
1,859.800	1.59E-05	9.30	1.71E-06
1,842.200	1.01E-05	9.21	1.10E-06
1,840.800	1.01E-05	9.20	1.10E-06
1,861.600	4.00E-06	9.31	4.30E-07
1,843.800	3.87E-06	9.22	4.20E-07
1,864.000	3.75E-06	9.32	4.02E-07
1,866.400	3.68E-06	9.33	3.94E-07
1,852.400	1.60E-06	9.26	1.73E-07
1,872.600	1.38E-06	9.36	1.48E-07
Band Exposure Quotient:			8.73E-06

Total number of measurements: 572


Total Band Exposure Quotient: **5.48E-05**

Site: KENT COLLEGE
Location: MAIN ENTRANCE AREA


NGR: TR 1311 5936 **Taken from GPS**
Start Time: 13 December 2002 12:04:52
Officer: JP

Receiver:
Manufacturer: ROHDE&SCHWARZ
Model: EB200
Serial Number: 837.752/028


Antenna:
Manufacturer: Antenna Research Associates
Model: LPD-3500
Serial Number: 0000



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
929.800	2.57E-06	4.65	5.52E-07
930.200	2.04E-06	4.65	4.39E-07
942.800	8.57E-07	4.71	1.82E-07
956.200	6.72E-07	4.78	1.41E-07
942.200	4.19E-07	4.71	8.90E-08
958.400	1.86E-07	4.79	3.88E-08
940.200	1.38E-07	4.70	2.94E-08
930.000	6.91E-08	4.65	1.49E-08
930.400	2.57E-08	4.65	5.52E-09
951.200	1.71E-08	4.76	3.59E-09
Band Exposure Quotient:			1.52E-06



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
1,834.000	3.54E-06	9.17	3.87E-07
1,808.800	2.88E-06	9.04	3.18E-07
1,828.600	2.54E-06	9.14	2.78E-07
1,822.000	1.44E-06	9.11	1.59E-07
1,826.000	8.00E-07	9.13	8.76E-08
1,836.800	4.28E-07	9.18	4.66E-08
1,828.800	4.63E-08	9.14	5.06E-09
1,834.200	3.80E-08	9.17	4.14E-09
1,809.000	3.46E-08	9.04	3.83E-09
1,808.600	2.23E-08	9.04	2.47E-09
Band Exposure Quotient:			1.31E-06



Frequency (MHz)	Maximum Exposure (W/m²)	ICNIRP Limit (W/m²)	Frequency Exposure Quotient
1,871.200	3.46E-06	9.36	3.70E-07
1,859.800	2.63E-06	9.30	2.83E-07
1,866.400	9.46E-07	9.33	1.01E-07
1,864.000	8.79E-07	9.32	9.43E-08
1,861.600	7.11E-07	9.31	7.64E-08
1,854.200	6.70E-07	9.27	7.22E-08
1,867.000	5.20E-07	9.34	5.57E-08
1,842.200	4.74E-07	9.21	5.15E-08
1,840.800	3.85E-07	9.20	4.18E-08
1,852.400	4.84E-08	9.26	5.22E-09
Band Exposure Quotient:			1.19E-06

Total number of measurements: 572

Total Band Exposure Quotient: **4.02E-06**

Glossary

- Site:** The building or area around which sets of measurements are taken
- Location:** The position within a site at which a single set of measurements is taken. A set of measurements consists of multiple scans of many frequencies within a number of bands
- Band:** A portion of the electromagnetic spectrum reserved for specific radio services
- NGR:** The Ordnance Survey national grid reference coordinates of the location. In this survey NGRs are specified to 8-digit (10-metre) resolution. E.g. SJ 9755 9888
- GPS:** The Global Positioning System
- Start Time:** The date and time at which the receiver started taking its measurements at a location
- Officer:** The name of the RA representative who carried out the audit
- Receiver:** The receiver used to perform the measurements
- Antenna:** The antenna used to perform the measurements
- Exposure:** The maximum measured electric field strength (dB(μ V/m)) converted to an equivalent power density (W/m²)
- Power Density:** The electromagnetic energy flowing through a unit area normal to the direction of propagation in a unit time. Measured in Watts per square metre (W/m²)
- ICNIRP Limit:** The reference level given by the International Commission for Non-Ionizing Radiation Protection (ICNIRP) for general public exposure to electromagnetic fields

<i>Frequency</i>	<i>ICNIRP limit</i>
10MHz to 400 MHz	2 W/m ²
400MHz to 2GHz	f / 200 W/m ²
2GHz to 300GHz	10 W/m ²

(where f is frequency in MHz)

Frequency Exposure Quotient:

The ratio of the measured maximum power density to the ICNIRP limit at a given frequency. A value close to 1 signifies that exposure levels could be near to the ICNIRP limit for that frequency

Band Exposure Quotient:

The sum of the frequency exposure quotients for a single band at a location

Total Band Exposure Quotient:

The sum of the frequency exposure quotients for all of the measured bands at a location

- GSM:** Global System for Mobile communication
- ETACS:** Extended Total Access Communications
- TETRA:** Terrestrial Trunked Radio
- 3G:** Third Generation mobile-phone services

- 1.00E-03:** Exponential (or 'scientific') number format. Equal to one thousandth
- 1.00E-06:** Equal to one millionth
- 1.00E-09:** Equal to one thousand-millionth
- 1.00E-12:** Equal to one million-millionth