

**Question 1: What can Ofcom do to encourage timely standards development for new build NGA wholesale access products and interfaces? Which industry body is best placed to undertake the standardisation of these products and interfaces? What action should Ofcom take if these standards fail to materialise?:**

I live in a village in Ceredigion Wales and todate we cannot receive any form of Broadband we have 48 people running small businesses in this area who would all benefit from using Broadband B T do not want to know because all the phine lines need changing Our house prices are dropping and no one wants to buy here

**Question 2: Do you agree with Ofcom?s approach to promoting competition and consumer choice in new build fibre access deployments?:**

Yes if it helps us here

**Question 3a: Do you a. believe that the existing obligations must be met by replicating the existing copper products, or that an alternative approach could be satisfactory? What are the implications of replicating existing products on fibre?:**

We have no exisiting products so any alternative option would be a boon to us here

**Question 3b: Do you agree that SMP holders rolling out fibre do not need to roll out a copper network in parallel solely to meet their LLU obligation?:**

do not know

**Question 3c: Do you agree with Ofcom?s approach in relation to WBA and new build areas?:**

NO get the exsisting properties on to Broadband first

**Question 3d: Do you believe that the WLR obligation must be met by replicating the existing copper product, or that an alternative approach based on an ALA-type product would be satisfactory?:**

Help anything is better than nothing

**Question 3e: Do you believe that the CPS obligation must be met by replicating the existing copper product or that an alternative approach based on an ALA type product would be satisfactory?:**

Yes Ditto

**Question 3f: Do you believe that the IA obligation must be met by replicating the existing copper product or that an alternative approach based on an ALA type product would be satisfactory?:**

Yes ditto

**Question 3g: Do you agree with our proposal to interpret GC 3.1 (c) as being met through the provision and use of a battery backup facility to maintain uninterrupted access to emergency services in new build developments?:**

do not know

**Question 4: Do you think access to the duct network, including non telecoms duct, is a potentially feasible means of promoting competition in new build? If so what types of commercial and operational models could successfully support such access arrangements in the UK?:**

Get broadband to us here in Ceredigion Wales

**Comments:**

Please give me an answer as to why so many houses still cannot get first generation broadband and why so much money is being spent on new builds for second generation