

## Annex 15

# Details of the existing six multiplex UK DTT network

### UK DTT Frequency Plan

The UK DTT frequency plan is shown in the following pages. This is v6.018 version of the frequency plan (created in June 2012).

### Key

Site No	Site Number
NGR	National Grid Reference
Site Height	Site height above mean sea level in metres
Antenna Height	Antenna height above ground level in metres
PSB1 ch	PSB1 multiplex UHF channel
PSB1 ERP	PSB1 multiplex effective radiated power in kW
PSB1	Multiplex granted to BBC under its charter (aka "BBC A")
PSB2	Multiplex licensed to Digital 3 & 4 (aka "D3&4")
PSB3	Multiplex licensed to BBC (aka "BBC B")
COM4	Multiplex licensed to SDN Digital Networks (aka "SDN")
COM5	Multiplex licensed to Arqiva (aka "Arqiva A")
COM6	Multiplex licensed to Arqiva (aka "Arqiva B")

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10100	Crystal Palace	TQ33947122	110	PSB: 214 COM: 204	H	23	200	26	200	30	200	25	200	22	200	28	200
10101	Guildford	SU97474861	142	50.7	V	43	2	46	2	40	2	48	2	52	2	49	2
10102	Hertford	TL32051377	70	31.7	V	49	0.5	58	0.5	54	0.5						
10103	Reigate	TQ25645213	234	PSB: 63.5 COM: 68.5	V	60	2	57	2	53	2	21	2	24	2	27	2
10104	Tunbridge Wells	TQ60734399	124	50	V	52	4	49	4	47	4	42	4	44	4	41	4
10105	Hemel Hempstead	TL08790449	142	72.8	V	44	2	41	2	47	2	50	2	59	2	55	2
10106	Woolwich	TQ46027939	4	48	V	60	0.126	57	0.126	53	0.126						
10107	High Wycombe	SU85609420	156	56.8	V	59	0.1	55	0.1	50	0.1						
10109	Wooburn	SU91638736	95	47.4	V	48	0.02	56	0.02	52	0.02						
10110	Henley	SU77998221	109	48	V	58	0.02	49	0.02	54	0.02						
10111	Bishops Stortford	TL49902140	79	29.5	V	59	0.0144	55	0.0144	50	0.0144						
10112	Chesham	SP95600081	127	47.8	V	43	0.02	40	0.02	46	0.02						
10113	Welwyn	TL22361613	100	23.8	V	43	0.03	40	0.03	46	0.03						
10114	Great Missenden	SP90510059	178	48	V	49	0.017	58	0.017	54	0.017						
10115	Mickleham	TQ16305380	107	23.8	V	58	0.018	49	0.018	54	0.018						
10117	Kenley	TQ32905920	152	28	V	43	0.028	40	0.028	46	0.028						
10118	Chepping Wycombe	SU87709110	142	46.9	V	44	0.02	41	0.02	47	0.02						
10121	Hughenden	SU85609741	148	37	V	43	0.012	40	0.012	46	0.012						
10122	Forest Row	TQ43863629	135	33.2	V	56	0.024	58	0.024	40	0.024						
10123	Chingford	TQ38009460	29	39	V	60	0.002	57	0.002	53	0.002						
10124	Hemel Hempstead Town	TL05400650	84	70.1	V	60	0.008	57	0.008	53	0.008						
10125	Walthamstow North	TQ37828976	26	37	V	49	0.002	45	0.002	42	0.002						
10126	St Marks VP	TQ58243738	144	23.5	V	57	0.0256	60	0.0256	53	0.0256						
10130	Marlow Bottom	SU84138850	92	28.7	V	49	0.011	58	0.011	54	0.011						
10131	Cane Hill	TQ29105880	132	38	V	58	0.005	49	0.005	54	0.005						
10133	New Addington	TQ37806280	135	35	V	59	0.016	55	0.016	50	0.016						
10134	West Wycombe	SU83909360	125	29.5	V	43	0.0056	40	0.0056	46	0.0056						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10135	Otford	TQ53356035	180	26.1	V	60	0.0062	57	0.0062	53	0.0062						
10136	Lea Bridge	TQ37328793	15	45	V	50	0.002	55	0.002	59	0.002						
10137	Micklefield	SU89709330	140	16.5	V	57	0.002	60	0.002	53	0.002						
10138	Alexandra Palace	TQ29669006	92	94.4	H	49	0.07	58	0.07	54	0.07						
10139	Dorking HP	TQ16904820	120	29	H	44	0.009	41	0.009	47	0.009						
10140	Caterham	TQ34305570	173	31.1	V	59	0.006	55	0.006	50	0.006						
10141	East Grinstead	TQ38603600	130	23.7	V	43	0.0234	55	0.0234	50	0.0234						
10142	Biggin Hill	TQ41115872	172	14	V	39	0.002	45	0.002	42	0.002						
10143	Croydon Old Town	TQ31906470	58	35	V	52	0.0066	56	0.0066	48	0.0066						
10147	Skirmett	SU77709020	74	15	V	44	0.0252	41	0.0252	47	0.0252						
10148	St Albans	TL13200690	112	15.8	V	57	0.022	53	0.022	60	0.022						
10149	Gravesend	TQ65697151	40	25	V	59	0.043	55	0.043	53	0.043						
10150	Wonersh	TQ02434544	109	16.5	V	44	0.021	41	0.021	47	0.021						
10154	New Barnet	TQ26509650	61	41	V	59	0.004	55	0.004	50	0.004						
10155	Edmonton	TQ34509340	14	80	H	60	0.02	57	0.02	53	0.02						
10158	Finchley	TQ25109080	82	30	V	48	0.013	52	0.013	56	0.013						
10159	Old Coulsdon	TQ31405870	150	25	H	44	0.002	41	0.002	47	0.002						
10162	Kensal Town	TQ24508200	26	105	H	52	0.025	56	0.025	48	0.025						
10164	Hammersmith	TQ23207860	2	55	V	59	0.002	55	0.002	50	0.002						
10166	Hampstead Heath	TQ27208540	70	45	H	47	0.002	44	0.002	41	0.002						
10167	St Marks HP	TQ58243738	144	23.5	H	57	0.0064	60	0.0064	53	0.0064						
10168	Assendon	SU73408560	119	17	V	59	0.002	55	0.002	50	0.002						
10170	Worlds End	TQ26407730	2	60	V	46	0.005	43	0.005	40	0.005						
10173	Orpington	TQ45806520	72	45	V	59	0.006	55	0.006	50	0.006						
10174	Greenwich	TQ40807810	20	25	V	44	0.003	41	0.003	47	0.003						
10177	Poplar	TQ38208120	3	87	V	39	0.004	45	0.004	42	0.004						
10179	Dorking VP	TQ16904820	120	29	V	44	0.0044	41	0.0044	47	0.0044						
10180	Farningham	TQ54706600	62	17	V	52	0.013	48	0.013	56	0.013						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10184	Sutton HP	TQ25506470	37	47	H	59	0.005	55	0.005	50	0.005						
10185	Sutton VP	TQ25506470	37	50	V	59	0.005	55	0.005	50	0.005						
10186	Biggin Hill Link	TQ41745919	185	16	H	59	0.0004	55	0.0004	50	0.0004						
10200	Sutton Coldfield	SK11350032	169	264	H	43	200	46	200	40	200	42	200	45	200	39	200
10201	Kinver	SO85568319	71	16.5	H	48	0.0048	56	0.0048	52	0.0048						
10202	Kidderminster	SO80847395	82	50.7	V	49	0.4	58	0.4	54	0.4						
10203	Brierley Hill	SO91608560	130	49	V	60	2	57	2	53	2	50	2	59	2	55	2
10205	Edgbaston	SP05868518	138	59	V	24	0.004	21	0.004	27	0.004						
10206	Bromsgrove	SO94777301	147	PSB: 53.5 COM: 48.5	V	26	0.4	23	0.4	30	0.4	41	0.4	44	0.4	47	0.4
10207	Malvern	SO77494643	161	43.1	V	53	0.4	57	0.4	60	0.4	50	0.4	59	0.4	55	0.4
10208	Lark Stoke	SP18704262	260	PSB: 21 COM: 16	V	26	1.26	23	1.26	30	1.26	41	1.26	44	1.26	47	1.26
10210	Leek	SJ99965614	261	48.2	V	25	0.2	22	0.2	28	0.2						
10211	Fenton	SJ90294510	201	50.7	V	24	2	27	2	21	2	25	1	22	1	28	1
10212	Ashbourne	SK18194603	160	48.2	V	25	0.05	28	0.05	22	0.05						
10214	Hartington	SK11776015	263	18.3	V	56	0.0066	48	0.0066	52	0.0066						
10216	Over Norton	SP30902823	209	24	V	48	0.031	56	0.031	52	0.031						
10217	Bretch Hill	SP43854001	152	44	V	56	0.087	48	0.087	52	0.087						
10219	Icomb Hill	SP20202289	241	48	V	28	0.022	25	0.022	22	0.022						
10221	Leamington Spa	SP32906635	90	43	V	59	0.04	50	0.04	55	0.04						
10222	Kenilworth	SP29847266	91	16.7	V	60	0.01	57	0.01	53	0.01						
10227	Allesley Park	SP29637965	113	39	V	25	0.0066	22	0.0066	28	0.0066						
10228	Cheadle	SK03044351	235	28	V	56	0.0048	48	0.0048	52	0.0048						
10229	Tenbury Wells	SO58876917	104	23	V	60	0.0028	57	0.0028	53	0.0028						
10230	Redditch	SP02826835	113	24.8	V	25	0.002	22	0.002	28	0.002						
10232	Ironbridge	SJ67860324	47	28.4	V	49	0.0022	58	0.0022	54	0.0022						
10233	Guiting Power	SP10122334	220	29	V	44	0.0046	41	0.0046	47	0.0046						
10235	Ambergate	SK35195134	154	31.4	V	25	0.037	28	0.037	22	0.037						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10236	Ipstones Edge	SK04315066	373	28.4	V	60	0.0056	57	0.0056	53	0.0056						
10237	Whittingslow	SO42938861	268	15	V	60	0.0112	57	0.0112	53	0.0112						
10238	Oakamoor	SK05714461	161	28.4	V	24	0.0022	21	0.0022	27	0.0022						
10242	Turves Green	SP02247841	162	31.4	V	50	0.0024	59	0.0024	55	0.0024						
10243	Brailes	SP31983791	190	31	V	24	0.008	21	0.008	27	0.008						
10245	Bridgnorth	SO71909140	76	15.4	V	59	0.0032	50	0.0032	55	0.0032						
10247	Woodford Halse	SP54005308	140	18	V	25	0.002	22	0.002	28	0.002						
10249	Winshill	SK27252415	71	13.8	H	60	0.06	57	0.06	53	0.06						
10251	Gravelly Hill	SP10948990	89	29	H	50	0.0032	59	0.0032	55	0.0032						
10252	Harborne	SP01698367	170	25	V	56	0.04	52	0.04	48	0.04						
10253	Repton	SK30762611	63	21	V	60	0.008	57	0.008	53	0.008						
10254	Earl Sterndale	SK09056668	359	21	V	49	0.04	58	0.04	54	0.04						
10255	Winchcombe	SP03682877	148	20	V	49	0.002	58	0.002	54	0.002						
10256	Hamstead	SP04419317	111	33	V	24	0.002	21	0.002	27	0.002						
10257	Queslett	SP06359482	140	12	V	49	0.0026	58	0.0026	54	0.0026						
10258	Long Compton	SP28553383	158	10	V	25	0.004	22	0.004	28	0.004						
10259	Perry Beeches	SP06609325	107	16	V	25	0.002	22	0.002	28	0.002						
10260	Rugeley	SK03491789	100	10	V	56	0.008	52	0.008	48	0.008						
10266	Gib Heath	SP05618830	122	57	V	50	0.0026	59	0.0026	55	0.0026						
10300	Winter Hill	SD66051446	439	287	H	50	100	59	100	54	100	58	100	49	100	55	100
10301	Darwen	SD70832233	261	51	V	45	0.1	39	0.1	42	0.1						
10302	Pendle Forest	SD82573838	273	50.6	V	28	0.1	25	0.1	22	0.1	27	0.1	21	0.1	24	0.1
10303	Haslingden	SD79542361	336	50	V	26	2	23	2	29	2						
10304	Elton	SJ45767353	9	16	V	27	0.0126	24	0.0126	21	0.0126						
10306	Saddleworth	SD98730499	340	51	V	45	0.4	39	0.4	42	0.4	51	0.4	52	0.4	48	0.4
10307	Storeton	SJ31448416	61	48	V	28	0.56	25	0.56	22	0.56	23	0.56	26	0.56	29	0.56
10308	Bacup	SD87812245	333	48	V	46	0.05	43	0.05	40	0.05						
10309	Ladder Hill	SK02747886	404	48	V	26	0.2	23	0.2	29	0.2						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10310	Bidston	SJ27008960	9	46.3	V	44	0.03	41	0.03	47	0.03						
10311	Birch Vale	SK02818615	313	48	V	46	0.05	43	0.05	40	0.05						
10312	Whitworth	SD88602027	344	48	V	28	0.05	25	0.05	22	0.05						
10313	Glossop	SK02729538	262	48	V	28	0.05	25	0.05	22	0.05						
10314	Buxton	SK05977535	432	48	V	27	0.2	24	0.2	21	0.2						
10315	Moss Bank	SJ50929745	32	17	V	27	0.002	24	0.002	21	0.002						
10317	Chaigley	SD68604460	177	17	V	27	0.002	24	0.002	21	0.002						
10318	Trawden	SD90913780	278	37	V	53	0.04	60	0.04	57	0.04						
10319	Whalley	SD72993527	172	46	V	46	0.01	43	0.01	40	0.01						
10322	Littleborough	SD95051664	226	45	V	27	0.1	24	0.1	21	0.1						
10325	North Oldham	SD92880602	243	48	V	27	0.008	24	0.008	21	0.008						
10326	Macclesfield	SJ92507258	191	15	V	28	0.0074	25	0.0074	22	0.0074						
10327	Congleton	SJ86506190	132	27	V	44	0.04	41	0.04	47	0.04						
10328	Manchester Hulme	SJ82879662	33	71	V	44	0.002	41	0.002	47	0.002						
10330	Burbage	SK04407260	364	16.6	V	47	0.0028	41	0.0028	44	0.0028						
10331	Oakenhead	SD80622347	250	37	V	44	0.02	41	0.02	47	0.02						
10332	Whitewell	SD83372458	273	48	V	53	0.016	60	0.016	57	0.016						
10333	Delph	SD98730800	241	27	V	26	0.002	23	0.002	29	0.002						
10334	Far Highfield	SD54306720	146	24.5	H	52	0.0028	56	0.0028	48	0.0028						
10335	Lancaster	SD49086622	88	92.5	V	27	2	24	2	21	2	25	2	28	2	22	2
10336	Kendal	SD54029123	172	51	V	60	0.4	53	0.4	57	0.4						
10338	Windermere	SD38309807	216	36	V	44	0.1	47	0.1	41	0.1						
10339	Blackburn	SD70302759	173	19	V	46	0.002	43	0.002	40	0.002						
10341	Prestbury	SJ88837633	151	12	V	46	0.002	43	0.002	40	0.002						
10342	Stockport	SJ86779045	60	17	H	24	0.002	21	0.002	27	0.002						
10344	Millom Park	SD16278307	141	47.75	V	28	0.043	25	0.043	22	0.043						
10345	Coniston	SD32789667	279	27	V	27	0.018	24	0.018	21	0.018						
10346	Lees	SD96100391	213	10	H	28	0.002	25	0.002	22	0.002						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10347	Ramsbottom	SD80331590	249	27	V	53	0.016	60	0.016	57	0.016						
10348	Dalton	SD22997457	70	47	V	46	0.005	43	0.005	40	0.005						
10349	Over Biddulph	SJ89636054	212	29	V	57	0.0044	53	0.0044	60	0.0044						
10350	Hawkshead	SD34239593	252	29	V	26	0.0122	23	0.0122	29	0.0122						
10352	Haughton Green	SJ93419257	90	17	H	46	0.002	43	0.002	40	0.002						
10353	Parbold	SD47701127	10	28	V	44	0.03	41	0.03	47	0.03						
10354	Chinley	SK03508270	239	27.5	V	53	0.0024	60	0.0024	57	0.0024						
10355	Dog Hill	SD95180916	273	27	V	46	0.017	43	0.017	40	0.017						
10356	Barrow Town Hall	SD19806910	10	46	V	44	0.002	41	0.002	47	0.002						
10357	Roose VP	SD22006920	13	16	V	22	0.02	28	0.02	25	0.02						
10358	Romiley	SJ95429041	120	47	V	44	0.0022	41	0.0022	47	0.0022						
10359	Bollington	SJ94167783	181	29	V	27	0.0042	24	0.0042	21	0.0042						
10360	Langley	SJ93807090	232	16	V	27	0.002	24	0.002	21	0.002						
10361	Kendal Fell	SD50909300	142	16	H	46	0.0032	40	0.0032	43	0.0032						
10362	Ribblesdale	SD81457194	250	26	V	44	0.006	41	0.006	47	0.006						
10364	Backbarrow	SD35808410	109	16.6	V	53	0.002	60	0.002	57	0.002						
10365	West Kirby	SJ22408620	61	15.4	V	27	0.015	24	0.015	21	0.015						
10366	Brook Bottom	SD96980294	259	18	V	53	0.002	60	0.002	57	0.002						
10367	Skelmersdale	SD50330738	166	9	H	43	0.1	46	0.1	40	0.1						
10368	Mottram In Longdendale	SJ98809617	219	16	V	46	0.002	43	0.002	40	0.002						
10370	Stavely In Cartmel	SD38308540	128	28.5	V	46	0.0024	43	0.0024	40	0.0024						
10371	Penny Bridge	SD31188367	100	31.4	V	26	0.0062	23	0.0062	29	0.0062						
10372	Cartmel	SD37547934	38	16.5	H	28	0.002	25	0.002	22	0.002						
10373	Urswick	SD26307390	55	16.6	V	44	0.002	41	0.002	47	0.002						
10374	Melling VP	SD60267038	100	31	V	57	0.005	60	0.005	53	0.005						
10376	Austwick	SD78376724	217	20	V	45	0.00632	39	0.00632	42	0.00632						
10377	Chatburn	SD76544458	80	17	V	26	0.002	23	0.002	29	0.002						
10378	Woodnook	SD76282778	182	16	V	45	0.002	39	0.002	42	0.002						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10379	Melling HP	SD60267038	100	29	H	57	0.00084	60	0.00084	53	0.00084						
10380	Newchurch	SD84082262	261	19.3	H	21	0.002	24	0.002	27	0.002						
10382	Roose HP	SD22006920	13	16	H	22	0.01	28	0.01	25	0.01						
10385	Middleton	SD87620582	101	17	V	28	0.008	25	0.008	22	0.008						
10387	Wardle	SD91531720	225	20	H	28	0.002	25	0.002	22	0.002						
10388	Norden	SD86171427	184	25	V	53	0.002	57	0.002	60	0.002						
10389	Brinscall	SD63022232	207	17	V	21	0.002	24	0.002	27	0.002						
10390	Broadbottom	SJ98709331	100	17	V	45	0.002	42	0.002	39	0.002						
10391	Portwood	SJ90899110	41	25	V	28	0.002	25	0.002	22	0.002						
10394	Whaley Bridge	SK01108150	172	11.5	V	45	0.002	39	0.002	42	0.002						
10396	Walton Le Dale	SD54502916	35	40	H	27	0.002	24	0.002	21	0.002						
10400	Emley Moor	SE22291288	256	PSB: 322.6 COM: 310.9	H	47	174	44	174	41	174	51	174	52	174	48	174
10401	Wharfedale	SE19804850	212	50	V	25	0.4	22	0.4	28	0.4						
10403	Sheffield	SK32448706	239	PSB: 51 COM: 47	V	27	1	24	1	21	1	42	1	45	1	39	1
10404	Skipton	SD90875169	162	50	V	39	2	45	2	42	2						
10405	Chesterfield	SK38277649	179	PSB: 51 COM: 57	V	26	0.4	23	0.4	29	0.8	43	0.4	46	0.4	40	0.4
10406	Halifax	SE10252417	233	51	V	24	0.1	21	0.1	27	0.1						
10407	Keighley	SE06894438	305	51	V	49	2	58	2	54	2	57	2	53	2	60	2
10408	Shatton Edge	SK19428135	367	48.2	V	58	0.2	54	0.2	49	0.2						
10409	Hebden Bridge	SD98882677	220	48	V	25	0.05	22	0.05	28	0.05						
10410	Ripponden	SE04321886	289	47	V	49	0.012	58	0.012	54	0.012						
10411	Cop Hill	SE05821383	312	48	V	25	0.2	22	0.2	28	0.2						
10413	Idle	SE16413743	210	PSB: 50 COM: 53	V	24	0.05	21	0.05	27	0.05	42	0.05	45	0.05	39	0.05
10414	Headingley	SE29963613	101	24	H	49	0.0024	58	0.0024	54	0.0024						
10415	Beecroft Hill	SE23723509	149	48.2	V	59	0.2	55	0.2	50	0.2						
10417	Oxenhope	SE02823381	359	43	V	25	0.04	22	0.04	28	0.04						



Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10418	Calver Peak	SK23207430	275	47.2	V	45	0.05	42	0.05	39	0.05						
10422	Tideswell Moor	SK15007804	400	47	V	60	0.05	57	0.05	53	0.05						
10426	Hope	SK16988299	219	23.4	V	28	0.0024	22	0.0024	25	0.0024						
10427	Addingham	SE07594921	150	37	V	43	0.0046	40	0.0046	46	0.0046						
10428	Luddenden	SE04802486	256	39	V	60	0.0118	57	0.0118	53	0.0118						
10431	Dronfield	SK36317919	177	12	H	50	0.002	59	0.002	55	0.002						
10432	Hasland	SK40696978	114	24	V	57	0.002	60	0.002	53	0.002						
10433	Edale	SK12608430	325	9.4	V	60	0.002	57	0.002	53	0.002						
10435	Totley Rise	SK32208070	161	15.8	V	51	0.016	52	0.016	48	0.016						
10441	Cullingworth	SE07563813	231	16	H	50	0.0026	55	0.0026	59	0.0026						
10442	Skipton Town	SD99825097	163	28	V	24	0.0026	27	0.0026	21	0.0026						
10443	Batley	SE23942492	88	18	V	49	0.00252	58	0.00252	54	0.00252						
10444	Heyshaw	SE17076313	298	37.5	V	60	0.1	57	0.1	53	0.1						
10446	Primrose Hill	SE14281508	161	36	V	60	0.0056	57	0.0056	53	0.0056						
10447	Armitage Bridge	SE13271334	136	29	V	49	0.002	58	0.002	54	0.002						
10448	Wincobank	SK38849192	44	25	V	59	0.002	55	0.002	50	0.002						
10449	Holmfirth	SE14040866	193	30	V	49	0.0052	58	0.0052	54	0.0052						
10450	Hagg Wood	SE14901056	162	36	V	59	0.0066	55	0.0066	50	0.0066						
10452	Keighley Town	SE06504059	142	38	V	23	0.002	26	0.002	29	0.002						
10453	Sutton In Craven	SE00454289	259	24.5	V	23	0.0024	26	0.0024	29	0.0024						
10455	Cragg Vale	SE00302298	278	31	V	49	0.005	58	0.005	54	0.005						
10456	Lydgate	SD93242536	200	14	V	23	0.002	26	0.002	29	0.002						
10457	Stocksbridge	SK27539916	301	18.85	V	49	0.0024	58	0.0024	54	0.0024						
10458	Oughtibridge	SK30769525	263	29	V	59	0.0078	55	0.0078	50	0.0078						
10459	Holmfield	SE08902949	311	5	V	59	0.0044	55	0.0044	50	0.0044						
10460	Grassington	SE01546392	306	24	V	23	0.012	26	0.012	29	0.012						
10461	Cowling	SD97014328	204	16	V	42	0.0026	45	0.0026	39	0.0026						
10463	Cornholme	SD91802646	312	45	V	49	0.0084	58	0.0084	54	0.0084						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10464	Walsden	SD92752348	252	37.45	V	60	0.01	57	0.01	53	0.01						
10465	Todmorden	SD95782410	221	50	V	39	0.1	45	0.1	42	0.1						
10466	Walsden South	SD93722158	227	20	V	43	0.002	46	0.002	50	0.002						
10467	Bradford West	SE13343457	205	24	V	55	0.0025	59	0.0025	50	0.0025						
10468	Copley	SE08172235	107	21.3	V	59	0.002	55	0.002	50	0.002						
10469	Kettlewell	SD98776804	290	33	V	42	0.026	45	0.026	39	0.026						
10470	Brockwell	SK37317078	86	34	V	45	0.002	42	0.002	39	0.002						
10472	Conisbrough	SK51619802	70	17	V	60	0.002	57	0.002	53	0.002						
10473	Elland	SE12632120	171	8	H	49	0.002	58	0.002	54	0.002						
10474	Longwood Edge	SE11261614	117	17	H	59	0.008	55	0.008	50	0.008						
10476	Millhouse Green	SE22960280	283	17	V	49	0.002	58	0.002	54	0.002						
10479	Blackburn In Rotherham	SK38909260	59	7	V	60	0.002	57	0.002	53	0.002						
10480	Cleckheaton	SE18432451	143	17	V	59	0.002	55	0.002	50	0.002						
10483	Wheatley	SE06802650	196	16	V	49	0.0032	58	0.0032	54	0.0032						
10500	Black Hill	NS83116456	269	307.6	H	46	100	43	100	40	100	41	100	44	100	47	100
10501	Kilmacolm	NS34366913	110	47.8	V	27	0.0064	24	0.0064	21	0.0064						
10502	South Knapdale	NR83707480	481	49	V	60	0.365	57	0.365	53	0.365						
10503	Biggar	NT01623254	320	48	V	28	0.1	25	0.1	22	0.1						
10504	Abington	NS93882219	430	17	H	60	0.002	57	0.002	53	0.002						
10505	Glasgow West Central	NS56546820	20	73	V	50	0.0064	59	0.0064	55	0.0064						
10506	Killearn	NS48408486	113	50	V	50	0.1	59	0.1	55	0.1						
10507	Callander	NN67110639	150	37	V	28	0.02	25	0.02	22	0.02						
10508	Cathcart	NS56586160	40	71	V	60	0.008	57	0.008	53	0.008						
10510	Torosay	NM70333579	430	50.9	V	28	4	25	4	22	4	23	4	26	2	29	2
10512	Cow Hill	NN11277352	283	61.5	V	46	0.013	43	0.013	50	0.013						
10513	Netherton Brae	NS58185750	94	47	V	27	0.002	24	0.002	21	0.002						
10514	Gigha Island	NR64304806	29	24	V	41	0.012	44	0.012	47	0.012						
10515	Tarbert	NR85766803	61	24	V	24	0.002	21	0.002	27	0.002						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10516	Easdale	NM75401680	41	7	V	40	0.002	46	0.002	43	0.002						
10517	Glengorm	NM46605650	251	50	V	44	1	41	1	47	1						
10518	Clachan	NR76635636	53	15.4	V	43	0.002	46	0.002	40	0.002						
10519	Mallaig	NM67609656	71	21.1	V	46	0.0044	43	0.0044	50	0.0044						
10520	Ballachulish	NN05915923	13	35	V	23	0.0036	29	0.0036	26	0.0036						
10522	Haddington	NT53887364	60	37	V	49	0.004	58	0.004	54	0.004						
10523	Kinlochleven	NN17826298	273	24	V	59	0.0024	55	0.0024	50	0.0024						
10524	Onich VP	NN01706180	69	15	V	49	0.0034	54	0.0034	58	0.0034						
10525	Strachur	NN09440273	170	16.9	V	23	0.0062	26	0.0062	29	0.0062						
10526	Spean Bridge	NN21888194	84	28.9	V	27	0.014	24	0.014	21	0.014						
10527	Oban	NM85012898	118	46.5	V	44	0.0024	41	0.0024	47	0.0024						
10528	Bellanoch	NR80429202	67	29	V	45	0.01	42	0.01	49	0.01						
10529	Tayvallich	NR74008660	46	22	V	46	0.002	43	0.002	50	0.002						
10531	Dychliemore Link	NN13862381	194	12	H	28	0.00005	25	0.00005	22	0.00005						
10532	Castlebay	NL65209791	53	16.3	V	27	0.002	24	0.002	21	0.002						
10534	Dalmally	NN14332606	151	29	V	44	0.0082	41	0.0082	47	0.0082						
10536	Dollar	NS95089843	141	6	V	49	0.002	58	0.002	54	0.002						
10537	Ravenscraig VP	NS25207550	68	46	V	27	0.0024	24	0.0024	21	0.0024						
10538	Kirkfieldbank	NS86264431	152	20	V	50	0.002	59	0.002	55	0.002						
10539	Tillicoultry	NS92519705	31	20	V	60	0.002	57	0.002	53	0.002						
10541	Fintry	NS59758897	110	19	V	27	0.0039	24	0.0039	21	0.0039						
10542	Fiunary	NM60304689	29	14.6	V	46	0.01	43	0.01	50	0.01						
10543	Onich HP	NN01706180	69	17	H	49	0.0009	54	0.0009	58	0.0009						
10544	Twechar	NS69567548	63	16	V	28	0.002	25	0.002	22	0.002						
10545	Strathblane	NS55567899	112	22	V	27	0.002	24	0.002	21	0.002						
10546	Taynuilt	NM99303130	51	21.5	V	46	0.002	43	0.002	50	0.002						
10548	Broughton	NT12993552	276	19	V	27	0.002	24	0.002	21	0.002						
10549	Bridge Of Allan	NS79299851	94	17	V	26	0.005	23	0.005	29	0.005						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10551	Leadhills	NS88411490	412	17	V	49	0.002	58	0.002	54	0.002						
10552	Glespin	NS82102862	221	15	V	49	0.002	58	0.002	54	0.002						
10556	Deanston	NN71230221	35	17	V	60	0.002	53	0.002	57	0.002						
10557	Ravenscraig HP	NS25207550	68	46	H	27	0.0012	24	0.0012	21	0.0012						
10560	Strontian	NM83006570	240	13.9	V	39	0.0028	45	0.0028	42	0.0028						
10564	Arisaig	NM66908730	132	31	V	26	0.002	23	0.002	29	0.002						
10566	Kelvindale	NS55586921	43	17	V	52	0.002	56	0.002	48	0.002						
10567	Uplawmoor	NS43625638	235	16	V	49	0.005	58	0.005	54	0.005						
10568	Cumbernauld Village	NS75467612	156	19	V	49	0.002	58	0.002	54	0.002						
10572	Acharacle	NM67886956	84	16.5	V	46	0.002	43	0.002	50	0.002						
10574	Loch Feochan	NM86102560	110	18	V	54	0.0082	49	0.0082	58	0.0082						
10575	Kintraw	NM83000480	40	16	V	46	0.004	43	0.004	40	0.004						
10578	Dunoon Forest Road	NS16747715	46	12	V	27	0.002	24	0.002	21	0.002						
10591	Kilmelford	NM81651006	251	46.1	V	50	0.015	59	0.015	55	0.015						
10595	Strathyre Link	NN58141708	603	5	V	46	0.000126	43	0.000126	40	0.000126						
10596	Strathyre	NN55901700	124	17	V	27	0.002	24	0.002	21	0.002						
10600	Wenvoe	ST11077416	126	258	H	41	100	44	100	47	100	42	50	45	50	39	50
10601	Kilvey Hill	SS67189401	193	50.7	V	23	2	26	2	29	2	25	2	22	2	28	2
10602	Rhondda VP	SS99009381	307	55	V	23	1	26	1	29	1						
10603	Mynydd Machen	ST22389008	360	51	V	23	0.4	26	0.4	29	0.4						
10604	Maesteg	SS84199129	252	49.7	V	25	0.05	22	0.05	28	0.05						
10605	Pontypridd	ST08459048	199	50	V	25	0.4	22	0.4	28	0.4						
10606	Aberdare	SO03450129	282	50.7	V	24	0.1	21	0.1	27	0.1	25	0.1	22	0.1	28	0.1
10607	Merthyr Tydfil	SO05720657	249	64	V	25	0.025	22	0.025	28	0.025						
10608	Bargoed	SO14530101	292	43.1	V	24	0.06	21	0.06	27	0.06						
10609	Rhymney	SO12740430	406	44	V	60	0.03	57	0.03	53	0.03						
10610	South Tredegar	SO15500608	291	17	V	39	0.0026	42	0.0026	45	0.0026						
10611	Clydach	SO22791251	319	16	V	23	0.002	29	0.002	26	0.002						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10612	Abertillery	SO22440237	400	42	V	25	0.056	22	0.056	28	0.056						
10613	Ebbw Vale	SO15990882	442	62.2	V	59	0.1	55	0.1	50	0.1						
10614	Blaina	SO19650836	303	47.5	V	43	0.02	40	0.02	46	0.02						
10615	Pontypool	ST28479905	246	48.1	V	23	0.05	26	0.05	29	0.05	25	0.05	22	0.05	28	0.05
10616	Cilfrew	SS77529861	85	29	V	39	0.003	45	0.003	42	0.003						
10617	Blaenavon	SO27700633	373	44	V	60	0.03	57	0.03	53	0.03						
10618	Abergavenny	SO24411269	433	48	V	39	0.2	42	0.2	45	0.2						
10619	Ferndale	ST00689699	386	47.4	V	60	0.02	57	0.02	53	0.02						
10620	Porth	ST02949193	247	54.4	V	43	0.0118	46	0.0118	40	0.0118						
10621	Wattsville	ST21529111	192	34	V	60	0.002	57	0.002	53	0.002						
10622	Llangeinor	SS90538866	306	47.4	V	59	0.038	55	0.038	50	0.038						
10623	Treharris	ST10309648	170	38	V	52	0.01	48	0.01	56	0.01						
10624	Cwmafon	SS79819363	206	37	V	24	0.014	21	0.014	27	0.014						
10625	Llyswen	SO13733612	224	32	V	24	0.006	27	0.006	21	0.006						
10626	Llanhilleth	SO21350037	274	36.6	V	39	0.01	42	0.01	45	0.01						
10628	Gilfach	SS98208900	278	35.9	V	24	0.01	21	0.01	27	0.01						
10629	Taffs Well	ST12378485	149	37	V	59	0.0104	55	0.0104	50	0.0104						
10630	Ogmore Vale	SS92958943	298	46.2	V	60	0.02	57	0.02	53	0.02						
10631	Abertridwr	ST12348859	255	44	V	60	0.01	57	0.01	53	0.01						
10632	Ynysowen	ST08209928	342	24	V	59	0.016	55	0.016	50	0.016						
10633	Ebbw Vale South	SO17630735	279	17	V	24	0.004	27	0.004	21	0.004						
10634	Nant Y Moel	SS93409350	245	13.9	V	27	0.002	21	0.002	24	0.002						
10635	Tonypandy	SS98699249	224	34	V	59	0.002	55	0.002	50	0.002						
10636	Alltwen	SN71650392	141	17	V	43	0.002	46	0.002	40	0.002						
10637	Aberbeeg	SO21550294	293	12	V	43	0.002	50	0.002	46	0.002						
10638	Fernhill	ST03079934	159	16	V	59	0.002	55	0.002	50	0.002						
10639	Penrhiwceiber	ST06619665	148	12	V	53	0.002	57	0.002	60	0.002						
10640	Risca	ST24039062	75	8	V	43	0.002	46	0.002	40	0.002						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10641	Trebanog	ST02099068	171	17	V	24	0.002	27	0.002	21	0.002						
10642	Mynydd Bach	ST16859262	312	48	V	49	0.05	58	0.05	54	0.05						
10643	Bedlinog	SO10290053	352	37	V	24	0.002	21	0.002	27	0.002						
10644	Machen Upper	ST21128976	151	28	V	50	0.0072	55	0.0072	59	0.0072						
10645	Cwm Ffrwd Oer	SO26500140	202	16.7	V	43	0.002	46	0.002	50	0.002						
10646	Blaenau Gwent	SO21500490	281	10	V	60	0.0022	57	0.0022	53	0.0022						
10648	Pennar	ST20929588	228	47.7	V	43	0.02	46	0.02	40	0.02						
10649	Brecon	SO05452875	223	48	V	49	0.2	54	0.2	58	0.2						
10650	Sennybridge	SN91412954	351	48	V	43	0.0128	50	0.0128	46	0.0128						
10651	Clyro	SO20414325	215	49	V	41	0.032	47	0.032	44	0.032						
10652	Crickhowell	SO20662028	223	28	V	24	0.03	21	0.03	27	0.03						
10653	Blackmill	SS93048663	183	37	V	25	0.002	22	0.002	28	0.002						
10654	Llanfach	ST21739479	128	17	H	60	0.002	57	0.002	53	0.002						
10655	Pennorth	SO10332670	245	48	V	23	0.01	29	0.01	26	0.01						
10656	Pontardawe	SN73270378	156	48	V	49	0.025	58	0.025	54	0.025						
10657	Deri	SO12160228	391	27	V	25	0.01	22	0.01	28	0.01						
10658	Cwmaman	ST00069932	191	20	V	49	0.002	42	0.002	45	0.002						
10659	Upper Killay	SS59009270	88	14	V	24	0.002	21	0.002	27	0.002						
10660	Ton Pentre	SS96049559	323	46.8	V	49	0.032	58	0.032	54	0.032						
10661	Trecastle	SN88582741	322	16	V	25	0.002	22	0.002	28	0.002						
10662	Blaenllechau	SS99969765	277	11.6	H	24	0.002	21	0.002	27	0.002						
10663	Monmouth	SO52621277	194	23	V	59	0.046	55	0.046	50	0.046						
10664	Usk	SO38410064	50	20	V	48	0.0036	52	0.0036	56	0.0036						
10665	Cwmfelinfach	ST18499095	199	29	V	48	0.004	52	0.004	56	0.004						
10666	Llanfoist	SO30871437	104	38	V	60	0.0144	53	0.0144	57	0.0144						
10667	Nantyglo	SO18981062	337	9	H	60	0.002	57	0.002	53	0.002						
10668	Abercynon	ST09379523	174	17	H	58	0.002	54	0.002	49	0.002						
10669	Tynewydd	SS93159933	247	28	V	59	0.004	50	0.004	55	0.004						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10670	Craig Cefn Parc	SN68200201	167	12	V	43	0.002	46	0.002	40	0.002						
10671	Briton Ferry	SS74759566	67	23	V	43	0.004	46	0.004	40	0.004						
10672	Dowlais	SO07300885	397	23	V	49	0.01	58	0.01	54	0.01						
10673	Rhondda Fach	ST00749397	251	16	V	25	0.002	22	0.002	28	0.002						
10674	Trefechan	SO03090853	288	17	V	42	0.01	39	0.01	45	0.01						
10675	Crucorney	SO32372220	214	29	V	24	0.0022	27	0.0022	21	0.0022						
10676	Tonyrefail	ST00948746	165	28	V	59	0.004	55	0.004	50	0.004						
10677	Efail Fach	SS78659581	162	14	V	39	0.002	45	0.002	42	0.002						
10678	Llanharan	SS99828320	70	12	V	24	0.002	21	0.002	27	0.002						
10679	Burry Port	SN44930196	77	15.8	V	49	0.002	58	0.002	54	0.002						
10680	Rhondda HP	SS99009381	307	46	H	23	0.01	26	0.01	29	0.01						
10681	Gellifendigaid	ST07009350	199	15.8	H	59	0.0024	55	0.0024	50	0.0024						
10683	South Maesteg	SS86008970	137	14	V	59	0.002	55	0.002	50	0.002						
10687	Van Terrace	ST16898646	101	20	H	39	0.002	45	0.002	42	0.002						
10692	Neath Abbey HP	SS73109800	84	11.5	H	52	0.01	48	0.01	56	0.01						
10693	Neath Abbey VP	SS73109800	84	11.5	V	52	0.01	48	0.01	56	0.01						
10694	Crumlin	ST22849845	328	20	V	60	0.002	57	0.002	53	0.002						
10700	Divis	NW41193098	365	186	H	27	100	21	100	24	100	23	50	26	50	29	50
10701	Larne	NW54405860	111	51	V	45	0.4	42	0.4	39	0.4						
10702	Carnmoney Hill	NW46803840	207	47	V	46	0.016	40	0.016	43	0.016						
10703	Kilkeel	SB35807410	241	50	V	45	0.4	42	0.4	39	0.4						
10705	Newcastle	SB44808570	234	35	V	50	0.8	55	0.8	59	0.8						
10706	Armagh	NV99230399	109	47	V	44	0.024	41	0.024	47	0.024						
10707	Black Mountain	NW40102860	288	198	V	45	0.005	42	0.005	49	0.005						
10708	Whitehead	NW61604720	60	16	V	52	0.0024	51	0.0024	56	0.0024						
10709	Bellair	NW45507100	181	47	V	56	0.008	48	0.008	52	0.008						
10710	Draperstown	NV90835586	103	29	V	45	0.0024	42	0.0024	49	0.0024						
10711	Moneymore	NV98934230	50	17	V	46	0.008	43	0.008	40	0.008						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10713	Newry North	SB17608610	61	28	V	43	0.002	46	0.002	40	0.002						
10714	Rostrevor	SB26507450	170	29	V	39	0.023	42	0.023	45	0.023						
10715	Newry South	SB17768327	82	16	V	44	0.004	41	0.004	47	0.004						
10716	Benagh	SB33406980	13	28	V	28	0.2	25	0.2	22	0.2						
10718	Cushendun	NW43109090	135	16	V	27	0.02	21	0.02	24	0.02						
10719	Cushendall	NW37908390	171	16	V	46	0.005	40	0.005	43	0.005						
10720	Glynn	NW54805540	119	17	V	50	0.002	55	0.002	59	0.002						
10721	Newtownards	NW62402790	20	14	V	50	0.0022	55	0.0022	59	0.0022						
10723	Banbridge	NW23520331	102	31	V	40	0.002	43	0.002	46	0.002						
10724	Dromore	NW30481017	99	17	V	59	0.002	55	0.002	50	0.002						
10727	Glenariff	NW40408200	102	16	V	49	0.009	54	0.009	58	0.009						
10728	Leitrim	SB35009870	299	40	V	58	0.2	54	0.2	49	0.2						
10730	Killowen Mountain	SB28307420	440	14	V	27	0.005	21	0.005	24	0.005						
10732	Bangor	NW63033580	21	17	V	55	0.002	50	0.002	59	0.002						
10735	Conlig	NW63003230	48	20	V	45	0.0126	42	0.0126	49	0.0126						
10740	Camlough	SB13808270	347	25	V	59	0.5	55	0.5	50	0.5						
10800	Rowridge	SZ44728654	143	PSB: 177 COM: 157.8	H	24	200	27	200	21	200	25	50	22	50	28	50
10801	Salisbury	SU13642852	103	50	V	57	2	60	2	53	2	50	2	59	2	55	2
10802	Till Valley	SU06683709	80	29	V	46	0.015	43	0.015	40	0.015						
10803	Ventnor	SZ56767834	227	44.2	V	48	0.4	49	0.4	52	0.4						
10804	Poole	SZ03709210	61	47.8	V	57	0.05	60	0.035	53	0.039						
10805	Whitehawk Hill	TQ32960452	120	51	V	60	4	53	4	51	4	57	4	56	4	48	4
10806	Shrewton	SU07294382	110	29	V	44	0.002	41	0.002	47	0.002						
10807	Findon	TQ12000725	124	33.5	V	44	2	41	2	47	2						
10808	Patcham	TQ31850932	112	29	H	43	0.0138	50	0.0138	46	0.0138						
10810	Winterborne Stickland	ST83850510	154	55.2	V	46	0.4	43	0.4	40	0.4						
10817	Corfe Castle	SY97268214	107	27.5	V	44	0.004	41	0.004	47	0.004						



Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10819	Portslade	TQ24540806	84	15.8	V	41	0.01	47	0.01	44	0.01						
10820	Westbourne	SZ06709160	43	31	V	44	0.0076	41	0.0076	47	0.0076						
10822	Ovingdean VP	TQ35800440	90	15.7	V	49	0.01	50	0.01	55	0.01						
10823	Saltdean	TQ38800340	50	14	V	55	0.026	54	0.04	58	0.04						
10824	Coldean	TQ32900830	104	18	V	44	0.016	47	0.016	41	0.016						
10825	Bevendean	TQ33400660	67	16	V	43	0.005	40	0.005	46	0.005						
10826	Brighton Central	TQ31200490	23	59.5	H	41	0.02	47	0.02	44	0.02						
10827	Donhead	ST90752300	150	37	V	44	0.0058	41	0.0058	47	0.0058						
10829	Millbrook VP	SU37401380	2	51	V	44	0.008	41	0.008	47	0.008						
10830	Brighstone	SZ43568168	43	29	V	44	0.071	41	0.071	47	0.071						
10831	Hangleton	TQ26980775	87	16.7	V	50	0.005	55	0.005	52	0.005						
10832	Lulworth	SY82408150	156	16.5	V	50	0.0022	59	0.0022	55	0.0022						
10833	Piddletrenthide	SY70429898	124	28.7	V	45	0.0112	39	0.0112	42	0.0112						
10834	Luscombe Valley	SZ04789086	46	18.1	V	45	0.002	46	0.002	42	0.002						
10836	Winterbourne Steepleton	SY62958937	139	23.7	V	39	0.0024	45	0.0024	42	0.0024						
10837	Cheselbourne	SY76829853	125	17.4	V	57	0.002	53	0.002	60	0.002						
10838	Brading	SZ61238726	4	13.3	V	49	0.01	46	0.01	43	0.01						
10839	Singleton	SU86621316	92	16	V	44	0.0026	41	0.0026	47	0.0026						
10840	Ovingdean HP	TQ35800440	90	15.7	H	49	0.01	50	0.01	55	0.01						
10844	Horndean	SU69811529	121	17	V	56	0.005	50	0.005	40	0.005						
10845	Canford Heath	SZ03689393	63	34	V	45	0.002	46	0.002	42	0.002						
10847	Poulner	SU14540534	17	30	H	44	0.01	41	0.01	47	0.01						
10848	Bovington	SY84458786	30	20	V	44	0.002	41	0.002	47	0.002						
10859	Millbrook HP	SU37431385	3	51	H	44	0.001	41	0.001	47	0.001						
10860	Rowridge VP	SZ44728654	143	PSB: 177 COM: 156	V	24	200	27	200	21	200	25	200	22	200	28	200
10900	Pontop Pike	NZ14785270	302	145.5	H	58	100	54	100	49	100	50	50	59	50	55	50
10902	Newton	NZ03586532	161	50.7	V	26	0.4	29	0.4	23	0.4						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
10903	Fenham	NZ21676487	120	51	V	27	0.4	24	0.4	21	0.4	25	0.4	22	0.4	28	0.4
10906	Weardale	NZ02553847	400	50.7	V	44	0.2	47	0.2	41	0.2						
10908	Alston	NY73094785	502	40	V	39	0.08	42	0.08	45	0.08						
10909	Catton Beacon	NY82235907	322	48	V	40	0.028	43	0.028	46	0.028						
10910	Morpeth	NZ21818645	60	46	V	22	0.0088	25	0.0088	28	0.0088						
10911	Bellingham	NY83298121	224	48	V	27	0.01	24	0.01	21	0.01						
10912	Humshaugh	NY90607110	130	28.7	V	39	0.0118	42	0.0118	45	0.0118						
10913	Haydon Bridge	NY80966304	212	48	V	44	0.02	47	0.02	41	0.02						
10914	Shotleyfield	NZ06555323	199	48	V	22	0.04	25	0.04	28	0.04						
10915	Durham	NZ26434233	89	24.6	V	41	0.003	44	0.003	47	0.003						
10917	Ireshopeburn	NY86203810	405	28.7	V	55	0.0022	50	0.0022	59	0.0022						
10918	Hedleyhope	NZ16213978	256	28.8	H	41	0.004	44	0.004	47	0.004						
10919	Seaham	NZ40204850	122	28.7	V	44	0.1	47	0.1	41	0.1						
10920	Sunderland	NZ39115472	90	15.8	V	52	0.006	51	0.006	48	0.006						
10921	Staithe	NZ78101897	33	11.7	V	52	0.002	51	0.002	48	0.002						
10922	Esh	NZ19804443	146	16.5	V	39	0.0024	42	0.0024	45	0.0024						
10925	Falstone	NY72328637	156	20	V	44	0.002	47	0.002	41	0.002						
10926	Kielder	NY62569690	545	12	V	26	0.0054	29	0.0054	23	0.0054						
10927	Byrness	NT76510163	340	15	V	27	0.02	24	0.02	21	0.02						
10928	Wall	NY90906760	131	13	H	52	0.0042	51	0.0042	48	0.0042						
10929	Whitaside	SD97989648	358	13	V	44	0.0025	47	0.0025	41	0.0025						
10930	Felling	NZ27606160	85	52	V	40	0.002	46	0.002	43	0.002						
10932	Blaydon Burn	NZ16706270	81	12	V	44	0.002	41	0.002	47	0.002						
10934	Allenheads	NY84004690	451	16.5	V	27	0.002	24	0.002	21	0.002						
11000	Mendip	ST56434883	303	288	H	49	100	54	100	58	100	48	100	56	100	52	100
11001	Crockerton	ST87724286	160	40	V	43	0.01074	46	0.01074	40	0.01074						
11002	Bath	ST76936547	180	48.8	V	25	0.05	28	0.05	22	0.05						
11003	Westwood	ST81695978	83	47.4	V	43	0.02	40	0.02	46	0.02						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
11004	Avening	ST88109757	156	34	V	41	0.002	47	0.002	44	0.002						
11005	Calne	ST99726998	104	32	V	24	0.02	27	0.02	21	0.02						
11006	Redcliff Bay	ST43937512	98	29	H	53	0.01	60	0.01	57	0.01						
11007	Bristol Kings Weston	ST54727751	90	48.1	V	43	0.2	40	0.2	46	0.2	53	0.2	57	0.2	60	0.2
11008	Bristol Ilchester Crescent	ST57707005	46	50.6	V	41	0.2	44	0.2	47	0.2	42	0.1	45	0.1	39	0.1
11009	Washford	ST05804099	42	43.3	V	59	0.0124	50	0.0124	55	0.0124						
11010	Easter Compton	ST56698302	7	16	V	53	0.0025	60	0.0025	57	0.0025						
11011	West Lavington	ST99945254	149	19	V	23	0.0024	26	0.0024	29	0.0024						
11012	Seagry Court	SU14908810	116	38	V	41	0.02	47	0.02	44	0.02						
11013	Coleford	SO56961069	200	20	V	45	0.002	39	0.002	42	0.002						
11014	Monksilver	ST08503620	230	38.5	V	40	0.015	43	0.015	46	0.015						
11016	Ogbourne St George	SU20597316	208	13.5	V	43	0.0026	40	0.0026	46	0.0026						
11017	Wootton Courtenay	SS93404260	149	28.6	V	25	0.0224	28	0.0224	22	0.0224						
11018	Stroud	SO83630774	223	48	V	40	0.2	43	0.2	46	0.2						
11019	Cirencester	SP00480579	185	50	V	23	0.1	29	0.1	26	0.1						
11020	Nailsworth	ST84909908	114	36	V	23	0.0062	26	0.0062	29	0.0062						
11021	Chalford	SO88290177	174	48	V	24	0.025	27	0.025	21	0.025						
11022	Roadwater	ST02603750	143	15.5	H	23	0.006	26	0.006	29	0.006						
11024	Marlborough	SU20966881	192	50.7	V	25	0.02	28	0.02	22	0.02						
11025	Upavon	SU14525187	119	48	V	23	0.028	29	0.028	26	0.028						
11026	Porlock	SS88324623	160	35.6	V	24	0.005	27	0.005	21	0.005						
11027	Countisbury	SS74845008	302	15.6	H	59	0.042	50	0.042	55	0.042						
11029	Cerne Abbas	ST64500130	235	47.5	V	29	0.08	26	0.08	23	0.08						
11030	Hutton	ST36115886	73	37	V	59	0.04	50	0.04	55	0.04						
11031	Bristol Montpellier	ST59047458	34	37	V	27	0.01	24	0.01	21	0.01						
11032	Box	ST83246888	119	30	V	43	0.002	40	0.002	46	0.002						
11033	Dursley	ST78839638	243	47	V	43	0.011	40	0.011	46	0.011						
11034	Slad	SO87260553	209	29	H	23	0.002	29	0.002	26	0.002						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
11036	Frome	ST77874817	70	23	V	26	0.002	23	0.002	29	0.002						
11038	Bristol Barton House	ST61107290	17	50.2	H	26	0.018	23	0.018	29	0.018						
11039	Bruton	ST68063413	87	24	V	43	0.002	40	0.002	46	0.002						
11040	Kewstoke	ST34726392	10	24	V	43	0.016	40	0.016	46	0.016						
11041	Burrington	ST47766059	36	28	H	60	0.032	53	0.032	57	0.032						
11042	Ubley	ST53865947	136	31.5	V	24	0.0158	27	0.0158	21	0.0158						
11045	Portishead	ST45887641	85	25	V	59	0.0074	50	0.0074	55	0.0074						
11046	Backwell	ST49847169	96	29	V	25	0.0188	28	0.0188	22	0.0188						
11048	Tintern	SO53810022	101	30	V	24	0.002	27	0.002	21	0.002						
11051	Chiseldon	SU19008012	167	16	V	27	0.016	24	0.016	21	0.016						
11052	Chepstow	ST54449392	39	17	V	24	0.002	21	0.002	27	0.002						
11053	Blakeney	SO66470699	74	19	V	24	0.0025	27	0.0025	21	0.0025						
11054	Lydbrook	SO60041634	170	24	V	43	0.002	40	0.002	46	0.002						
11055	Parkend	SO61670837	82	18	V	41	0.002	47	0.002	44	0.002						
11056	Clearwell	SO57450846	207	34	V	59	0.002	50	0.002	55	0.002						
11058	Woodcombe	SS95104580	79	16	V	59	0.01	50	0.01	55	0.01						
11059	Exford	SS84703790	331	16.2	V	41	0.002	47	0.002	44	0.002						
11060	Kilve	ST14304250	101	17.4	H	59	0.003	50	0.003	55	0.003						
11061	Crewkerne	ST44460922	81	18	V	43	0.002	40	0.002	46	0.002						
11062	Carhampton	ST01604260	67	18.5	V	24	0.02	27	0.02	21	0.02						
11063	Chitterne	ST99534415	124	17	V	43	0.002	40	0.002	46	0.002						
11066	Chalford Vale	SO88610241	129	17	V	43	0.003	46	0.003	40	0.003						
11068	Chilfrome	SY57959918	174	15.5	H	43	0.013	40	0.013	46	0.013						
11071	Corsham VP	ST86906990	85	16.5	V	40	0.008	46	0.008	43	0.008						
11072	Redbrook	SO53880927	122	18	V	42	0.002	45	0.002	39	0.002						
11073	Siston	ST66887447	70	15	V	26	0.008	23	0.008	29	0.008						
11074	Bristol Warmley	ST65447366	90	14.2	V	45	0.002	42	0.002	39	0.002						
11076	Pillowell HP	SO62530652	73	20	H	43	0.002	40	0.002	46	0.002						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
11079	Pillowell VP	SO62530652	73	19	V	43	0.00018	40	0.00018	46	0.00018						
11080	Corsham HP	ST86906990	85	16.5	H	40	0.005	46	0.005	43	0.005						
11083	Portbury	ST50107510	28	12	V	24	0.002	27	0.002	21	0.002						
11100	Waltham	SK80942333	141	301	H	49	50	54	50	58	50	29	25	56	25	57	25
11101	Nottingham	SK50354354	129	PSB: 51 COM: 57.5	V	27	0.4	24	0.4	21	0.4	51	0.4	52	0.4	48	0.4
11102	Derby	SK32943420	101	30	H	48	0.04	51	0.04	52	0.04						
11103	Leicester	SK58500330	57	28	V	25	0.002	28	0.002	22	0.002						
11104	Belper	SK33714625	190	31.4	V	59	0.006	50	0.006	55	0.006						
11105	Eastwood	SK46374700	91	24	V	23	0.002	26	0.002	30	0.002						
11106	Stamford	TF03220673	29	17	V	47	0.002	41	0.002	44	0.002						
11107	Parwich	SK18535421	213	16.5	V	24	0.002	27	0.002	21	0.002						
11108	Stanton Moor	SK24566372	302	50	V	59	0.4	50	0.4	55	0.4						
11109	Bolehill	SK29465533	319	48.2	V	53	0.1	57	0.1	60	0.1						
11110	Matlock	SK29755892	198	31.5	V	24	0.0034	27	0.0034	21	0.0034						
11111	Ashford In The Water	SK18946912	238	28.4	V	23	0.0028	26	0.0028	30	0.0028						
11112	Birchover	SK24156163	265	16.6	H	39	0.005	45	0.005	42	0.005						
11113	Little Eaton	SK37164193	141	18	V	23	0.004	26	0.004	30	0.004						
11118	Darley Dale	SK27556422	273	28.8	V	44	0.0032	41	0.0032	47	0.0032						
11200	Durris	NO76418994	325	314	H	28	100	25	100	22	100	23	50	26	50	29	50
11201	Peterhead	NK11154528	42	50	V	50	0.1	59	0.1	55	0.1						
11202	Gartley Moor	NJ54633261	416	50	V	58	0.44	49	0.44	54	0.44						
11203	Rosehearty	NJ93376630	61	50	V	44	0.4	41	0.4	47	0.4						
11204	Balgownie	NJ92721045	74	32	V	46	0.008	43	0.008	50	0.008						
11205	Tullich	NO37909840	454	46.9	V	50	0.014	59	0.014	55	0.014						
11206	Braemar	NO10809070	541	15.4	V	45	0.003	42	0.003	49	0.003						
11207	Tomintoul	NJ16302090	462	26.1	V	46	0.002	43	0.002	50	0.002						
11208	Banff	NJ68746175	88	30	V	45	0.056	42	0.056	39	0.056						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
11209	Ellon	NJ95823112	43	20	V	45	0.002	39	0.002	42	0.002						
11210	Brechin	NO60455907	36	20	V	46	0.002	43	0.002	50	0.002						
11211	Boddam	NK12624156	72	30	V	45	0.002	42	0.002	39	0.002						
11213	Lumphanan	NJ58740492	214	17	V	42	0.002	45	0.002	39	0.002						
11222	Gourdon	NO82707090	20	8	V	50	0.002	59	0.002	55	0.002						
11300	Dover	TR27393972	133	237	H	50	80	51	80	53	80	55	40	59	40	48	40
11302	Margate	TR37017018	34	52	V	50	0.2	51	0.2	53	0.2						
11303	Dover Town	TR31184305	85	28	V	26	0.02	23	0.02	30	0.02						
11304	Hythe	TR16903440	1	22.5	V	26	0.05	23	0.05	30	0.05						
11305	Chartham	TR10325615	67	48	V	21	0.05	24	0.05	27	0.05						
11306	Faversham	TR00396023	30	34	V	21	0.02	24	0.02	27	0.02						
11308	Rye	TQ90401980	44	14	V	54	0.05	46	0.05	56	0.05						
11310	Newnham	TQ95025717	82	28	V	21	0.01	24	0.01	27	0.01						
11311	Ramsgate	TR38506518	17	48	V	26	0.05	23	0.05	30	0.05						
11313	Lyminge	TR16784280	135	17	V	22	0.005	25	0.005	28	0.005						
11314	Horn Street	TR19063591	63	20	V	44	0.02	41	0.02	47	0.02						
11315	Folkestone	TR22093590	42	33	V	26	0.1	23	0.1	30	0.1						
11316	Elham	TR18814497	133	16	V	26	0.004	23	0.004	30	0.004						
11317	Lydden	TR26304586	93	18	V	43	0.004	40	0.004	46	0.004						
11319	Turnpike Hill	TR15353442	1	15	V	44	0.005	41	0.005	47	0.005						
11400	Tacolneston	TM13059572	64	199	H	55	100	59	100	50	100	42	100	45	100	39	100
11401	West Runton	TG18644126	89	51	V	26	2	23	2	29	2						
11402	Aldeburgh	TM44175960	21	66	V	28	10	23	10	25	10						
11404	Thetford	TL86548404	34	28	V	26	0.008	23	0.008	29	0.008						
11405	Little Walsingham	TF92683654	51	29	V	44	0.011	41	0.011	47	0.011						
11406	Creake	TF84593701	55	34	V	48	0.002	52	0.002	56	0.002						
11407	Wells Next The Sea	TF98584237	32	37	V	57	1	51	1	56	1						
11408	Burnham	TF79564285	60	41	V	41	0.4	47	0.4	44	0.4						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
11409	Norwich Central	TG23710985	32	21	V	46	0.0068	43	0.0068	52	0.0068						
11413	Bury St Edmunds	TL86106512	41	49	V	28	0.017	25	0.017	22	0.017						
11414	Linnet Valley	TL82676362	60	16	V	26	0.0032	23	0.0032	29	0.0032						
11415	Overstrand	TG23424086	72	17	V	48	0.063	47	0.063	51	0.063						
11417	Bramford	TM11724584	32	17	V	27	0.004	24	0.004	21	0.004						
11421	Gorleston On Sea	TG52060490	8	21	V	26	0.002	23	0.002	29	0.002						
11498	Great Yarmouth	TG52190709	1	51	V	47	0.4	41	0.4	44	0.4						
11499	Lowestoft	TM54349382	18	36.5	V	58	0.4	60	0.4	56	0.4						
11500	Sudbury	TL91233764	71	PSB: 158 COM: 115	H	44	100	41	100	47	100	58	100	60	100	56	100
11501	Woodbridge	TM27174983	32	26	V	48	0.1	52	0.1	54	0.1						
11502	Ipswich Stoke	TM15974439	5	41	V	26	0.028	25	0.028	29	0.028						
11503	Wivenhoe Park	TM02702400	19	38	V	57	0.01	54	0.01	49	0.01						
11506	Felixstowe	TM30503461	18	34	V	45	0.2	51	0.2	53	0.2						
11508	Somersham	TM08604923	42	12	V	28	0.002	25	0.002	22	0.002						
11596	Burnham on Crouch	TQ94099662	18	25	H	49	0.5	52	0.5	42	0.5						
11597	Rouncefall	TQ85629319	51	28	H	44	4	41	4	47	4						
11598	Clacton	TM18341634	7	40	H	49	0.4	52	0.4	42	0.4						
11600	Bilsdale	SE55319622	380	296	H	26	100	29	100	23	100	43	50	46	50	40	50
11601	Whitby Business Park	NZ91110956	60	45.9	V	55	0.1	59	0.1	50	0.1						
11603	Bainbridge	SD93528927	306	26.4	V	57	0.0076	60	0.0076	53	0.0076						
11604	Grinton Lodge	SE04809760	262	12.2	V	45	0.005	42	0.005	49	0.005						
11605	Guisborough	NZ59251684	176	36.8	V	57	0.01	60	0.01	53	0.01						
11606	Ravenscar	NZ97090120	262	47.7	V	56	0.033	58	0.033	53	0.033						
11608	Limber Hill	NZ78910534	142	47.8	V	47	0.008	41	0.008	44	0.008						
11609	Skinningrove	NZ71541923	61	24	V	52	0.006	51	0.006	48	0.006						
11610	Romaldkirk	NY97402200	352	28.3	V	44	0.0116	41	0.0116	47	0.0116						
11613	West Burton	SE03008800	273	15.7	V	45	0.0024	39	0.0024	42	0.0024						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
11614	Aislaby	NZ86300870	135	16.6	V	45	0.0076	39	0.0076	42	0.0076						
11615	Castleton	NZ69300770	192	15.4	V	50	0.002	59	0.002	55	0.002						
11619	Rookhope	NY92684349	396	17	V	45	0.002	42	0.002	49	0.002						
11620	Rosedale Abbey	SE73099662	243	13	V	45	0.002	39	0.002	42	0.002						
11622	Peterlee	NZ44664101	61	18	V	45	0.002	42	0.002	39	0.002						
11623	Eston Nab	NZ56901820	234	28	V	52	0.003	51	0.003	48	0.003						
11700	Oxford	SP56711054	135	160	H	53	100	60	100	57	100	50	50	59	50	55	50
11701	Charlbury	SP34451975	111	16	V	44	0.01	41	0.01	47	0.01						
11705	Ascott Under Wychwood	SP28711934	145	24	V	27	0.0058	24	0.0058	21	0.0058						
11800	Llanddona	SH58288100	143	112	H	57	20	60	20	53	20	43	10	46	10	40	10
11801	Betws Y Coed	SH82475824	303	51	V	27	0.1	24	0.1	21	0.1						
11802	Penmaen Rhos	SH87787798	125	28	H	28	0.028	25	0.028	22	0.028						
11803	Conway	SH78147652	114	50	V	47	0.4	41	0.4	44	0.4						
11804	Bethesda	SH61306630	182	14.5	V	57	0.005	60	0.005	53	0.005						
11805	Deiniolen	SH57666211	322	37	V	22	0.008	25	0.008	28	0.008						
11806	Arfon	SH47604937	300	311	V	41	2	44	2	47	2						
11807	Llandecwyn	SH64423713	264	37	V	49	0.06	58	0.06	54	0.06						
11808	Ffestiniog	SH70933915	308	50	V	25	0.24	22	0.24	28	0.24						
11809	Waunfawr	SH52936009	219	15.6	V	25	0.0104	28	0.0104	22	0.0104						
11810	Amlwch	SH43609200	71	22	V	22	0.007	25	0.007	28	0.007						
11811	Cemaes	SH37309260	40	16	V	45	0.011	49	0.011	42	0.011						
11812	Mochdre	SH82907860	57	7	V	26	0.002	23	0.002	29	0.002						
11813	Dolwyddelan	SH74085282	193	29	V	44	0.0022	41	0.0022	47	0.0022						
11814	Caergybi	SH24708170	9	21	V	21	0.002	24	0.002	27	0.002						
11815	Llanengan	SH28382785	11	17	H	49	0.01	58	0.01	54	0.01						
11816	Maentwrog	SH65684071	24	15	V	43	0.006	40	0.006	46	0.006						
11817	Coed Derw	SH79405720	70	16	V	43	0.004	40	0.004	46	0.004						
11819	Trefor B	SH37654554	168	17	V	45	0.01	49	0.01	42	0.01						



Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
11820	Gronant	SJ08838333	26	12	V	26	0.008	29	0.008	23	0.008						
11824	Caernarfon	SH48606290	16	12	V	24	0.005	27	0.005	21	0.005						
11825	Bethesda North	SH62746722	234	17	V	28	0.004	25	0.004	22	0.004						
11830	Morfa Nefyn	SH28523586	131	20	V	25	0.028	28	0.028	22	0.028						
11831	Prestatyn	SJ07308220	93	12	V	22	0.01	25	0.01	28	0.01						
11900	Carmel	SN57681533	255	156	H	60	20	53	20	57	20	54	10	58	10	49	10
11901	Llanelli	SN51010234	111	32	V	39	0.02	45	0.02	42	0.02						
11903	Ystalyfera	SN77960781	312	58	V	39	0.01	42	0.01	45	0.01						
11904	Llandrindod Wells	SO01866352	432	81	V	39	0.4	42	0.4	45	0.4						
11905	Cwm Twrch	SN76091062	142	17	V	24	0.0032	21	0.0032	27	0.0032						
11908	Rhayader	SN98577020	348	48	V	23	0.02	29	0.02	26	0.02						
11909	Llanwrtyd Wells	SN89984542	244	24	V	24	0.002	21	0.002	27	0.002						
11910	Builth Wells	SO03615283	231	24	V	25	0.0052	22	0.0052	28	0.0052						
11911	Tenby	SS10939947	85	12	V	56	0.02	48	0.02	52	0.02						
11912	Cwmgors	SN70581235	181	21	V	24	0.0052	27	0.0052	21	0.0052						
11913	Abercraf	SN85131237	268	48	V	25	0.025	28	0.025	22	0.025						
11914	Erwood	SO08984287	213	21	V	60	0.002	53	0.002	57	0.002						
11915	Mynydd Emroch	SS77569012	178	27	V	43	0.018	46	0.018	40	0.018						
11916	Greenhill	SM92490158	71	48	V	24	0.03	27	0.03	21	0.03						
11917	Penderyn	SN95640872	294	16	V	39	0.005	42	0.005	45	0.005						
11921	Brechfa	SN50482899	284	12	V	27	0.0036	24	0.0036	21	0.0036						
11922	Talley	SN63903320	208	16	V	39	0.002	42	0.002	45	0.002						
11923	Llansawel	SN61803680	154	16	V	28	0.002	25	0.002	22	0.002						
11924	Bronwydd Arms	SN41492378	82	14	V	27	0.002	24	0.002	21	0.002						
11925	Cilycwm	SN77794065	199	19	V	27	0.002	24	0.002	21	0.002						
12000	Belmont	TF21828365	121	342.6	H	22	150	25	150	28	150	30	50	53	100	60	100
12001	Weaverthorpe	SE97237164	132	32	V	55	0.009	59	0.009	50	0.009						
12002	Olivers Mount	TA04018691	151	42	V	57	2	60	2	53	2	54	1	58	1	49	1

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
12003	Hunmanby	TA09217797	90	36.8	V	48	0.025	39	0.025	42	0.025						
12004	Lincoln Central	SK98417110	3	48	V	44	0.002	41	0.002	47	0.002						
12007	Grimsby	TA27970904	5	17	V	45	0.002	42	0.002	39	0.002						
12100	The Wrekin	SJ62900827	396	59	H	26	20	23	20	30	20	41	10	44	10	47	10
12102	Clun	SO32457993	413	36.9	V	55	0.0112	59	0.0112	50	0.0112						
12103	Haden Hill	SO96798463	115	12	V	48	0.016	52	0.016	56	0.016						
12104	Coalbrookdale	SJ67140423	110	13	V	50	0.002	43	0.002	46	0.002						
12105	Halesowen	SO97108260	150	15.4	V	58	0.0025	49	0.0025	54	0.0025						
12106	Bucknell	SO35837340	181	18.5	V	45	0.002	49	0.002	42	0.002						
12300	Angus	NO39484078	312	234.6	H	60	20	53	20	57	20	54	10	58	10	49	10
12301	Perth	NO10892126	123	49	V	39	0.2	42	0.2	45	0.2						
12302	Crieff	NN81451998	219	48	V	23	0.05	29	0.05	26	0.05						
12303	Cupar	NO37781391	31	48	V	41	0.004	47	0.004	44	0.004						
12305	Pitlochry	NN92305645	401	37.8	V	25	0.025	28	0.025	22	0.025						
12306	Kenmore	NN77404720	420	47.9	V	23	0.024	29	0.024	26	0.024						
12307	Blair Atholl	NN89406580	390	36.6	V	43	0.0084	46	0.0084	50	0.0084						
12308	Tay Bridge	NO43072843	100	48	V	41	0.1	47	0.1	44	0.1						
12310	Killin VP	NN60233146	408	37.8	V	39	0.0234	42	0.0234	45	0.0234						
12312	Auchtermuchty	NO21400942	93	37	V	39	0.02	42	0.02	45	0.02						
12313	Dundee Menzieshill	NO36823112	112	23	V	23	0.005	29	0.005	26	0.005						
12314	Strathallan	NN86010599	257	29	V	39	0.0058	42	0.0058	45	0.0058						
12315	Methven	NO01622652	112	30	V	25	0.002	28	0.002	22	0.002						
12317	Carie	NN61505720	239	15.4	V	24	0.02	27	0.02	21	0.02						
12319	Balnaguard	NN95605110	177	16.3	V	39	0.002	45	0.002	42	0.002						
12320	Lindores	NO25091589	157	16	V	43	0.0064	40	0.0064	46	0.0064						
12321	Grandtully	NN91705270	122	5.5	V	49	0.002	54	0.002	58	0.002						
12322	Balmullo	NO42602143	73	17	V	39	0.002	42	0.002	45	0.002						
12323	St Fillans	NN66302480	199	16	V	47	0.0126	41	0.0126	44	0.0126						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
12324	Lochearnhead	NN59492272	138	12	V	49	0.002	54	0.002	58	0.002						
12325	Killin HP	NN60233146	408	31	H	39	0.004	42	0.004	45	0.004						
12327	Tummel Bridge	NN77106000	322	15.7	V	39	0.02	42	0.02	45	0.02						
12400	Sandy Heath	TL20474944	54	237.7	H	27	180	24	180	21	180	51	170	52	170	48	170
12401	Dallington Park	SP74176123	68	38	V	50	0.04	59	0.04	55	0.04						
12402	Luton	TL08102107	162	47	V	50	0.08	59	0.08	55	0.08						
12403	Kings Lynn	TF67762821	50	50.3	V	40	0.3	46	0.3	43	0.3						
12408	Kimpton	TL17301780	116	14	V	57	0.002	53	0.002	60	0.002						
12500	Midhurst	SU91222499	185	114	H	55	20	56	20	58	20	54	10	59	10	50	10
12501	Haslemere	SU88623310	172	47.5	V	28	0.01	22	0.01	25	0.01						
12600	Hannington	SU52745680	220	142	H	45	50	42	50	39	50	41	25	44	25	47	25
12602	The Bournes	SU84234519	102	24	V	57	0.00692	60	0.00692	53	0.00692						
12604	Hurstbourne Tarrant	SU37705330	141	16.5	V	28	0.002	25	0.002	22	0.002						
12605	Tidworth	SU22854887	137	40	V	29	0.0026	26	0.0026	23	0.0026						
12606	Chisbury	SU27456516	141	37.8	V	50	0.008	59	0.008	55	0.008						
12607	Sutton Row	ST97652840	155	50	V	29	0.05	23	0.05	26	0.05						
12608	Alton	SU72223862	148	18	V	57	0.002	60	0.002	53	0.002						
12609	Hemdean VP	SU71007620	49	42.9	V	52	0.032	46	0.032	48	0.032						
12610	Aldbourn	SU26207520	156	13.8	V	27	0.002	24	0.002	21	0.002						
12613	Lambourn	SU33307940	154	17.5	V	49	0.002	58	0.002	54	0.002						
12614	Luccombe	SZ58108000	148	15.8	V	54	0.04	59	0.04	50	0.04						
12620	Hemdean HP	SU71007620	49	41.6	H	52	0.008	46	0.008	48	0.008						
12800	Fremont Point	XD90802800	106	139	H	44	3.2	41	3.2	47	3.2						
12801	St Helier	XD92001950	8	67	V	59	0.04	52	0.04	48	0.04						
12802	Les Touillets	XD58105110	76	50	H	54	1.5	56	1.5	51	1.5						
12803	Alderney	XD86507980	66	31	V	49	0.2	60	0.2	55	0.2						
12804	St Peter Port	XD61005030	51	27	V	24	0.01	27	0.01	21	0.01						
12805	Torteval	XD51504820	70	32.2	V	59	0.02	50	0.02	48	0.02						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
12806	Gorey	XD98502220	0	75	V	59	0.01	52	0.01	48	0.01						
12807	St Brelades Bay	XD85202060	42	16	V	59	0.015	52	0.015	48	0.015						
12900	Presely	SN17203067	323	239.5	H	43	20	46	20	40	20	42	10	45	10	39	10
12901	Mynydd Pencarreg	SN57764304	411	49	V	49	0.024	58	0.024	54	0.024						
12902	Tregaron	SN68636055	231	16	V	55	0.003	50	0.003	59	0.003						
12903	Llandyfriog	SN34824129	116	28	V	25	0.022	22	0.022	28	0.022						
12904	St Dogmaels	SN16544525	98	27	V	23	0.003	26	0.003	29	0.003						
12906	Llangranog	SN32205380	125	16	V	25	0.008	22	0.008	28	0.008						
12907	Trefin	SM84843102	127	28	V	25	0.1	22	0.1	28	0.072						
12908	Abergwynfi	SS88649710	382	24	V	24	0.002	21	0.002	27	0.002						
12909	Glyncorrwg	SS87139891	284	34	V	39	0.002	45	0.002	42	0.002						
12910	Llwyn Onn	SH62521749	277	28	V	25	0.014	22	0.014	28	0.014						
12911	Dolgellau	SH72741853	100	24	V	59	0.004	55	0.004	50	0.004						
12912	Croeserw VP	SS85789526	340	50	V	49	0.024	58	0.024	54	0.024						
12913	Pencader	SN45123702	184	31	V	23	0.002	26	0.002	29	0.002						
12914	Llandysul	SN42504098	133	30	V	60	0.0152	57	0.0152	53	0.0152						
12915	Broad Haven	SM86101300	51	16	V	51	0.016	58	0.016	54	0.016						
12916	Rheola	SN84110611	409	48	V	59	0.02	55	0.02	50	0.02						
12917	Newport Bay	SN06634145	89	13	V	47	0.01	41	0.01	44	0.01						
12918	Haverfordwest	SN02882617	186	78	H	56	0.1	52	0.1	47	0.1						
12919	Ferryside	SN37101047	63	16	V	21	0.025	30	0.005	24	0.025	27	0.025				
12920	St Davids	SM75102540	28	45	V	23	0.016	26	0.016	29	0.016						
12924	Llangybi	SN61405240	188	16	V	25	0.0026	22	0.0026	28	0.0026						
12928	Duffryn	SS83479561	200	17	V	25	0.002	22	0.002	28	0.002						
12930	Cynwyl Elfed	SN37522736	106	16	V	25	0.002	22	0.002	28	0.002						
12931	Pembroke Dock	SM96700280	53	18	V	49	0.01	58	0.01	54	0.01						
12938	Bronnant	SN66406640	217	15	V	23	0.0032	29	0.0032	26	0.0032						
12940	Croeserw HP	SS85789526	340	46	H	49	0.002	58	0.002	54	0.002						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
13000	Limavady	NV88529031	342	40	H	50	20	59	20	55	20	54	10	58	10	49	10
13001	Londonderry	NV56808080	168	118	V	44	2	41	2	47	2						
13002	Ballycastle	NW29919683	105	37	V	45	0.0026	42	0.0026	39	0.0026						
13003	Bushmills	NW12909910	42	16	V	44	0.002	41	0.002	47	0.002						
13004	Strabane	NV53705810	272	309	V	45	0.4	42	0.4	39	0.4						
13005	Claudy	NV71606890	128	31	V	57	0.023	53	0.023	60	0.023						
13006	Gortnalee	NV06702270	118	31	V	28	0.03	25	0.03	22	0.03						
13007	Castleberg	NV40234764	72	17	V	54	0.0022	58	0.0022	49	0.0022						
13008	Plumbridge	NV63105330	148	16	V	54	0.005	58	0.005	49	0.005						
13009	Glenelly Valley	NV71705320	227	15	V	26	0.0026	29	0.0026	23	0.0026						
13010	Ballintoy	NR22300245	56	17	V	52	0.004	51	0.004	56	0.004						
13011	Buckna	NW37406250	210	16	V	44	0.02	41	0.02	47	0.02						
13012	Gortnageeragh	NW31507170	198	16	V	45	0.032	42	0.032	39	0.032						
13013	Muldonagh	NV75607170	211	15	V	27	0.02	24	0.02	21	0.02						
13100	Caradon Hill	SX27327079	366	PSB: 236.4 COM: 213.7	H	28	100	25	100	22	100	21	50	24	50	27	50
13101	St Austell	SX00805356	188	52	V	50	0.25	59	0.25	56	0.25						
13102	Looe	SX25215343	68	21	V	46	0.02	43	0.02	40	0.02						
13103	Hartland	SS25372562	131	31	V	60	0.06	53	0.06	57	0.06						
13104	Gunnislake	SX43957199	130	48	V	46	0.0064	43	0.0064	50	0.0064						
13105	Plympton	SX53085553	113	50	V	54	0.4	49	0.4	58	0.4	42	0.4	45	0.4	56	0.4
13107	Downderry	SX31325420	72	29	V	53	0.06	60	0.06	57	0.06						
13108	Tavistock	SX48557163	167	48	V	53	0.02	60	0.02	57	0.02						
13109	Woolacombe	SS46504282	182	29	V	47	0.002	41	0.002	44	0.002						
13110	Penaligon Down	SX02696831	113	48	V	45	0.02	49	0.02	42	0.02						
13111	Newton Ferrers	SX54504757	72	35	V	50	0.002	59	0.002	55	0.002						
13112	Ilfracombe	SS50704649	203	48	V	54	0.112	49	0.112	58	0.112						
13113	Combe Martin	SS58174619	144	48	V	42	0.07	39	0.07	45	0.07						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
13114	Okehampton	SX58629681	208	46.8	V	45	0.016	49	0.016	42	0.016						
13115	Ivybridge	SX63105386	142	50	V	52	0.05	40	0.05	48	0.05						
13116	Kingsbridge	SX72194315	93	48	V	46	0.034	43	0.034	50	0.034						
13117	Penryn	SW78713345	73	34.3	V	50	0.011	59	0.011	55	0.011						
13118	Plymouth North Rd VP	SX47605520	29	36	V	46	0.0024	43	0.0024	50	0.0024						
13119	Slapton	SX81614166	98	52	V	60	0.25	52	0.25	48	0.25						
13120	Truro	SW83584420	58	29	V	54	0.0044	49	0.0044	58	0.0044						
13121	Croyde	SS44643955	92	24	V	44	0.002	41	0.002	47	0.002						
13122	Chambercombe	SS53264754	74	26	V	27	0.01	24	0.01	21	0.01						
13124	Salcombe	SX75383979	61	38	V	41	0.0034	44	0.0034	47	0.0034						
13125	Polperro	SX20565080	110	30	V	53	0.002	60	0.002	57	0.002						
13126	Mevagissey	SX01144452	75	19	H	46	0.01	43	0.01	40	0.01						
13127	Berrynarbor	SS56294688	122	27	V	28	0.002	25	0.002	22	0.002						
13128	Lostwithiel	SX10005885	84	20	V	46	0.002	43	0.002	40	0.002						
13130	Aveton Gifford	SX69494744	39	16	V	44	0.002	41	0.002	47	0.002						
13131	Modbury	SX66055140	64	12	H	50	0.002	59	0.002	55	0.002						
13132	Plymouth North Rd HP	SX47605520	29	37	H	46	0.00012	43	0.00012	50	0.00012						
13137	St Neot	SX18316762	128	16	V	42	0.002	49	0.002	45	0.002						
13138	Fowey	SX12535078	61	10	V	53	0.002	60	0.002	57	0.002						
13140	Port Isaac	SW99898050	68	18	V	50	0.05	59	0.05	55	0.05						
13141	Plymouth Weston Mill	SX45435740	15	17	V	42	0.002	45	0.002	39	0.002						
13143	North Hessary Tor	SX57817420	508	70	V	50	0.0025	59	0.0025	55	0.0025						
13147	Compton	SX49565640	58	12	V	44	0.002	41	0.002	47	0.002						
13150	Widcombe In The Moor	SX72537533	319	17	H	52	0.002	56	0.002	48	0.002						
13151	Marystow	SX43598286	129	6	V	45	0.002	49	0.002	42	0.002						
13154	Southway	SX47825992	103	17	V	50	0.002	59	0.002	55	0.002						
13200	Stockland Hill	ST22240142	227	236.2	H	26	50	23	50	29	50	25	25	22	25	28	25
13201	Exeter St Thomas	SX89839222	102	48	V	44	0.05	41	0.05	47	0.05						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
13202	Beer	SY23028967	93	30	V	50	0.0048	59	0.0048	56	0.0048						
13203	Tiverton	SS93941261	142	48	V	46	0.018	43	0.018	50	0.018						
13204	Bampton	SS96692369	221	47	V	39	0.006	45	0.006	42	0.006						
13205	Culm Valley	ST10861489	192	29	V	45	0.0116	39	0.0116	42	0.0116						
13206	Bridport	SY45349153	59	48	V	44	0.017	41	0.017	47	0.017						
13207	Beaminster	ST49080249	163	37	V	50	0.015	59	0.015	55	0.015						
13208	Weymouth	SY66307780	61	50.7	V	47	0.4	44	0.4	41	0.4						
13212	Dawlish	SX95107728	103	36	V	48	0.02	52	0.02	56	0.02						
13215	Stokeinteignhead	SX90997113	76	16	V	44	0.002	41	0.002	47	0.002						
13216	Dunsford	SX81118806	171	16	V	42	0.002	45	0.002	49	0.002						
13218	Crediton	SS82500090	141	17.4	V	46	0.007	43	0.007	40	0.007						
13220	Charmouth	SY37379338	57	17	V	47	0.1	44	0.1	41	0.1						
13221	Branscombe	SY19558821	110	17	V	44	0.002	47	0.002	41	0.002						
13222	Rampisham UHF	ST54400080	194	46	H	46	0.0024	43	0.0024	40	0.0024						
13223	Pennsylvania	SX93469488	110	21	V	54	0.002	56	0.002	58	0.002						
13226	Bincombe Hill	SY68748488	160	10	V	50	0.0064	59	0.0064	56	0.0064						
13227	Honiton	SY16409970	148	17	V	42	0.002	49	0.002	45	0.002						
13228	Preston	SY70708330	49	8	V	52	0.02	58	0.02	54	0.02						
13230	Chideock VP	SY41279331	129	17	V	56	0.02	52	0.02	48	0.02						
13231	Chideock HP	SY41279331	129	17	H	56	0.0022	52	0.0022	48	0.0022						
13299	Budleigh Salterton	SY04328259	102	20	V	60	1	53	1	57	1						
13400	Keelylang Hill	HY37721027	218	51.8	H	46	20	43	20	40	20	42	10	45	10	39	10
13402	Bressay	HU50303870	224	76.5	V	28	2	25	2	22	2	27	2	24	1	21	1
13403	Fitful Head	HU34661355	283	16.8	V	44	0.0188	41	0.0188	47	0.0188						
13404	Salloway	HU39843975	72	27.7	V	50	0.0058	59	0.0058	55	0.0058						
13405	Swinster	HU44027270	135	27.7	V	50	0.32	59	0.32	55	0.32						
13406	Baltasound	HP63501090	107	37.8	V	46	0.036	43	0.036	50	0.036						
13407	Fetlar	HU58889138	92	47.3	V	47	0.25	44	0.25	41	0.25						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
13408	Collafirth Hill	HU33508346	230	45.8	V	45	0.8	42	0.8	39	0.8						
13409	Weisdale	HU37985129	229	46	V	58	0.012	49	0.012	54	0.012						
13410	Pierowall	HY44754974	30	16.3	V	26	0.01	23	0.01	29	0.01						
13411	Burgar Hill VP	HY34122614	151	31	V	27	0.0035	24	0.0035	21	0.0035						
13414	Voe	HU40926347	40	21.1	V	57	0.002	60	0.002	53	0.002						
13431	Burgar Hill HP	HY34122614	151	31	H	27	0.0025	24	0.0025	21	0.0025						
13500	Blaenplwyf	SN56927569	174	157	H	27	40	24	40	21	40	25	10	22	10	28	10
13501	Machynlleth	SH72340036	105	26.8	V	57	0.004	60	0.004	53	0.004						
13502	Aberystwyth	SN58708200	19	23.7	V	58	0.04	49	0.04	54	0.04						
13503	Penrhyn Coch	SN63308440	160	16.4	V	50	0.0144	59	0.0144	55	0.0144						
13506	Fishguard	SM94433915	123	28.8	V	49	0.025	58	0.025	54	0.025						
13509	Long Mountain	SJ26580573	400	54.6	V	60	0.4	53	0.4	57	0.4						
13510	Llandinam	SO05028777	450	47.6	V	41	0.05	47	0.05	44	0.05						
13511	Llanidloes	SN94788435	239	23.7	V	25	0.002	28	0.002	22	0.002						
13512	Llanfyllin	SJ15071805	264	28	V	28	0.025	25	0.025	22	0.025						
13513	Moel Y Sant	SJ15151059	262	38	V	27	0.023	24	0.023	21	0.023						
13514	Kerry	SO15009080	243	28.4	V	27	0.0034	24	0.0034	21	0.0034						
13515	Carno	SN95089617	286	28.5	V	24	0.002	27	0.002	21	0.002						
13517	Dolybont	SN62878899	103	23.8	V	57	0.02	60	0.02	53	0.02						
13518	Llanbrynmair	SH89200460	285	15.4	V	25	0.004	28	0.004	22	0.004						
13519	Afon Dyfi	SH84400610	100	16	V	22	0.002	25	0.002	28	0.002						
13520	Llangurig UHF	SN90007940	352	18.4	V	23	0.002	29	0.002	26	0.002						
13521	Trefilan	SN56235547	249	28.8	V	57	0.0172	60	0.0172	53	0.0172						
13522	Llanrhaeadr Ym Mochnant	SJ17402600	333	31.1	V	45	0.0154	49	0.0154	42	0.0154						
13523	Bow Street	SN62408450	38	15.7	V	44	0.0172	41	0.0172	47	0.0172						
13525	Broneirion	SO01808840	254	13.5	V	29	0.002	23	0.002	26	0.002						
13526	Ynys Pennal	SN68809830	10	15.7	V	44	0.008	41	0.008	47	0.008						
13528	Ystumtuen	SN74007950	346	15.7	V	39	0.02	45	0.02	42	0.02						



Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
13529	Llangadfan	SJ02060919	280	32	V	28	0.002	25	0.002	22	0.002						
13531	Tregynon	SO11049631	232	19	V	28	0.007	25	0.007	22	0.007						
13533	Corris	SH75900670	274	28.5	V	45	0.002	49	0.002	42	0.002						
13535	Castle Caereinion	SJ17720580	262	18	V	46	0.002	43	0.002	50	0.002						
13536	Llangynog	SJ05102599	188	18	V	50	0.002	55	0.002	59	0.002						
13546	Cwrtnewydd	SN48604760	202	15.25	V	44	0.004	41	0.004	47	0.004						
13547	Beddgelert Link	SH59224903	186	7	V	27	0.002	24	0.002	21	0.002						
13548	Beddgelert	SH58234760	127	17	V	50	0.002	59	0.002	55	0.002						
13600	Beacon Hill	SX85726197	188	96.7	H	60	20	53	20	57	20	42	10	45	10	51	10
13603	Dartmouth	SX87535110	80	27	V	41	0.002	47	0.002	44	0.002						
13604	Ashburton	SX75826877	156	27	V	24	0.002	27	0.002	21	0.002						
13605	Teignmouth	SX93677353	68	36	V	52	0.04	48	0.04	56	0.04						
13607	Coombe	SX92847368	82	17	V	24	0.002	27	0.002	21	0.002						
13608	Newton Abbot VP	SX85107130	51	20	V	43	0.002	40	0.002	46	0.002						
13609	Buckfastleigh	SX74246646	83	31	V	41	0.002	47	0.002	44	0.002						
13611	Totnes	SX80515946	93	17	V	24	0.002	27	0.002	21	0.002						
13612	Harbertonford	SX78105592	63	17	H	52	0.002	48	0.002	56	0.002						
13613	South Brent VP	SX69016080	203	17	V	43	0.002	50	0.002	46	0.002						
13614	Brixham	SX92135622	50	16	V	43	0.0036	40	0.0036	46	0.0036						
13615	Sidmouth	SY13678793	104	26	V	52	0.006	48	0.006	56	0.006						
13616	Occombe Valley	SX88696254	97	17	V	24	0.02	27	0.02	21	0.02						
13617	Torquay Town	SX91556375	78	28	V	41	0.04	47	0.04	44	0.04						
13618	Hele	SX91226577	89	16	H	43	0.002	50	0.002	46	0.002						
13619	Edginswell	SX88616582	76	17	V	52	0.002	48	0.002	56	0.002						
13621	Chudleigh	SX87657897	130	17	V	41	0.002	47	0.002	44	0.002						
13622	Bovey Tracey	SX81867875	97	17	V	52	0.002	48	0.002	56	0.002						
13624	Clennon Valley	SX88555966	55	18	V	52	0.002	48	0.002	56	0.002						
13625	Newton Abbot HP	SX85107130	51	20	H	43	0.00066	40	0.00066	46	0.00066						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
13626	South Brent HP	SX69016080	203	17	H	43	0.0003	50	0.0003	46	0.0003						
13627	Liverton	SX81167344	152	20	V	50	0.0025	59	0.0025	55	0.0025						
13628	Kingskerswell	SX87246824	61	30	V	50	0.002	59	0.002	55	0.002						
13630	Halwell	SX78185285	171	9	H	47	0.002	41	0.002	44	0.002						
13700	Caldbeck	NY29954259	289	PSB: 330.5 COM: 309.5	H	25	100	28	100	30	100	23	50	26	50	29	50
13701	Whitehaven	NX99211238	130	50	V	43	2	40	2	46	2						
13702	Keswick	NY27882240	185	48	V	24	0.024	27	0.024	21	0.024						
13703	Threlkeld	NY31362565	232	24	V	60	0.0022	53	0.0022	57	0.0022						
13704	Ainstable	NY53914661	218	16.8	V	49	0.02	45	0.02	42	0.02						
13705	Haltwhistle	NY67456279	190	50	V	59	0.4	50	0.4	55	0.4						
13706	Gosforth	NY06950120	41	49	V	49	0.1	54	0.1	58	0.1						
13707	Bassenthwaite	NY20633054	104	38	V	49	0.032	45	0.032	42	0.032						
13708	Pooley Bridge	NY47792348	213	19	V	46	0.00264	50	0.00264	43	0.00264						
13709	Moffat	NT07800506	151	16	V	45	0.002	42	0.002	49	0.002						
13710	Douglas	SC37307460	143	49	V	53	1	60	1	57	1						
13711	Beary Peark	SC29518320	289	48	V	46	0.2	43	0.2	40	0.2						
13712	Port St Mary	SC20606780	69	55	V	46	2	43	2	40	2						
13714	Laxey	SC43708360	93	49	V	46	0.02	43	0.02	40	0.02						
13715	Langholm	NY35838310	271	37	V	57	0.004	60	0.004	53	0.004						
13716	Thornhill	NX85598913	324	50	V	57	0.1	60	0.1	53	0.1						
13717	Barskeoch Hill	NX81066161	178	50	V	55	0.4	59	0.4	50	0.4						
13718	New Galloway	NX61557880	169	27	V	26	0.02	23	0.02	29	0.02						
13719	Stranraer	NX11146325	190	46.6	V	57	0.05	60	0.05	53	0.05						
13720	Portpatrick	NX00785453	82	29	V	58	0.06	49	0.06	54	0.06						
13721	Cambret Hill	NX52465787	343	66	H	44	2.8	41	2.8	47	2.8						
13723	Creetown	NX43285593	53	18	V	59	0.0064	50	0.0064	55	0.0064						
13724	Kirkcudbright	NX68645065	49	17	V	21	0.002	24	0.002	27	0.002						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
13725	Eskdale Green	SD13549973	60	17	V	25	0.002	28	0.002	22	0.002						
13726	Glenluce	NX20355695	108	27	V	57	0.003	60	0.003	53	0.003						
13727	St Bees	NX96711152	10	24	V	49	0.05	54	0.05	58	0.05						
13728	Workington	NY00112777	37	19	V	49	0.01	54	0.01	58	0.01						
13729	Bleach Green VP	NX98431990	122	29	V	60	0.0025	53	0.0025	57	0.0025						
13730	Dumfries South	NX97007414	12	29	V	43	0.02	46	0.02	50	0.02						
13731	Dentdale	SD72798548	274	16	V	60	0.0104	53	0.0104	57	0.0104						
13732	Union Mills	SC34307690	135	24	V	46	0.00246	43	0.00246	40	0.00246						
13733	Lowther Valley	NY52011992	236	23	V	46	0.0052	50	0.0052	43	0.0052						
13734	Pinwherry	NX18338765	157	29	V	22	0.0112	25	0.0112	28	0.0112						
13735	Ballantrae	NX08958272	68	21	V	58	0.002	49	0.002	54	0.002						
13737	Lorton	NY15522781	204	24	V	60	0.01	53	0.01	57	0.01						
13738	Greystoke	NY45072995	213	17	V	60	0.0023	53	0.0023	57	0.0023						
13739	Kirkby Stephen	NY77720825	192	16	V	60	0.0024	53	0.0024	57	0.0024						
13742	Ravenstonedale	NY73370481	329	29	V	60	0.0022	53	0.0022	57	0.0022						
13743	Orton	NY61800714	241	31	V	43	0.0062	50	0.0062	46	0.0062						
13744	Sedbergh	SD60788797	214	47	V	46	0.1	40	0.1	43	0.1						
13745	Grasmere	NY33920565	191	31	V	55	0.004	50	0.004	59	0.004						
13746	Crosby Ravensworth	NY61881525	213	14	V	60	0.002	53	0.002	57	0.002						
13747	Crosthwaite	SD43769009	75	19	V	48	0.004	52	0.004	56	0.004						
13748	Glenridding Link	NY38651830	194	10	V	24	0.002	27	0.002	21	0.002						
13749	Glenridding	NY39571727	167	8	V	57	0.002	53	0.002	60	0.002						
13750	Millthrop	SD65899265	212	13	V	52	0.003	48	0.003	56	0.003						
13751	Minnigaff	NX40696611	49	17	V	26	0.002	29	0.002	23	0.002						
13756	Kimmeragh	NX45000000	71	31	V	44	0.1	41	0.1	47	0.1						
13760	Foxdale	SC29207780	164	16	V	26	0.002	23	0.002	29	0.002						
13762	Bleach Green HP	NX98431990	122	29	H	60	0.002	53	0.002	57	0.002						
13763	Jurby	SC36509910	27	35	V	46	0.04	43	0.04	40	0.04						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
13764	Glenmaye	SC23208030	112	16	V	60	0.01	57	0.01	53	0.01						
13767	Ramsey	SC45209341	124	12	H	39	0.1	45	0.1	42	0.1						
13800	Huntshaw Cross	SS52762207	200	159	H	50	20	59	20	55	20	48	10	52	10	56	10
13804	Great Torrington	SS48741824	76	17	V	45	0.002	40	0.002	42	0.002						
13805	Muddiford	SS55913836	129	26	V	44	0.002	41	0.002	47	0.002						
13806	Swimbridge	SS62282955	165	20	V	26	0.002	23	0.002	29	0.002						
13807	Westward Ho	SS43872883	94	32	V	28	0.032	25	0.032	22	0.032						
13809	Chagford	SX68968907	252	28.2	V	27	0.0024	24	0.0024	21	0.0024						
13810	Brushford	SS92142626	203	37.8	V	27	0.0032	24	0.0032	21	0.0032						
13811	North Bovey	SX74108450	262	18.1	V	46	0.0068	43	0.0068	40	0.0068						
13812	Braunton	SS49483693	91	20	H	45	0.002	39	0.002	42	0.002						
13813	Tedburn St Mary	SX83099417	152	17	V	45	0.004	49	0.004	42	0.004						
13815	Barnstaple	SS57523309	89	28	V	46	0.008	43	0.008	40	0.008						
13900	Heathfield	TQ56682207	158	140	H	52	20	49	20	47	20	42	20	44	20	41	20
13901	Newhaven	TQ43500060	81	50.6	V	50	0.4	43	0.4	40	0.4						
13902	Hastings	TQ80601000	73	50.7	V	25	1	28	1	22	1	23	1	26	1	30	1
13905	Eastbourne	TV60609770	28	55	V	26	0.2	30	0.2	23	0.2						
13906	Lewes VP	TQ40900990	32	30	V	28	0.048	22	0.048	25	0.048						
13907	Haywards Heath	TQ33302340	72	38	V	45	0.007	46	0.007	43	0.007						
13908	Wye	TR06664725	98	41	V	28	0.0062	22	0.0062	25	0.0062						
13909	East Dean	TV56359884	121	18.1	V	59	0.008	55	0.008	50	0.008						
13911	Ham Street	TR00503320	11	20	V	26	0.002	30	0.002	23	0.002						
13912	Lamberhurst	TQ67303660	70	16.6	V	60	0.002	54	0.002	57	0.002						
13913	Mountfield	TQ74001930	69	16.7	V	26	0.002	30	0.002	23	0.002						
13914	Sedlescombe	TQ78401820	40	15.7	V	26	0.002	30	0.002	23	0.002						
13915	Steyning	TQ18481214	10	15.8	V	46	0.056	40	0.056	43	0.056						
13917	Hastings Old Town	TQ82601010	62	16.4	V	50	0.014	59	0.014	55	0.02						
13919	Hollington Park	TQ79501090	51	52	V	50	0.005	59	0.005	55	0.005						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
13921	Lewes HP	TQ40900990	32	30	H	28	0.012	22	0.012	25	0.012						
13922	Eastbourne Old Town	TV59909960	18	25	V	46	0.016	40	0.016	43	0.016						
13999	Bexhill UHF	TQ72950754	20	25	H	46	0.4	40	0.4	43	0.4						
14100	Redruth	SW69033944	239	161	H	44	20	41	20	47	20	48	10	52	10	51	10
14101	Isles Of Scilly	SV91151248	32	81.1	V	27	0.1	24	0.1	21	0.1						
14102	St Just	SW38273315	199	47.6	V	56	0.25	50	0.25	53	0.25						
14103	Helston	SW65142759	71	36.8	V	54	0.002	49	0.002	58	0.002						
14104	Bossiney	SX06708897	93	18	V	46	0.04	43	0.04	50	0.04						
14105	Boscastle	SX09679111	95	30	V	25	0.011	22	0.011	28	0.011						
14106	Perranporth	SW75805330	71	22	V	46	0.016	43	0.016	50	0.016						
14108	Portreath	SW65804550	60	17.1	V	26	0.02	23	0.02	29	0.02						
14109	Praa Sands	SW57202840	68	29.5	V	50	0.025	59	0.025	56	0.025						
14110	Porthleven	SW62622573	44	16.2	H	26	0.002	23	0.002	29	0.002						
14111	St Anthony	SW85203180	53	16.7	V	26	0.002	23	0.002	29	0.002						
14113	Gulval	SW47513159	62	15.5	V	25	0.0052	23	0.0052	29	0.0052						
14117	Porthtowan	SW69504788	65	13	V	27	0.016	24	0.016	21	0.016						
14121	Alverton	SW45702990	55	16.2	V	27	0.002	24	0.002	21	0.002						
14500	Moel Y Parc	SJ12337013	336	236.5	H	45	20	39	20	42	20	51	10	52	10	48	10
14502	Llangollen	SJ20494213	306	27	V	58	0.002	49	0.002	54	0.002						
14507	Glyn Ceiriog	SJ20313863	328	15	V	58	0.002	49	0.002	54	0.002						
14508	Bala	SH96893750	309	49	V	26	0.04	23	0.04	29	0.04						
14509	Corwen	SJ08034313	258	28	V	28	0.04	25	0.04	22	0.04						
14510	Pontfadog	SJ21963564	401	16	V	28	0.002	25	0.002	22	0.002						
14511	Cerrig Y Drudion	SH93334824	373	31	V	26	0.0064	23	0.0064	29	0.0064						
14512	Wrexham Rhos	SJ30095374	210	47.3	V	28	0.08	22	0.08	25	0.08						
14513	Storeton Wales	SJ31448416	61	48	H	57	2	53	2	60	2						
14514	Llanuwchllyn	SH87313260	291	32	V	46	0.006	43	0.006	40	0.006						
14515	Cefn Mawr	SJ26774092	220	25	V	57	0.05	53	0.05	60	0.05						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
14517	Llanarmon Yn Ial	SJ19405820	346	17.5	V	27	0.002	24	0.002	21	0.002						
14518	Llangernyw	SH88186607	218	22	V	28	0.002	22	0.002	25	0.002						
14519	Betws Yn Rhos	SH89967566	130	15	V	27	0.00252	24	0.00252	21	0.00252						
14520	Glyndyfrdwy	SJ15844295	174	20	V	50	0.002	59	0.002	55	0.002						
14521	Llandderfel	SH99053588	301	18	V	50	0.002	55	0.002	59	0.002						
14522	Llanddulas	SH91077840	22	16	H	26	0.012	23	0.012	29	0.012						
14523	Pwll Glas	SJ11905410	125	16	V	26	0.002	23	0.002	29	0.002						
14524	Pen Y Banc	SJ07704970	226	21	V	27	0.002	24	0.002	21	0.002						
14534	Cyffylliog	SJ06395803	246	12	V	28	0.002	25	0.002	22	0.002						
14700	Craigkelly	NT23338724	181	130	H	27	20	24	20	21	20	42	10	45	10	39	10
14701	Penicuik	NT25265908	248	50	V	54	0.4	49	0.4	58	0.4						
14703	West Linton	NT16445079	286	37	V	29	0.005	23	0.005	26	0.005						
14704	Dunkeld	NO04654153	244	46.8	V	41	0.016	47	0.016	44	0.016						
14705	Aberfoyle	NS52369904	93	29	V	55	0.018	50	0.018	59	0.018						
14706	Newbattle	NT32406510	70	17	V	50	0.002	59	0.002	55	0.002						
14707	Cannongate HP	NT26307360	57	22	H	55	0.0026	50	0.0026	59	0.0026						
14709	Kinross	NT09799967	153	17	V	59	0.025	50	0.025	55	0.025						
14712	Dunkeld Town	NO02204300	73	12	V	23	0.002	29	0.002	26	0.002						
14713	Grangemouth	NS92197959	27	17	V	53	0.002	60	0.002	57	0.002						
14717	Cannongate VP	NT26307360	47	22	V	55	0.0026	50	0.0026	59	0.0026						
14800	Rumster Forest	ND19783854	217	237	H	27	20	24	20	21	20	30	10	59	10	55	10
14801	Ben Tongue	NC60465880	298	30	V	45	0.007	49	0.007	42	0.007						
14802	Thurso	ND11976731	35	14.1	V	57	0.002	60	0.002	53	0.002						
14803	Melvich	NC88076379	133	26.1	V	44	0.011	41	0.011	47	0.011						
14807	Durness	NC40976727	52	21	V	57	0.002	53	0.002	60	0.002						
14900	Ridge Hill	SO63033336	204	159.6	H	28	20	25	20	22	20	21	10	24	10	27	10
14901	Kington	SO29035529	228	48	V	44	0.02	41	0.02	47	0.02						
14902	Garth Hill VP	SO27307268	338	36	V	53	0.005	60	0.005	57	0.005						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
14903	Ludlow	SO49827411	216	25	V	45	0.005	42	0.005	39	0.005						
14905	Hazler Hill	SO46459288	343	16	V	45	0.005	42	0.005	39	0.005						
14906	Oakeley Mynd	SO34618756	299	37.7	V	45	0.01	49	0.01	42	0.01						
14909	St Briavels	SO55760492	182	16	V	46	0.0048	43	0.0048	40	0.0048						
14910	Peterchurch	SO36083805	225	34	V	53	0.0152	60	0.0152	57	0.0152						
14911	Andoversford	SP00291838	283	34	V	50	0.0112	59	0.0112	55	0.0112						
14913	New Radnor	SO26966232	254	16	V	44	0.025	41	0.025	47	0.025						
14914	Knucklas	SO27007474	263	17	V	39	0.002	42	0.002	45	0.002						
14916	Hope Under Dinmore	SO50495251	91	18	V	57	0.002	60	0.002	53	0.002						
14917	Upper Soudley	SO66221013	139	17	V	46	0.002	43	0.002	50	0.002						
14918	Eardiston	SO70616829	103	18.1	V	54	0.002	49	0.002	58	0.002						
14920	Hereford	SO52443650	164	15.8	V	44	0.007	41	0.007	47	0.007						
14921	Ewyas Harold	SO39002695	125	18	V	44	0.002	41	0.002	47	0.002						
14922	Garth Hill HP	SO27307268	338	34.4	H	53	0.0074	60	0.0074	57	0.0074						
14924	Ross On Wye	SO60532431	40	20	V	50	0.002	59	0.002	55	0.002						
14927	Presteigne	SO33756616	292	16	V	45	0.0032	42	0.0032	49	0.0032						
14930	Ridge Hill West	SO63033336	204	148.3	H			29	20								
15100	Brougher Mountain	NV45861683	304	61	H	28	20	22	20	25	20	21	2	24	2	27	2
15105	Belcoo	NV18590259	181	16	V	44	0.07	47	0.07	41	0.07						
15106	Derrygonnelly	NV22501737	82	16	V	44	0.004	41	0.004	47	0.004						
15107	Lisbellaw	NV40800530	89	18	V	49	0.004	54	0.004	58	0.004						
15108	Ederny	NV36003231	132	24	V	58	0.0112	54	0.0112	49	0.0112						
15200	Darvel	NS55753413	286	160	H	22	20	25	20	28	20	23	10	26	10	29	10
15201	Muirkirk	NS71042670	275	38	V	44	0.02	41	0.02	47	0.02						
15202	Kirkconnel	NS74531499	480	50	V	49	0.05	58	0.05	54	0.05						
15203	West Kilbride	NS21494835	170	47	V	44	0.2	41	0.2	47	0.2						
15204	Lethanhill	NS43861057	300	48	V	60	0.05	57	0.05	53	0.05						
15205	Girvan	NX21179811	188	40.8	V	50	0.05	59	0.05	55	0.05						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
15206	Campbeltown	NR70701929	83	41.4	V	60	0.025	57	0.025	53	0.025						
15208	Port Ellen	NR33984521	93	27.4	V	25	0.03	22	0.03	28	0.03						
15209	Bowmore VP	NR31885902	46	47	V	47	0.013	41	0.013	44	0.013						
15210	Millburn Muir	NS37827965	161	49.7	V	42	0.05	45	0.05	39	0.05						
15211	Rosneath VP	NS25848119	105	111	V	49	2	58	2	54	2	53	2	57	2	60	2
15212	Millport	NS16685573	42	20	H	49	0.002	58	0.002	54	0.002						
15213	Troon	NS32473149	2	38	V	49	0.004	58	0.004	54	0.004						
15215	Rothesay	NS12546906	166	52	V	28	0.4	25	0.4	22	0.4						
15216	Tighnabruaich	NR99397439	151	38	V	45	0.0184	49	0.0184	42	0.0184						
15217	Lochwinnoch	NS33785828	102	47	H	60	0.0172	57	0.0172	53	0.0172						
15220	New Cumnock	NS61291307	189	14	V	43	0.0024	46	0.0024	50	0.0024						
15221	Rothesay Town	NS08266482	50	19	V	50	0.002	59	0.002	55	0.002						
15222	Claonaig	NR87605650	72	15.8	V	50	0.0148	59	0.0148	55	0.0148						
15223	Carradale	NR81763763	21	16	V	44	0.0058	41	0.0058	47	0.0058						
15224	Ardentiny	NS18698638	90	28	V	44	0.014	41	0.014	47	0.014						
15225	Arrochar	NN28880464	90	32	V	27	0.002	24	0.002	21	0.002						
15226	Ardnadam	NS16747994	42	23.7	V	42	0.014	45	0.014	39	0.014						
15227	Garelochhead	NS23569189	46	16	V	42	0.00246	45	0.00246	39	0.00246						
15228	Wanlockhead	NS87451266	433	17	V	44	0.002	47	0.002	41	0.002						
15229	Kirkoswald VP	NS23140749	122	32	V	28	0.008	25	0.008	22	0.008						
15230	Kirkmichael	NS35420682	125	30	V	45	0.0038	49	0.0038	42	0.0038						
15231	Dunure	NS25001506	72	16.5	V	46	0.0024	43	0.0024	40	0.0024						
15232	Holmhead	NS56611994	107	35	V	44	0.0024	41	0.0024	47	0.0024						
15234	Largs	NS20915948	32	20	H	45	0.005	42	0.005	39	0.005						
15235	Lochgoilhead	NS19409780	162	8	V	53	0.002	57	0.002	60	0.002						
15237	High Keil	NR68000820	55	13	V	44	0.0038	47	0.0038	41	0.0038						
15238	Blackwaterfoot	NR91202910	49	21.4	V	43	0.008	46	0.008	50	0.008						
15239	Sorn	NS55802602	164	13.6	V	46	0.002	43	0.002	40	0.002						



Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
15241	Rosneath HP	NS25848119	105	107	H	49	0.008	58	0.008	54	0.008	53	0.008	57	0.008	60	0.008
15242	Bowmore HP	NR31885902	46	37.2	H	47	0.01	41	0.01	44	0.01						
15244	Ayr South	NS35541881	60	12	H	45	0.002	39	0.002	42	0.002						
15250	Kirkoswald HP	NS23150750	122	30	H	28	0.0072	25	0.0072	22	0.0072						
15251	Portnahaven	NR17905230	57	16.5	V	23	0.002	29	0.002	26	0.002						
15252	Catrine	NS52892550	111	12	V	50	0.002	59	0.002	55	0.002						
15253	Lochgoilhead AD	NS19009770	320	3.3	V	22	0.00002	25	0.00002	28	0.00002						
15300	Knockmore	NJ32134970	353	113	H	26	20	23	20	29	20	53	10	57	10	60	10
15301	Grantown	NJ00302670	381	37.8	V	44	0.07	41	0.07	47	0.07						
15302	Kingussie	NN76969853	345	27.7	V	46	0.02	43	0.02	40	0.02						
15303	Aviemore	NH94031258	420	37	V	28	0.0026	25	0.0026	22	0.0026						
15304	Craigellachie	NJ26254435	180	47	V	58	0.014	49	0.014	54	0.014						
15305	Balblair Wood	NH59329527	220	32.7	V	50	0.0166	59	0.0166	55	0.0166						
15306	Lairg	NC57370562	151	15.6	V	44	0.0026	41	0.0026	47	0.0026						
15307	Avoch	NH70205550	71	16.7	V	58	0.002	54	0.002	49	0.002						
15400	Eitshal	NB30563032	201	166.8	H	26	20	23	20	29	20	25	10	22	10	28	10
15401	Scoval VP	NG18145144	243	47	V	50	0.032	59	0.032	55	0.032						
15402	Clettraval	NF75107160	123	50	V	44	0.4	41	0.4	47	0.4						
15403	Daliburgh	NF73592171	7	46.2	V	60	0.006	57	0.006	53	0.006						
15404	Skriaig	NG45104080	385	64.2	V	27	0.32	24	0.32	21	0.32						
15405	Penifiler	NG48944163	52	38	V	45	0.008	49	0.008	42	0.008						
15406	Duncraig	NG82703240	324	31	V	44	0.0328	41	0.0328	47	0.0328						
15407	Attadale	NG92403920	0	13.8	V	28	0.002	25	0.002	22	0.002						
15408	Badachro	NG77907410	28	15.4	V	46	0.007	43	0.007	50	0.007						
15409	Ness Of Lewis	NB53346036	100	28	V	44	0.0064	41	0.0064	47	0.0064						
15410	Ullapool	NH14239354	143	15.4	V	45	0.0156	49	0.0156	42	0.0156						
15411	Kilbride South Uist	NF75231482	21	26	V	39	0.026	45	0.026	42	0.026						
15412	Uig	NG38306400	82	13.9	V	46	0.002	43	0.002	40	0.002						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
15413	Ardintoul	NG83202420	10	13.4	V	45	0.0094	39	0.0094	42	0.0094						
15416	Tarbert Harris	NB15430016	34	24	V	45	0.0188	39	0.0188	42	0.0188						
15417	Bruernish	NF71910235	18	18	V	43	0.002	46	0.002	40	0.002						
15418	Poolewe	NG86028209	53	15.7	V	44	0.0032	47	0.0032	41	0.0032						
15419	Lochinver	NC09202220	2	21.4	V	46	0.002	43	0.002	50	0.002						
15421	Scoval HP	NG18145144	243	15	H	50	0.132	59	0.132	55	0.132						
15429	Inverarish	NG55703430	51	26	V	46	0.008	43	0.008	50	0.008						
15430	Lochmaddy VP	NF95117279	43	11.5	V	28	0.004	25	0.004	22	0.004						
15431	Borve	NF64880187	1	15	V	28	0.002	25	0.002	22	0.002						
15435	Kinlochbervie HP	NC22505600	35	18	H	46	0.0034	43	0.0034	50	0.0034						
15436	Kinlochbervie VP	NC22505600	35	18	V	46	0.0158	43	0.0158	50	0.0158						
15437	Kylerhea	NG75202060	289	15	H	44	0.01	41	0.01	47	0.01						
15440	Lochmaddy HP	NF95117279	43	11.5	H	28	0.04	25	0.04	22	0.04						
15441	Staffin	NG49506660	89	18	V	45	0.0088	49	0.0088	42	0.0088						
15500	Chatton	NU10562647	192	157	H	45	20	42	20	39	20	41	10	44	10	47	10
15502	Rothbury	NZ03169974	281	37	V	55	0.01	59	0.01	50	0.01						
15503	Wooler	NT98912762	150	12	V	28	0.002	25	0.002	22	0.002						
15600	Rosemarkie	NH76196226	206	121.5	H	45	20	39	20	42	20	43	10	46	10	40	10
15601	Auchmore Wood	NH48365015	189	48	V	28	0.02	25	0.02	22	0.02						
15602	Fort Augustus	NH36040493	307	33.5	V	26	0.0022	23	0.0022	29	0.0022						
15604	Fodderty	NH51186066	186	37.8	V	58	0.024	49	0.024	54	0.024						
15606	Wester Erchite	NH57703070	139	15.6	V	27	0.0032	24	0.0032	21	0.0032						
15607	Glen Urquhart VP	NH44242953	217	28.8	V	44	0.018	41	0.018	47	0.018						
15608	Tomatin	NH82202880	402	20.1	V	28	0.0026	25	0.0026	22	0.0026						
15610	Inverness	NH66714478	22	18	V	50	0.0066	55	0.0066	59	0.0066						
15612	Tomich Link	NH32102650	321	7.6	V	45	0.002	39	0.002	42	0.002						
15613	Tomich	NH30602760	121	15.8	V	27	0.0028	24	0.0028	21	0.0028						
15616	Cromarty	NH78706760	5	16	V	28	0.002	25	0.002	22	0.002						

Site No	Site Name	NGR	Site Height	Antenna Height	Pol	PSB1 ch	PSB1 ERP	PSB2 ch	PSB2 ERP	PSB3 ch	PSB3 ERP	COM4 ch	COM4 ERP	COM5 ch	COM5 ERP	COM6 ch	COM6 ERP
15617	Glen Convinth	NH50603920	150	18	V	27	0.007	24	0.007	21	0.007						
15627	Glen Urquhart HP	NH44242953	217	25	H	44	0.001	41	0.001	47	0.001						
15800	Bluebell Hill	TQ75736134	193	49	H	46	20	43	20	40	20	45	20	39	20	54	20
15802	Chatham Town	TQ76716752	59	29	V	57	0.005	58	0.005	52	0.005						
15805	Farleigh	TQ73805300	59	16.5	V	56	0.0032	50	0.0032	53	0.0032						
16100	Selkirk	NT50062941	290	232.4	H	50	10	59	10	55	10	57	5	53	5	60	5
16101	Eyemouth	NT94725990	194	44	V	21	0.4	24	0.4	27	0.4						
16102	Galashiels	NT50703601	252	43	V	44	0.02	41	0.02	47	0.02						
16103	Hawick	NT50991473	172	27	V	26	0.01	23	0.01	29	0.01						
16104	Jedburgh	NT66132240	111	48	V	44	0.032	41	0.032	47	0.032						
16105	Bonchester Bridge	NT58941146	185	17	V	45	0.002	39	0.002	42	0.002						
16106	Lauder	NT50695028	252	24	V	28	0.00224	25	0.00224	22	0.00224						
16107	Peebles	NT22864161	352	48	V	28	0.02	25	0.02	22	0.02						
16108	Innerleithen	NT32553682	238	28	V	49	0.016	54	0.016	58	0.016						
16109	Berwick	NT98055472	129	28	V	27	0.038	24	0.038	21	0.038						
16110	Stow	NT44884459	274	27	V	26	0.002	23	0.002	29	0.002						
16111	Yetholm	NT83692836	204	24	V	44	0.002	41	0.002	47	0.002						
16112	Clovenfords	NT44433519	156	17	V	27	0.002	24	0.002	21	0.002						
16500	Caldbeck Scotland	NY29954259	289	PSB: 200.6 COM: 220	H	27	50	24	50	22	100						