

ICNIRP Measurement Report

This report presents the results of measurements of electromagnetic field emission levels in the vicinity of mobile base stations. Results are presented as percentages of the power density reference levels for general public exposure in the 1998 edition of the Guidelines published by the International Commission on Non-Ionizing Radiation Protection (ICNIRP)¹, with figures provided for individual frequency bands used for base station (downlink) transmissions as well as an overall figure for all other frequency bands between 420 MHz to 6 GHz. The total percentage equals the sum of all individual percentages.

The power density reference levels in the ICNIRP Guidelines are the root mean square (rms) values averaged over six minutes. In this report, we have measured the average E-field strength over a six-minute period in each measurement location.

We have applied a measurement threshold of 3dB above the system noise floor² of the measurement equipment, below which any E-field strength levels measured are deemed not sufficiently above the system noise floor to be valid. In the results tables below, measurement results are shown to a precision of four decimal places. Results which are not sufficiently above the system noise floor to record as a valid measurement are shown as a dash (-). Results which are too small to register to four decimal places are shown as 0.0000%.

Date of Survey:	03/02/2023	Time Survey completed:	11:28
Survey address:	Kirkaldy, Fife KY1		

Measurement equipment		Serial number	Calibration Date
Meter	Keysight Fieldfox N9915A Spectrum Analyser	MY57271744	24/01/2023
Probe	Agos Aria-6000 Antenna	60001089	28/11/2022
Cabling	1.7m Cable	1274	28/11/2022

¹ https://www.icnirp.org/cms/upload/publications/ICNIRPemfgdl.pdf

² The noise floor of the measurement equipment is the level of background noise that is present before detecting any external signals. In other words, it indicates the absolute minimum level of detectable signals.

Mobile bands covered by this report

Frequency Band	Frequency	Technology*
700 MHz	738-788 MHz	4G, 5G
800 MHz	791-821 MHz	4G
900 MHz	925-960 MHz	2G, 3G, 4G
1400 MHz	1452-1492 MHz	4G (Supplementary downlink)
1800 MHz	1805-1880 MHz	2G, 4G
1900 MHz	1900-1920 MHz	4G
2100 MHz	2110-2170 MHz	3G, 4G
2300 MHz	2350-2390 MHz	4G
2600 MHz TDD	2570-2620 MHz	4G
2600 MHz FDD	2620-2690 MHz	4G
3.4 GHz	3410-3680 MHz	5G, 4G
3.8 GHz	3680-4200 MHz	Various
Others**		

Notes

Survey locations

The survey was conducted within the area shown in the map below. Measurements were taken at six locations and are presented in the following pages of this report.



Map data: © Google

^{*} This is an indication of the type of technologies typically deployed in these bands; not all frequency bands and technologies may be in use at all locations.

^{**} All other frequencies between 420 MHz and 6 GHz.

Location 1

Measurement time:	10:46
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.16960
800 MHz	0.07924
900 MHz	0.00064
1400 MHz	0.00506
1800 MHz	0.01490
1900 MHz	0.00019
2100 MHz	0.00886
2300 MHz	0.00039
2600 MHz TDD	0.00030
2600 MHz FDD	0.00009
3.4 GHz	0.00107
3.8 GHz	0.00232
Others	0.05118
Total	0.33384

Location 2

Measurement time:	10:53
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.34414
800 MHz	0.09957
900 MHz	0.00068
1400 MHz	0.01354
1800 MHz	0.02569
1900 MHz	0.00019
2100 MHz	0.00654
2300 MHz	0.00042
2600 MHz TDD	0.00031
2600 MHz FDD	0.00009
3.4 GHz	0.00115
3.8 GHz	0.00244
Others	0.05295
Total	0.54771

Location 3

Measurement time:	11:00
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.11849
800 MHz	0.00779
900 MHz	0.00069
1400 MHz	0.00702
1800 MHz	0.00871
1900 MHz	0.00020
2100 MHz	0.01021
2300 MHz	0.00043
2600 MHz TDD	0.00032
2600 MHz FDD	0.00010
3.4 GHz	0.00119
3.8 GHz	0.00254
Others	0.05387
Total	0.21156

Location 4

Measurement time:	11:07
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.10658
800 MHz	0.00519
900 MHz	0.00073
1400 MHz	0.00412
1800 MHz	0.00388
1900 MHz	0.00020
2100 MHz	0.00220
2300 MHz	0.00042
2600 MHz TDD	0.00032
2600 MHz FDD	0.00010
3.4 GHz	0.00119
3.8 GHz	0.00257
Others	0.05373
Total	0.18123

Location 5

Measurement time:	11:14
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.10252
800 MHz	0.02040
900 MHz	0.00069
1400 MHz	0.00993
1800 MHz	0.00451
1900 MHz	0.00020
2100 MHz	0.00158
2300 MHz	0.00043
2600 MHz TDD	0.00034
2600 MHz FDD	0.00010
3.4 GHz	0.00125
3.8 GHz	0.00266
Others	0.05496
Total	0.19957

Location 6

Measurement time:	11:22
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.06665
800 MHz	0.04963
900 MHz	0.00069
1400 MHz	0.00406
1800 MHz	0.01116
1900 MHz	0.00021
2100 MHz	0.00471
2300 MHz	0.00044
2600 MHz TDD	0.00034
2600 MHz FDD	0.00010
3.4 GHz	0.00126
3.8 GHz	0.00272
Others	0.05703
Total	0.19900

Disclaimer: The results detailed in this report apply only to the tests made at the reported time, using the test equipment detailed. They do not indicate that on another date an identical set of results would be achieved, due to changes in local environmental conditions or other factors which may or may not have an effect on the measurement results obtained at that future time.