
UK Interface Requirement 2007

Fixed Broadband Services operating in the
5725 – 5850 MHz band

Contents

Section

1. References	1
2. Foreword	2
3. Minimum requirements for operation within the UK	3
4. Additional performance parameters	6
5. Contact details	7
6. Document history	8

1. References

[1]	EN 301 489	Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 17; Specific conditions for Wideband data and HIPERLAN equipment
[2]	Draft EN 302 502	Wireless Access Systems (WAS); 5,8 GHz fixed broadband data transmitting systems; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU
[3]	ECC Report 68	ECC Report of June 2005 on “Compatibility Studies in the Bands 5725 – 5875 MHz Between Fixed Wireless Access (FWA) Systems and Other Systems”
[4]	ECC/REC/(06)04	Use of the Band 5725 – 5875 MHz for Broadband Fixed Wireless Access (BFWA)

2. Foreword

- 2.1 In accordance with Articles 8 and 7 of Radio Equipment Directive (Directive 2014/53/EU), this UK Interface Requirement contains the requirements for the licensing and use of Fixed Broadband Radio Systems operating in the 5725 - 5850 MHz band.
- 2.2 Nothing in this UK Radio Interface Requirement shall preclude the need for equipment to comply with Directive 2014/53/EU.
- 2.3 It is required by the Wireless Telegraphy Act 2006 that no radio equipment is installed or used in the UK except under the authority of a licence granted by or otherwise exempted by regulations made by Ofcom. It is a condition of such a licence or exemption regulations as appropriate that, in order to be installed or used in the UK, the equipment must meet the minimum requirements specified in this UK Interface Requirement for the stated equipment types and for the stated frequency bands. Nothing in this UK Interface Requirement shall preclude equipment from being placed on the market in the UK that complies with the 'essential requirements' specified in Directive 2014/53/EU.
- 2.4 The requirements given in the main body of this UK Radio Interface Requirement will apply to the the use of Fixed Broadband Radio Systems operating in the 5725 - 5850 MHz band.
- 2.5 This UK Radio Interface Requirement will be revised as necessary, for example to follow:
 - i) current technology developments for reasons related to the effective and appropriate use of the spectrum in particular maximising spectrum utilisation; and
 - ii) changes to the available spectrum allocated for Fixed Broadband Radio Systems.
- 2.6 All UK Radio Interface Requirements notified under Directive 2015/1535/EU will be published and will be made available free of charge from the Ofcom web-site at <http://www.ofcom.org.uk>.
- 2.7 Further information on this UK Radio Interface Requirement can be obtained from the technical enquiry contact given at the back of this document

3. Minimum requirements for operation within the UK

- 3.1 The minimum requirements in this document are made for reasons related to the effective and appropriate use of the radio spectrum, in particular maximising spectrum utilisation.
- 3.2 This UK Radio Interface Requirement gives a high level description of how the spectrum in the UK is used for Fixed Broadband Radio Systems. It does not prescribe technical interpretation of the ‘essential requirements’ of Directive 2014/53/EU.
- 3.3 This UK Radio Interface Requirement therefore stipulates the necessary equipment parameters for the licensing of Fixed Broadband Radio Systems in the UK. Table 3.1 contain the relevant equipment parameters. These taken together with the ‘essential requirements’ detailed in Article 3.2 of Directive 2014/53/EU constitute the minimum requirements for Fixed Broadband Radio Systems within the UK. Nothing in this UK Interface Requirement shall preclude equipment from being placed on the market in the UK that complies with the ‘essential requirements’ specified in Directive 2014/53/EU.
- 3.4 The technical parameters specified in the UK Radio Interface Requirement are applied to achieve the desired level of compatibility within the Fixed Broadband Radio Systems and with other radiocommunications services, whilst promoting enterprise, innovation and competition.
- 3.5 This UK Radio Interface requirement provides the necessary technical information which facilitates access to the Fixed Broadband Radio Systems spectrum by making clear the assumptions that are made in planning the use of the satellite earth station networks spectrum in the UK. It is not the intention of this UK Radio Interface Requirement to duplicate or impose any additional ‘essential requirements’ of the Directive 2014/53/EU on products. Any specified parameters within this document are for the purpose of identifying product options and not as a national de facto product requirement.

Table 3.1: Minimum requirements for the use of Fixed Broadband Services operating in the 5725 – 5850 MHz band		
Mandatory (1-11)		
1	Radiocommunication Service	Fixed
2	Application	Fixed Wireless Access
3	Frequency band	5725 MHz to 5850 MHz
4	Channelling	n/a
5	Modulation/Occupied bandwidth	n/a
6	Direction/Separation	TDD
7	Maximum transmit power limit	<p>Maximum mean e.i.r.p. of 4W</p> <p>Maximum mean e.i.r.p. density of 23dBm/MHz*</p> <p>* The EIRP spectral density of the transmitter emissions should not exceed the following values for the elevation angle θ (degrees) above the local horizontal plane (of the Earth):</p> <ul style="list-style-type: none"> • For sectorised (e.g. P-MP Central or Base Station) and Omni-directional deployments: <ul style="list-style-type: none"> –7 dB(W/MHz) for $0^\circ \leq \theta < 4^\circ$ –2.2 - (1.2*θ) dB(W/MHz) for $4^\circ \leq \theta \leq 15^\circ$ –18.4 - (0.15*θ) dB(W/MHz) for $\theta > 15^\circ$ • For P-MP Customer Terminal Station and P-P deployments: <ul style="list-style-type: none"> –7 dB(W/MHz) for $0^\circ \leq \theta < 8^\circ$ –2.68 - (0.54*θ) dB(W/MHz) for $8^\circ \leq \theta < 32^\circ$ –20 dB(W/MHz) for $32^\circ \leq \theta \leq 50^\circ$ –10 - (0.2*θ) dB(W/MHz) for $\theta > 50^\circ$ <p>Examples are provided in ECC Report 68 to demonstrate that these limits can comfortably be achieved using typical antenna radiation pattern envelopes.</p>
8	Channel access and occupation rules	n/a
9	Authorisation regime	A licence is required. These are issued on a non-protection and non-interference basis.
10	Additional essential requirements	n/a

Informative (12-15)		
12	Frequency planning assumptions	DFS and TPC is assumed to be implemented as specified in ETSI harmonised European standard EN 302 502. Co-ordination and site-clearance considerations may impose additional restrictions on the maximum radiated power allowed on specific frequencies, directions and locations.
13	Reference	EN 302 502
14	Remarks	
15	Notification Number	2017/395/UK

4. Additional performance parameters

(informative)

4.1 None specified

5. Contact details

Ofcom Spectrum Licensing, PO Box 1285 Warrington, WA1 9GL

- Tel: 020 7981 3131
- Fax: 020 7981 3235
- Email: spectrum.licensing@ofcom.org.uk
- Website: <http://www.ofcom.org.uk>

6. Document history

Version	Date	Changes
1.0	15 December 2000	First Publication
2.0	4 August 2006	Updated to be in-line with Draft ECC/REC/(06)04 and ETSI draft Harmonised Standard EN 302 502
3.0	30 May 2007	Updated to reflect publication of EN 302 502 in the OJEC
4.0	29 November 2017	Updated to remove restriction to use of frequency range 5795-5815 MHz