

Wireless Telegraphy Act 2006

Licence for the transmission of national and local radio broadcasting services

Licensee British Broadcasting Corporation

Address of Licensee Broadcasting House,, Portland Place
London
W1A 1AA

Licence number BBC000005WT/2

Name of broadcast service(s) BBC Radio 5 live

Measured coverage area population 46,732,417

Commencement date 31 March 2009

Termination date 31 December 2027

Fee payment date 30 April annually

Signed for and on behalf of Ofcom by



Tony Close
Director of Content Standards, Licensing & Enforcement

System generated on: 16 December 2016

Index

Condition	Page number
1. General terms and conditions of the licence	3
2. Licence term	3
3. Licence variation and revocation	3
4. Changes	4
5. Fees	4
6. Radio equipment use	4
7. Access and inspection	4
8. Modification, restriction and closedown	4
9. Interpretation	5
Schedule	6

1. General

This Licence is granted under section 8 of the Wireless Telegraphy Act 2006 ("the Act") by the Office of Communications ("Ofcom") and authorises the Licensee to establish, install and use radio transmitting stations and/or radio apparatus described in the Schedule (hereinafter together called the "Radio Equipment") subject to the terms set out below and in the Schedule.

This Licence is issued to the Licensee for transmission of sound broadcasting services broadcast on the frequencies granted by the Secretary of State for Culture, Media and Sport to the British Broadcasting Corporation to allow the provision of television and radio services as described at clause 7 and Schedule 1 of the agreement between the Secretary of State and the British Broadcasting Corporation published on 15 December 2016 (the "Framework Agreement").

2. Licence term

This Licence shall enter into force on the Commencement Date and, subject to earlier revocation by Ofcom in accordance with condition 3 below, shall continue in force only until the earlier of:

- (a) the Termination Date;
- (b) the termination, however caused, of the Framework Agreement; or
- (c) the surrender of this Licence by the Licensee.

3. Licence variation and revocation

Pursuant to section 10 and schedule 1, paragraph 8 of the Act, Ofcom may not revoke this Licence before the termination date above under section 10 and schedule 1, paragraph 6 of the Act except:

- (a) at the request of, or with the consent of, the Licensee;
- (b) in accordance with Condition 5;
- (c) if there has been a breach of any of the conditions of this Licence;
- (d) in accordance with Schedule 1 paragraph 8(5) of the Act;
- (e) if it appears to Ofcom to be necessary or expedient to revoke this Licence for the purposes of complying with a direction by the Secretary of State given to Ofcom under section 5 of the Act; or;
- (f) for reasons related to the management of the radio spectrum, provided that in such case the power to revoke may only be exercised after five (5) years notice is given in writing to the Licensee;

Where Ofcom exercise their power to revoke or vary the Licence, in accordance with Schedule 1 paragraph 6 of the Act, the Licensee shall be notified in writing or by a general notice.

4. Changes

This Licence may not be transferred.

The Licensee must give prior or immediate notice to Ofcom of any change of the Licensee's name or address.

5. Fees

The Licensee shall pay to Ofcom the relevant sums as provided in section 12 of the Act and the regulations made thereunder:

- (a) on or before the date of issue of the Licence; and
- (b) on or before the payment date indicated in the table on the first page of this Licence for subsequent payments or such other date or dates as shall be notified in writing to the Licensee,

in accordance with those regulations and any relevant terms, provisions and limitations of the Licence, failing which Ofcom may revoke this Licence.

6. Radio equipment use

The Licensee shall use the Radio Equipment for the purpose of providing sound broadcasting services.

The Licensee must ensure that the Radio Equipment is constructed, established, installed and used only in accordance with the provisions specified in the Schedule.

Any proposal to amend any detail specified in that Schedule must be agreed with Ofcom in advance and implemented only after that Licence has been varied or reissued accordingly.

The Licensee must ensure that the Radio Equipment is used only by persons who have been authorised by the Licensee to do so, and that such persons are made aware of, and of the requirement to comply with, the terms of the Licence.

7. Access and inspection

The Licensee shall permit any person authorised by Ofcom:

- (a) to have access to the Radio Equipment; and
- (b) to inspect this Licence and the Radio Equipment at any and all reasonable times or, when in the opinion of that person an urgent situation exists, at any time, to ensure the Radio Equipment is being used in accordance with the terms of this Licence.

8. Modification, restriction and closedown

A person authorised by Ofcom may require the Radio Equipment, or any part thereof, to be modified or restricted in use, or temporarily or permanently closed down immediately if in the opinion of the person authorised by Ofcom:

- (a) a breach of the Licence has occurred; and/or
- (b) the use of the Radio Equipment is causing or contributing to Undue Interference to the authorised use of other radio equipment.

Ofcom may also require the Radio Equipment to be modified or restricted in use, or temporarily closed down either immediately or on the expiry of such period as may be specified in the event of a national or local state of emergency being declared. Ofcom may only exercise this power after a written notice is served on the Licensee or a general notice applicable to holders of a named class of Licence is published.

9. Interpretation

In this Licence (including the Schedules);

- (a) the establishment, installation and use of the Radio Equipment shall be interpreted as establishment and use of stations and installation and use of apparatus for wireless telegraphy as specified in section 8(1) of the Wireless Telegraphy Act 2006;
- (b) the term "Undue Interference" shall have the meaning given by Section 115 of the Wireless Telegraphy Act 2006;
- (c) the expression "inspect" includes examine and test;
- (d) the term "Framework Agreement" means the Agreement between Her Majesty's Secretary of State for Culture, Media and Sport and the British Broadcasting Corporation published on 15 December 2016 which contains a statement to the effect that it is a Framework Agreement made for BBC Charter purposes;
- (e) The "BBC Charter" means the Royal Charter for the continuance of the BBC for the period ending on 31 December 2027.
- (f) the "Commencement Date" means the date indicated in the table on the first page of this Licence;
- (g) the "Termination Date" means the date indicated in the table on the first page of this Licence;

The Schedules to this Licence shall form part of this Licence together with any subsequent variations to this Licence and the Schedule(s).

The Interpretation Act 1978 shall apply to the Licence as it applies to an Act of Parliament.

Schedule

1. The Radio Equipment

The transmitting radio apparatus which is authorised by this Licence is the radio station at the site described in Box G at the location indicated in Box H, of the table below (the "Radio Equipment").

2. Purpose of Use

The Licensee shall use the station Radio Equipment for emitting wireless telegraphy messages for the purpose of providing the sound broadcasting service.

3. Technical Requirements

The Licensee shall comply with the following technical requirements:

- (a) The Radio Equipment may only be used for wireless telegraphy on the frequency set out in Box M of the table below.
- (b) The radiating elements of the aerial used in connection with the Radio Equipment shall be at the height specified in Box I in the table below.
- (c) The class of emissions shall be as specified in Box J of the table below. [This is the symbol used to designate the permitted class of emission, having the meaning assigned to it in the International Telecommunication Convention and Radio Regulations.]
- (d) The maximum permitted radiated power in the azimuthal direction of greatest strength shall not exceed that specified in Box K of the table below. More detailed limits and directional constraints may be contained in Part II of the Schedule.
- (e) For VHF transmissions the polarisation shall be within that specified in Box L.
- (f) All VHF transmissions are required to meet minimum suppression levels in the aeronautical bands, as specified in the Radio Regulations of the International Telecommunication Union (Appendix 8-2). Further to this, the Licensee shall ensure that the output of the licensed transmitter complies with any additional suppression levels set out in Box N, at the aeronautical frequencies specified there. Also shown in Box N are any other broadcast frequencies at the site that may contribute towards the subject interference mechanism and also require to meet the additional suppression requirements. The Licensee must liaise with the operators of those frequencies at the start of transmissions, or following any modifications to their equipment that might affect the radiated output on the aeronautical frequency(s) concerned.
- (g) All limits and constraints shown in the antenna patterns attached in Part II of the Schedule

This Licence also requires compliance with the Ofcom Site Engineering Code for Analogue Radio Broadcast Transmission Systems, which contains general rules on site engineering, to be applied in the installation, testing and measurement of radio broadcast transmission system.

Notes to Schedule Part I

- (G) Is the recognised site name from which the assignment is to be radiated. There may be more than one site name describing the same location, also one site name may describe more than one mast.
- (H) Is the permitted location, given in Ordnance Survey coordinates, containing the mast from which the assignment is to be radiated.
- (I) Is the permitted height of the radiating elements of the antenna above local ground level and ignores the height of any buildings upon which masts may be mounted.
- (K) Radiated power is specified here as the effective monopole radiated power (emrp) in respect of MF transmissions, and the effective radiated power (erp), as the sum of the maxima permitted in each plane of polarisation, in respect of VHF transmissions.

WT ACT SCHEDULE PART 1
LICENCE BBC0000005WT/2

G	H	I	J	K	L	M	N
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)
				HP VP			On (MHz)
Barrow	SD 21800 70700	45	20K0A3EGN			693.00 kHz	
				600.00			

G	H	I	J	K	L	M	N
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)
				HP VP			On (MHz)
Bexhill MF	TQ 72400 07100	45	20K0A3EGN			693.00 kHz	
				400.00			

G	H	I	J	K	L	M	N
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)
				HP VP			On (MHz)
Brighton	TQ 23400 05100	83	20K0A3EGN			693.00 kHz	
				600.00			

WT ACT SCHEDULE PART I
LICENCE BBC000005WT/2

G	H	I	J	K	L	M	N		
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP	VP				
Brookmans Park	TL 25990 05000	152	20K0A3EGN			909.00 kHz			
				200000.00					

G	H	I	J	K	L	M	N		
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP	VP				
Burghead	NJ 12490 68600	150	20K0A3EGN			693.00 kHz			
				25000.00					

G	H	I	J	K	L	M	N		
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP	VP				
Clevedon	ST 40000 69700	107	20K0A3EGN			909.00 kHz			
				75000.00					

WT ACT SCHEDULE PART I
LICENCE BBC0000005WTI/2

G Site Name	H Location	I Ae Ht (m - agl)	J Class of Emission	K Maximum Power (W) (Total)		L Polarisation	M Frequency	N Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP	VP					
Dartford Tunnel	TQ 57100 76900		20KO3EGN		4.00		909.00 kHz			

G Site Name	H Location	I Ae Ht (m - agl)	J Class of Emission	K Maximum Power (W) (Total)		L Polarisation	M Frequency	N Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP	VP					
Droitwich	SO 92900 66300	102	20KO3EGN		150000.00		693.00 kHz			

G Site Name	H Location	I Ae Ht (m - agl)	J Class of Emission	K Maximum Power (W) (Total)		L Polarisation	M Frequency	N Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP	VP					
Enniskillen	NV 33516 10686	45	20KO3EGN		400.00		693.00 kHz			

WT ACT SCHEDULE PART I
LICENCE BBC000005WT/2

G	H	I	J	K	L	M	N		
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP	VP				
Exeter	SX 93100 88100		26 20K0A3EGN			909.00 kHz			
				200.00					

G	H	I	J	K	L	M	N		
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP	VP				
Fareham	SU 54600 05800		61 20K0A3EGN			909.00 kHz			
				800.00					

G	H	I	J	K	L	M	N		
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP	VP				
Fern Barrow	SZ 07000 92600		45 20K0A3EGN			909.00 kHz			
				500.00					

WT ACT SCHEDULE PART I
LICENCE BBC000005WT/2

G Site Name	H Location	I Ae Ht (m - agl)	J Class of Emission	K Maximum Power (W) (Total)		L Polarisation	M Frequency	N Suppression Added (dB)	O On (MHz)	P Involving (MHz)
				HP	VP					
Folkestone MF	TR 25500 38900	45	20K0A3EGN		693.00 kHz					
				400.00						

G Site Name	H Location	I Ae Ht (m - agl)	J Class of Emission	K Maximum Power (W) (Total)		L Polarisation	M Frequency	N Suppression Added (dB)	O On (MHz)	P Involving (MHz)
				HP	VP					
Lisnagarvey	NW 37198 18097	45	20K0A3EGN		5000.00					

G Site Name	H Location	I Ae Ht (m - agl)	J Class of Emission	K Maximum Power (W) (Total)		L Polarisation	M Frequency	N Suppression Added (dB)	O On (MHz)	P Involving (MHz)
				HP	VP					
Londonderry	NV 56921 80923	107	20K0A3EGN		280.00					

WT ACT SCHEDULE PART 1
LICENCE BBC000005WT/2

G	H	I	J	K	L	M	N		
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP VP					
Moorside Edge	SE 07000 15400	152	20K0A3EGN	400000.00		909.00 kHz			

G	H	I	J	K	L	M	N		
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP VP					
Postwick	TG 30300 08600	84	20K0A3EGN	15000.00		693.00 kHz			

G	H	I	J	K	L	M	N		
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP VP					
Redmoss	NJ 94200 02400	76	20K0A3EGN	800.00		693.00 kHz			

WT ACT SCHEDULE PART I
LICENCE BBC0000005WT/2

G	H	I	J	K	L	M	N
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	On (MHz)
				HP	VP	Suppression Added (dB)	Involving (MHz)
Redruth MF	SW 70900 40300	24	20K0A3EGN			909.00 kHz	
				400.00			

G	H	I	J	K	L	M	N
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	On (MHz)
				HP	VP	Suppression Added (dB)	Involving (MHz)
Stagshaw	NY 98600 70900	145	20K0A3EGN			693.00 kHz	
				50000.00			

G	H	I	J	K	L	M	N
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	On (MHz)
				HP	VP	Suppression Added (dB)	Involving (MHz)
Start Point	SX 81400 37800	137	20K0A3EGN			693.00 kHz	
				80000.00			

WT ACT SCHEDULE PART 1
LICENCE BBC000005WT/2

G	H	I	J	K	L	M	N		
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP	VP				
Twynn	SH 58100 00400	45	20K0A3EGN			990.00 kHz			
				400.00					

G	H	I	J	K	L	M	N		
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP	VP				
Westerglen	NS 86800 77300	152	20K0A3EGN			909.00 kHz			
				70000.00					

G	H	I	J	K	L	M	N		
Site Name	Location	Ae Ht (m - agl)	Class of Emission	Maximum Power (W) (Total)	Polarisation	Frequency	Suppression Added (dB)	On (MHz)	Involving (MHz)
				HP	VP				
Whitehaven MF	NX 97400 17200	43	20K0A3EGN			909.00 kHz			
				400.00					

WT ACT SCHEDULE PART II LICENCE**BBC000005WT/2**

Name Of Service: BBC Radio 5 live

Site Name: Clevedon

PS Name:

Frequency: 909.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	3	4	5	6	7	7	7	7	7	7	7	7	7	6	5	4	3	2
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	
2	1	1	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Site Name: Enniskillen

PS Name:

Frequency: 693.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Westerglen

PS Name:

Frequency: 909.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Redruth MF

PS Name:

Frequency: 909.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	1	1	1	2	2	3	4	5	6	7	8
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
9	9	9	9	9	9	9	9	8	7	6	5	4	3	2	2	1	1	1

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Whitehaven MF

PS Name:

Frequency: 909.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Dartford Tunnel

PS Name:

Frequency: 909.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Exeter
PS Name:

Frequency: 909.00 kHz
PI Code:
Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Folkestone MF

PS Name:

Frequency: 693.00 kHz
PI Code:
Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Brookmans Park

PS Name:

Frequency: 909.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Londonderry

PS Name:

Frequency: 909.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Droitwich

PS Name:

Frequency: 693.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Frequency: 909.00 kHz

PS Name:

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Site Name: Postwick

PS Name:

Frequency: 693.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	3	3	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	1	1	2	2	3	4	4	5	5	5	5	5	5	5	5	4	4

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Redmoss

PS Name:

Frequency: 693.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Burghead

PS Name:

Frequency: 693.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Moorside Edge

PS Name:

Frequency: 909.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	4	3	2	1	0	0	0	0	1	2	3	5	6	7	8	8	8	7
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
6	5	3	2	1	0	0	0	0	1	2	3	4	5	6	6	6	5	5

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Lisnagarvey

PS Name:

Frequency: 909.00 kHz

PI Code:

Opt-In/Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Stagshaw

PS Name:

Frequency: 693.00 kHz

PI Code:

Opt-In/Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Fern Barrow
PS Name:

Frequency: 909.00 kHz
PI Code:
Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	1	1	2	3	5	8	13	18	25	18	13	11	8	7	6	6	6
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
7	8	11	13	18	25	18	11	8	5	3	2	1	1	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Bexhill MF

PS Name:

Frequency: 693.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Brighton

PS Name:

Frequency: 693.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	350
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Site Name: Tywyn

PS Name:

Frequency: 990.00 kHz

PI Code:

Opt-Out PI Code:

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
HP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Polarisation :

Deg	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
VP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

