

# About this data: Mobile coverage, Parliamentary Constituency area

To create our [Connected Nations 2023 report](#), Ofcom collected and analysed data from the four mobile network operators. This file contains mobile coverage information at parliamentary constituency level.

The data was collected as a snapshot in September 2023. The [Methodology Annex](#) provides details of our approach to collecting and analysing coverage data.

Due to variations in mobile performance over time, the file should not be regarded as a definitive and fixed view of the UK's mobile infrastructure. However, the information provided in this file may be useful in identifying variations in mobile performance by geography.

If you have any questions or feedback on the data, please contact us at [open.data@ofcom.org.uk](mailto:open.data@ofcom.org.uk).

We are providing this data on an open basis via the [Open Government Licence](#), which gives users various freedoms about how they choose to use the data, subject to conditions.

The files are provided as a Comma Separated Values file, with double quote (") text delimiters where applicable.

## Coverage availability

File name: 202309\_mobile\_pcon\_with\_5g\_r01.csv

Total records in file: 1 header row, 650 data rows

File size on disk: 289 KB

### Column headers and what they represent:

Field	Label	Note
<b>parl_const</b>	Parliamentary Constituency	Parliamentary Constituency Code, such as E14000530
<b>parl_const_name</b>	Parliamentary Constituency name	
<b>prem_count</b>	Number of premises in location	Based on the Connected Nations all premise base definition (Epoch 104)
<b>pixel_count</b>	Number of 100m x 100m pixels in location	
<b>ab_rd_count</b>	Number of 100m x 100m pixels in location containing A or B road features	
<b>mway_count</b>	Number of 100m x 100m pixels in location containing motorway features	
<b>mway_ard_count</b>	Number of 100m x 100m pixels in location containing motorway or A road features	
<b>2G_prem_out_None</b>	2G services, premises (outdoor): no reliable signal (%)	Threshold: -81dBm
<b>2G_prem_out_At_least_one</b>	2G services, premises (outdoor): signal from at least one operator (1, 2 or 3 operators) (%)	Threshold: -81dBm

Field	Label	Note
<b>2G_prem_out_All</b>	2G services, premises (outdoor): signal from all operators (%)	Threshold: -81dBm
<b>2G_prem_in_None</b>	2G services, premises (indoor): no reliable signal (%)	Threshold: -71dBm
<b>2G_prem_in_At_least_one</b>	2G services, premises (indoor): signal from at least one operator (1, 2 or 3 operators) (%)	Threshold: -71dBm
<b>2G_prem_in_All</b>	2G services, premises (indoor): signal from all operators (%)	Threshold: -71dBm
<b>2G_geo_out_None</b>	2G services, geographic (outdoor): no reliable signal (%)	Threshold: -81dBm
<b>2G_geo_out_At_least_one</b>	2G services, geographic (outdoor): signal from at least one operator (1,2 or 3 operators) (%)	Threshold: -81dBm
<b>2G_geo_out_All</b>	2G services, geographic (outdoor): signal from all operators (%)	Threshold: -81dBm
<b>2G_abrd_in_None</b>	2G services, A and B roads: no reliable signal (%)	Threshold: -81dBm
<b>2G_abrd_in_At_least_one</b>	2G services, A and B roads: signal from at least one operator (1,2 or 3 operators) (%)	Threshold: -71dBm
<b>2G_abrd_in_All</b>	2G services, A and B roads: signal from all operators (%)	Threshold: -71dBm
<b>2G_mway_in_None</b>	2G services, motorways: no reliable signal (%)	Threshold: -71dBm

Field	Label	Note
<b>2G_mway_in_At_least_one</b>	2G services, motorways: signal from at least one operator (1,2 or 3 operators) (%)	Threshold: -71dBm
<b>2G_mway_in_All</b>	2G services, motorways: signal from all operators (%)	Threshold: -71dBm
<b>2G_mway_ard_in_None</b>	2G services, motorways and A-roads: no reliable signal (%)	Threshold: -71dBm
<b>2G_mway_ard_in_At_least_one</b>	2G services, motorways and A-roads: signal from at least one operator (1, 2 or 3 operators) (%)	Threshold: -71dBm
<b>2G_mway_ard_in_All</b>	2G services, motorways and A-roads: signal from all operators (%)	Threshold: -71dBm
<b>3G_prem_out_None</b>	3G services, premises (outdoor): no reliable signal (%)	Threshold: -71dBm
<b>3G_prem_out_At_least_one</b>	3G services, premises (outdoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -100dBm
<b>3G_prem_out_All</b>	3G services, premises (outdoor): signal from all operators (%)	Threshold: -100dBm
<b>3G_prem_in_None</b>	3G services, premises (indoor): no reliable signal (%)	Threshold: -100dBm
<b>3G_prem_in_At_least_one</b>	3G services, premises (indoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -90dBm
<b>3G_prem_in_All</b>	3G services, premises (indoor): signal from all operators (%)	Threshold: -90dBm

Field	Label	Note
<b>3G_geo_out_None</b>	3G services, geographic (outdoor): no reliable signal (%)	Threshold: -90dBm
<b>3G_geo_out_At_least_one</b>	3G services, geographic (outdoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -100dBm
<b>3G_geo_out_All</b>	3G services, geographic (outdoor): signal from all operators (%)	Threshold: -100dBm
<b>3G_abrd_in_None</b>	3G services, A and B roads: no reliable signal (%)	Threshold: -100dBm
<b>3G_abrd_in_At_least_one</b>	3G services, A and B roads: signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -90dBm
<b>3G_abrd_in_All</b>	3G services, A and B roads: signal from all operators (%)	Threshold: -90dBm
<b>3G_mway_in_None</b>	3G services, motorways: no reliable signal (%)	Threshold: -90dBm
<b>3G_mway_in_At_least_one</b>	3G services, motorways: signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -90dBm
<b>3G_mway_in_All</b>	3G services, motorways: signal from all operators (%)	Threshold: -90dBm
<b>3G_mway_ard_in_None</b>	3G services, motorways and A-roads: no reliable signal (%)	Threshold: -90dBm
<b>3G_mway_ard_in_At_least_one</b>	3G services, motorways and A-roads: signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -90dBm

Field	Label	Note
3G_mway_ard_in_All	3G services, motorways and A-roads: signal from all operators (%)	Threshold: -90dBm
4G_prem_out_None	4G services, premises (outdoor): no reliable signal (%)	Threshold: -90dBm
4G_prem_out_At_least_one	4G services, premises (outdoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -105dBm
4G_prem_out_All	4G services, premises (outdoor): signal from all operators (%)	Threshold: -105dBm
4G_prem_in_None	4G services, premises (indoor): no reliable signal (%)	Threshold: -105dBm
4G_prem_in_At_least_one	4G services, premises (indoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -95dBm
4G_prem_in_All	4G services, premises (indoor): signal from all operators (%)	Threshold: -95dBm
4G_geo_out_None	4G services, geographic (outdoor): no reliable signal (%)	Threshold: -95dBm
4G_geo_out_At_least_one	4G services, geographic (outdoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -105dBm
4G_geo_out_All	4G services, geographic (outdoor): signal from all operators (%)	Threshold: -105dBm
4G_abrd_in_None	4G services, A and B roads: no reliable signal (%)	Threshold: -105dBm

Field	Label	Note
<b>4G_abrd_in_At_least_one</b>	4G services, A and B roads: signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -95dBm
<b>4G_abrd_in_All</b>	4G services, A and B roads: signal from all operators (%)	Threshold: -95dBm
<b>4G_mway_in_None</b>	4G services, motorways: no reliable signal (%)	Threshold: -95dBm
<b>4G_mway_in_At_least_one</b>	4G services, motorways: signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -95dBm
<b>4G_mway_in_All</b>	4G services, motorways: signal from all operators (%)	Threshold: -95dBm
<b>4G_mway_ard_in_None</b>	4G services, motorways and A-roads: no reliable signal (%)	Threshold: -95dBm
<b>4G_mway_ard_in_At_least_one</b>	4G services, motorways and A-roads: signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -95dBm
<b>4G_mway_ard_in_All</b>	4G services, motorways and A-roads: signal from all operators (%)	Threshold: -95dBm
<b>Voice_prem_out_None</b>	Voice services, premises (outdoor): no reliable signal (%)	Threshold: -95dBm
<b>Voice_prem_out_At_least_one</b>	Voice services, premises (outdoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_prem_out_All</b>	Voice services, premises (outdoor): signal from all operators (%)	See below for 2G, 3G, 4G threshold levels

<b>Field</b>	<b>Label</b>	<b>Note</b>
<b>Voice_prem_in_None</b>	Voice services, premises (indoor): no reliable signal (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_prem_in_At_least_one</b>	Voice services, premises (indoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_prem_in_All</b>	Voice services, premises (indoor): signal from all operators (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_geo_out_None</b>	Voice services, geographic (outdoor): no reliable signal (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_geo_out_At_least_one</b>	Voice services, geographic (outdoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_geo_out_All</b>	Voice services, geographic (outdoor): signal from all operators (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_abrd_in_None</b>	Voice services, A and B roads: no reliable signal (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_abrd_in_At_least_one</b>	Voice services, A and B roads: signal from at least one operator (1, 2, 3 or 4 operators) (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_abrd_in_All</b>	Voice services, A and B roads: signal from all operators (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_mway_in_None</b>	Voice services, motorways: no reliable signal (%)	See below for 2G, 3G, 4G threshold levels

Field	Label	Note
<b>Voice_mway_in_At_least_one</b>	Voice services, motorways: signal from at least one operator (1, 2, 3 or 4 operators) (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_mway_in_All</b>	Voice services, motorways: signal from all operators (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_mway_ard_in_None</b>	Voice services, motorways and A-roads: no reliable signal (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_mway_ard_in_At_least_one</b>	Voice services, motorways and A-roads: signal from at least one operator (1, 2, 3 or 4 operators) (%)	See below for 2G, 3G, 4G threshold levels
<b>Voice_mway_ard_in_All</b>	Voice services, motorways and A-roads: signal from all operators (%)	See below for 2G, 3G, 4G threshold levels
<b>Data_prem_out_None</b>	Data services, premises (outdoor): no reliable signal (%)	See below for 2G, 3G, 4G threshold levels
<b>Data_prem_out_At_least_one</b>	Data services, premises (outdoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	See below for 3G, 4G threshold levels
<b>Data_prem_out_All</b>	Data services, premises (outdoor): signal from all operators (%)	See below for 3G, 4G threshold levels
<b>Data_prem_in_None</b>	Data services, premises (indoor): no reliable signal (%)	See below for 3G, 4G threshold levels
<b>Data_prem_in_At_least_one</b>	Data services, premises (indoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	See below for 3G, 4G threshold levels

<b>Field</b>	<b>Label</b>	<b>Note</b>
<b>Data_prem_in_All</b>	Data services, premises (indoor): signal from all operators (%)	See below for 3G, 4G threshold levels
<b>Data_geo_out_None</b>	Data services, geographic (outdoor): no reliable signal (%)	See below for 3G, 4G threshold levels
<b>Data_geo_out_At_least_one</b>	Data services, geographic (outdoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	See below for 3G, 4G threshold levels
<b>Data_geo_out_All</b>	Data services, geographic (outdoor): signal from all operators (%)	See below for 3G, 4G threshold levels
<b>Data_abrd_in_None</b>	Data services, A and B roads: no reliable signal (%)	See below for 3G, 4G threshold levels
<b>Data_abrd_in_At_least_one</b>	Data services, A and B roads: signal from at least one operator (1, 2, 3 or 4 operators) (%)	See below for 3G, 4G threshold levels
<b>Data_abrd_in_All</b>	Data services, A and B roads: signal from all operators (%)	See below for 3G, 4G threshold levels
<b>Data_mway_in_None</b>	Data services, motorways: no reliable signal (%)	See below for 3G, 4G threshold levels
<b>Data_mway_in_At_least_one</b>	Data services, motorways: signal from at least one operator (1, 2, 3 or 4 operators) (%)	See below for 3G, 4G threshold levels
<b>Data_mway_in_All</b>	Data services, motorways: signal from all operators (%)	See below for 3G, 4G threshold levels
<b>Data_mway_ard_in_None</b>	Data services, motorways and A-roads: no reliable signal (%)	See below for 3G, 4G threshold levels

Field	Label	Note
<b>Data_mway_ard_in_At_least_one</b>	Data services, motorways and A-roads: signal from at least one operator (1, 2, 3 or 4 operators) (%)	See below for 3G, 4G threshold levels
<b>Data_mway_ard_in_All</b>	Data services, motorways and A-roads: signal from all operators (%)	See below for 3G, 4G threshold levels
<b>5G_high_confidence_prem_out_None</b>	5G services, premises (outdoor): no reliable signal (%)	Threshold: -110dBm
<b>5G_high_confidence_prem_out_At_least_one</b>	5G services, premises (outdoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -110dBm
<b>5G_high_confidence_prem_out_All</b>	5G services, premises (outdoor): signal from all operators (%)	Threshold: -110dBm
<b>5G_high_confidence_geo_out_None</b>	5G services, geographic (outdoor): no reliable signal (%)	Threshold: -110dBm
<b>5G_high_confidence_geo_out_At_least_one</b>	5G services, geographic (outdoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -110dBm
<b>5G_high_confidence_geo_out_All</b>	5G services, geographic (outdoor): signal from all operators (%)	Threshold: -110dBm
<b>5G_very_high_confidence_prem_out_None</b>	5G services, premises (outdoor): no reliable signal (%)	Threshold: -100dBm
<b>5G_very_high_confidence_prem_out_At_least_one</b>	5G services, premises (outdoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -100dBm

Field	Label	Note
<b>5G_very_high_confidence_prem_out_All</b>	5G services, premises (outdoor): signal from all operators (%)	Threshold: -100dBm
<b>5G_very_high_confidence_geo_out_None</b>	5G services, geographic (outdoor): no reliable signal (%)	Threshold: -100dBm
<b>5G_very_high_confidence_geo_out_At_least_one</b>	5G services, geographic (outdoor): signal from at least one operator (1, 2, 3 or 4 operators) (%)	Threshold: -100dBm
<b>5G_very_high_confidence_geo_out_All</b>	5G services, geographic (outdoor): signal from all operators (%)	Threshold: -100dBm

## Signal thresholds

We use the following signal strength thresholds when estimating coverage:

Service	Metric <sup>1</sup>	Outdoor	Indoor and in-car	
<b>2G</b>	RxLev	-81dBm	-71dBm	
<b>3G</b>	RSCP CPiCH	-100dBm	-90dBm	
<b>4G/enhanced data</b>	RSRP	-105dBm	-95dBm	
	2G	RxLev	-81dBm	-71dBm
<b>Voice</b>	3G	RSCP CPiCH	-100dBm	-90dBm
	4G	RSRP	-105dBm	-95dBm
<b>Basic data</b>	3G	RSCP CPiCH	-100dBm	-90dBm
	4G	RSRP	-115dBm	-105dBm
<b>5G high confidence</b>	SS-RSRP	-110dBm	N/A	

<sup>1</sup> **RxLev**: the Received Signal Level in 2G networks.

**RSCP CPiCH**: the Received Signal Code Power on the primary Common Pilot Channel for 3G networks.

**RSRP**: the Reference Signal Received Power in 4G networks.

**SS-RSRP**: the Synchronization Signal Reference Signal Received Power in 5G networks.

<b>Service</b>	<b>Metric<sup>1</sup></b>	<b>Outdoor</b>	<b>Indoor and in-car</b>
<b>5G very high confidence</b>	SS-RSRP	-100dBm	N/A