

ICNIRP Measurement Report

This report presents the results of measurements of electromagnetic field emission levels in the vicinity of mobile base stations. Results are presented as percentages of the power density reference levels for general public exposure in the 1998 edition of the Guidelines published by the International Commission on Non-Ionizing Radiation Protection (ICNIRP)¹, with figures provided for individual frequency bands used for base station (downlink) transmissions as well as an overall figure for all other frequency bands between 420 MHz to 6 GHz. The total percentage equals the sum of all individual percentages.

The power density reference levels in the ICNIRP Guidelines are the root mean square (rms) values averaged over six minutes. In this report, we have measured the average E-field strength over a six-minute period in each measurement location.

We have applied a measurement threshold of 3dB above the system noise floor² of the measurement equipment, below which any E-field strength levels measured are deemed not sufficiently above the system noise floor to be valid. In the results tables below, measurement results are shown to a precision of four decimal places. Results which are not sufficiently above the system noise floor to record as a valid measurement are shown as a dash (-). Results which are too small to register to four decimal places are shown as 0.0000%.

Date of Survey:	20/02/2023	Time Survey completed:	12:11
Survey address:	Edinburgh EH4		

Measurement equipment		Serial number	Calibration Date
Meter	Keysight Fieldfox N9915A Spectrum Analyser	MY57271744	24/01/2023
Probe	Agos Aria-6000 Antenna	60001089	28/11/2022
Cabling	1.7m Cable	1274	28/11/2022

¹ <https://www.icnirp.org/cms/upload/publications/ICNIRPemfgdl.pdf>

² The noise floor of the measurement equipment is the level of background noise that is present before detecting any external signals. In other words, it indicates the absolute minimum level of detectable signals.

Mobile bands covered by this report

Frequency Band	Frequency	Technology*
700 MHz	738-788 MHz	4G, 5G
800 MHz	791-821 MHz	4G
900 MHz	925-960 MHz	2G, 3G, 4G
1400 MHz	1452-1492 MHz	4G (Supplementary downlink)
1800 MHz	1805-1880 MHz	2G, 4G
1900 MHz	1900-1920 MHz	4G
2100 MHz	2110-2170 MHz	3G, 4G
2300 MHz	2350-2390 MHz	4G
2600 MHz TDD	2570-2620 MHz	4G
2600 MHz FDD	2620-2690 MHz	4G
3.4 GHz	3410-3680 MHz	5G, 4G
3.8 GHz	3680-4200 MHz	Various
Others**		

Notes

* This is an indication of the type of technologies typically deployed in these bands; not all frequency bands and technologies may be in use at all locations.

** All other frequencies between 420 MHz and 6 GHz.

Survey locations

The survey was conducted within the area shown in the map below. Measurements were taken at six locations and are presented in the following pages of this report.



Map data: © Google

Location 1

Measurement time:	11:23
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.01347
800 MHz	0.00677
900 MHz	0.04492
1400 MHz	0.00050
1800 MHz	0.00255
1900 MHz	0.00023
2100 MHz	0.00247
2300 MHz	0.00062
2600 MHz TDD	0.00038
2600 MHz FDD	0.00014
3.4 GHz	0.00142
3.8 GHz	0.00315
Others	0.06395
Total	0.14057

Location 2

Measurement time:	11:31
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.00799
800 MHz	0.00539
900 MHz	0.04885
1400 MHz	0.00051
1800 MHz	0.00798
1900 MHz	0.00023
2100 MHz	0.00462
2300 MHz	0.00192
2600 MHz TDD	0.00037
2600 MHz FDD	0.00013
3.4 GHz	0.00151
3.8 GHz	0.00316
Others	0.06476
Total	0.14742

Location 3

Measurement time:	11:39
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.00623
800 MHz	0.00947
900 MHz	0.01656
1400 MHz	0.00050
1800 MHz	0.00453
1900 MHz	0.00023
2100 MHz	0.00198
2300 MHz	0.00096
2600 MHz TDD	0.00037
2600 MHz FDD	0.00013
3.4 GHz	0.00144
3.8 GHz	0.00316
Others	0.06356
Total	0.10912

Location 4

Measurement time:	11:47
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.00741
800 MHz	0.01256
900 MHz	0.01560
1400 MHz	0.00051
1800 MHz	0.00293
1900 MHz	0.00023
2100 MHz	0.00242
2300 MHz	0.00095
2600 MHz TDD	0.00038
2600 MHz FDD	0.00015
3.4 GHz	0.00139
3.8 GHz	0.00319
Others	0.06390
Total	0.11162

Location 5

Measurement time:	11:56
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.01315
800 MHz	0.01355
900 MHz	0.06334
1400 MHz	0.00051
1800 MHz	0.00476
1900 MHz	0.00023
2100 MHz	0.00341
2300 MHz	0.00088
2600 MHz TDD	0.00038
2600 MHz FDD	0.00012
3.4 GHz	0.00151
3.8 GHz	0.00322
Others	0.06577
Total	0.17083

Location 6

Measurement time:	12:05
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.00786
800 MHz	0.00783
900 MHz	0.02612
1400 MHz	0.00052
1800 MHz	0.00492
1900 MHz	0.00024
2100 MHz	0.00206
2300 MHz	0.00078
2600 MHz TDD	0.00039
2600 MHz FDD	0.00016
3.4 GHz	0.00150
3.8 GHz	0.00322
Others	0.06461
Total	0.12021

Disclaimer: The results detailed in this report apply only to the tests made at the reported time, using the test equipment detailed. They do not indicate that on another date an identical set of results would be achieved, due to changes in local environmental conditions or other factors which may or may not have an effect on the measurement results obtained at that future time.