

ICNIRP Measurement Report

This report presents the results of measurements of electromagnetic field emission levels in the vicinity of mobile base stations. Results are presented as percentages of the power density reference levels for general public exposure in the 1998 edition of the Guidelines published by the International Commission on Non-Ionizing Radiation Protection (ICNIRP)¹, with figures provided for individual frequency bands used for base station (downlink) transmissions as well as an overall figure for all other frequency bands between 420 MHz to 6 GHz. The total percentage equals the sum of all individual percentages.

The power density reference levels in the ICNIRP Guidelines are the root mean square (rms) values averaged over six minutes. In this report, we have measured the average E-field strength over a six-minute period in each measurement location.

We have applied a measurement threshold of 3dB above the system noise floor² of the measurement equipment, below which any E-field strength levels measured are deemed not sufficiently above the system noise floor to be valid. In the results tables below, measurement results are shown to a precision of four decimal places. Results which are not sufficiently above the system noise floor to record as a valid measurement are shown as a dash (-). Results which are too small to register to four decimal places are shown as 0.0000%.

Date of Survey:	26/03/2024	Time Survey completed:	13:45
Survey address:	Birmingham B13		

Measurement equipment		Serial number	Calibration Date
Meter	Keysight Fieldfox N9915A Spectrum Analyser	MY 56072601	07/03/2024
Probe	Agos Aria-6000 Antenna	60001380	25/09/2023
Cabling	1.7m Cable	1158	25/09/2023

¹ <https://www.icnirp.org/cms/upload/publications/ICNIRPemfgdl.pdf>

² The noise floor of the measurement equipment is the level of background noise that is present before detecting any external signals. In other words, it indicates the absolute minimum level of detectable signals.

Mobile bands covered by this report

Frequency Band	Frequency Range	Technology*
700 MHz	738-788 MHz	4G, 5G
800 MHz	791-821 MHz	4G
900 MHz	925-960 MHz	2G, 3G, 4G
1400 MHz	1452-1492 MHz	4G (Supplementary downlink)
1800 MHz	1805-1880 MHz	2G, 4G
1900 MHz	1900-1920 MHz	4G
2100 MHz	2110-2170 MHz	3G, 4G
2300 MHz	2350-2390 MHz	4G
2600 MHz TDD	2570-2620 MHz	4G
2600 MHz FDD	2620-2690 MHz	4G
3.4 GHz	3410-3680 MHz	5G, 4G
3.8 GHz	3680-4200 MHz	Various
Others**		

* This is an indication of the type of technologies typically deployed in these bands; not all frequency bands and technologies may be in use at all locations. ** All other frequencies between 420 MHz and 6 GHz.

Survey locations

The survey was conducted within the area shown in the map below. Measurements were taken at five locations and are presented in the following pages of this report.



Location 1

Measurement time:	12:40
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.00129
800 MHz	0.00295
900 MHz	0.01152
1400 MHz	0.00207
1800 MHz	0.00093
1900 MHz	0.00019
2100 MHz	0.00200
2300 MHz	0.00116
2600 MHz TDD	0.00037
2600 MHz FDD	0.00025
3.4 GHz	0.00172
3.8 GHz	0.00384
Others	0.06161
Total	0.08990

Location 2

Measurement time:	12:51
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.00143
800 MHz	0.00468
900 MHz	0.00276
1400 MHz	0.00134
1800 MHz	0.00113
1900 MHz	0.00021
2100 MHz	0.00073
2300 MHz	0.00089
2600 MHz TDD	0.00038
2600 MHz FDD	0.00018
3.4 GHz	0.00185
3.8 GHz	0.00421
Others	0.06690
Total	0.08669

Location 3

Measurement time:	13:17
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.00188
800 MHz	0.00594
900 MHz	0.01277
1400 MHz	0.00223
1800 MHz	0.00117
1900 MHz	0.00024
2100 MHz	0.00198
2300 MHz	0.00070
2600 MHz TDD	0.00047
2600 MHz FDD	0.00037
3.4 GHz	0.00220
3.8 GHz	0.00498
Others	0.07769
Total	0.11262

Location 4

Measurement time:	13:29
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.00137
800 MHz	0.00170
900 MHz	0.00130
1400 MHz	0.00209
1800 MHz	0.00095
1900 MHz	0.00025
2100 MHz	0.00087
2300 MHz	0.00053
2600 MHz TDD	0.00044
2600 MHz FDD	0.00024
3.4 GHz	0.00233
3.8 GHz	0.00520
Others	0.08065
Total	0.09792

Location 5

Measurement time:	13:41
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
700 MHz	0.00144
800 MHz	0.00434
900 MHz	0.00864
1400 MHz	0.00169
1800 MHz	0.00131
1900 MHz	0.00025
2100 MHz	0.00241
2300 MHz	0.00131
2600 MHz TDD	0.00047
2600 MHz FDD	0.00031
3.4 GHz	0.00237
3.8 GHz	0.00532
Others	0.08238
Total	0.11224

Disclaimer: The results detailed in this report apply only to the tests made at the reported time, using the test equipment detailed. They do not indicate that on another date an identical set of results would be achieved, due to changes in local environmental conditions or other factors which may or may not have an effect on the measurement results obtained at that future time.