

ICNIRP Measurement Report

This report presents the results of measurements of electromagnetic field emission levels in the vicinity of mobile base stations. Results are presented as percentages of the power density reference levels for general public exposure in the 1998 edition of the Guidelines published by the International Commission on Non-Ionizing Radiation Protection (ICNIRP)¹, with figures provided for individual frequency bands used for base station (downlink) transmissions as well as an overall figure for all other frequency bands between 30 MHz to 6 GHz. The total percentage equals the sum of all individual percentages.

The power density reference levels in the ICNIRP Guidelines are the root mean square (rms) values averaged over six minutes. In this report, we have measured the average E-field strength over a six-minute period in each measurement location.

We have applied a measurement threshold of 3dB above the system noise floor² of the measurement equipment, below which any E-field strength levels measured are deemed not sufficiently above the system noise floor to be valid. In the results tables below, measurement results are shown to a precision of four decimal places. Results which are not sufficiently above the system noise floor to record as a valid measurement are shown as a dash (-). Results which are too small to register to four decimal places are shown as 0.0000%.

Date of Survey:	23/04/2025	Time Survey completed:	12:47
Survey address:	Harrogate HG3		

Measurement equipment		Serial number	Calibration Date
Meter	Keysight Fieldfox N9915A Spectrum Analyser	MY50672594	04/11/2024
Probe	Agos Aria-6000 Antenna	6000-1024	30/03/2021
Cabling	1.7m cable	1383	12/11/2023

¹ <https://www.icnirp.org/cms/upload/publications/ICNIRPemfgdl.pdf>

² The noise floor of the measurement equipment is the level of background noise that is present before detecting any external signals. In other words, it indicates the absolute minimum level of detectable signals.

Broadcast bands covered by this report

Frequency Band	Frequency Range	Technology*
	87.5-108 MHz	FM Radio
	174-230 MHz	DAB
	470-694 MHz	Digital TV

Mobile bands covered by this report

Frequency Band	Frequency Range	Technology*
700 MHz	738-788 MHz	4G, 5G
800 MHz	791-821 MHz	4G
900 MHz	925-960 MHz	2G, 3G, 4G
1400 MHz	1452-1492 MHz	4G (Supplementary downlink)
1800 MHz	1805-1880 MHz	2G, 4G
1900 MHz	1900-1920 MHz	4G
2100 MHz	2110-2170 MHz	3G, 4G
2300 MHz	2350-2390 MHz	4G
2600 MHz TDD	2570-2620 MHz	4G
2600 MHz FDD	2620-2690 MHz	4G
3.4 GHz	3410-3680 MHz	5G, 4G
3.8 GHz	3680-4200 MHz	Various
Others**		

* This is an indication of the type of technologies typically deployed in these bands; not all frequency bands and technologies may be in use at all locations. ** All other frequencies between 30 MHz and 6 GHz.

Survey locations

The survey was conducted within the area shown in the map below. Measurements were taken at five locations and are presented in the following pages of this report.



Location 1

Measurement time:	12:07
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.00961
174-230 MHz	0.01112
470-694 MHz	0.00888
700 MHz	0.00673
800 MHz	0.02933
900 MHz	0.02193
1400 MHz	0.00042
1800 MHz	0.00166
1900 MHz	0.00020
2100 MHz	0.00055
2300 MHz	0.00046
2600 MHz TDD	0.00038
2600 MHz FDD	0.00020
3.4 GHz	0.00219
3.8 GHz	0.00516
Others	0.15624
Total	0.25506

Location 2

Measurement time:	12:15
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.00970
174-230 MHz	0.01137
470-694 MHz	0.00940
700 MHz	0.00323
800 MHz	0.01050
900 MHz	0.03097
1400 MHz	0.00044
1800 MHz	0.00696
1900 MHz	0.00021
2100 MHz	0.00059
2300 MHz	0.00048
2600 MHz TDD	0.00039
2600 MHz FDD	0.00021
3.4 GHz	0.00227
3.8 GHz	0.00531
Others	0.15347
Total	0.24552

Location 3

Measurement time:	12:23
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01035
174-230 MHz	0.01174
470-694 MHz	0.01045
700 MHz	0.00312
800 MHz	0.04079
900 MHz	0.02066
1400 MHz	0.00044
1800 MHz	0.00966
1900 MHz	0.00021
2100 MHz	0.00059
2300 MHz	0.00049
2600 MHz TDD	0.00041
2600 MHz FDD	0.00021
3.4 GHz	0.00236
3.8 GHz	0.00552
Others	0.15777
Total	0.27476

Location 4

Measurement time:	12:32
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01052
174-230 MHz	0.01246
470-694 MHz	0.00966
700 MHz	0.00278
800 MHz	0.03568
900 MHz	0.00742
1400 MHz	0.00047
1800 MHz	0.00116
1900 MHz	0.00022
2100 MHz	0.00062
2300 MHz	0.00051
2600 MHz TDD	0.00044
2600 MHz FDD	0.00022
3.4 GHz	0.00251
3.8 GHz	0.00589
Others	0.16752
Total	0.25808

Location 5

Measurement time:	12:41
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01095
174-230 MHz	0.01279
470-694 MHz	0.01035
700 MHz	0.00197
800 MHz	0.01397
900 MHz	0.02224
1400 MHz	0.00048
1800 MHz	0.00208
1900 MHz	0.00023
2100 MHz	0.00063
2300 MHz	0.00053
2600 MHz TDD	0.00044
2600 MHz FDD	0.00023
3.4 GHz	0.00257
3.8 GHz	0.00604
Others	0.17066
Total	0.25618

Disclaimer: The results detailed in this report apply only to the tests made at the reported time, using the test equipment detailed. They do not indicate that on another date an identical set of results would be achieved, due to changes in local environmental conditions or other factors which may or may not have an effect on the measurement results obtained at that future time.