

ICNIRP Measurement Report

This report presents the results of measurements of electromagnetic field emission levels in the vicinity of mobile base stations. Results are presented as percentages of the power density reference levels for general public exposure in the 1998 edition of the Guidelines published by the International Commission on Non-Ionizing Radiation Protection (ICNIRP)¹, with figures provided for individual frequency bands used for base station (downlink) transmissions as well as an overall figure for all other frequency bands between 30 MHz to 6 GHz. The total percentage equals the sum of all individual percentages.

The power density reference levels in the ICNIRP Guidelines are the root mean square (rms) values averaged over six minutes. In this report, we have measured the average E-field strength over a six-minute period in each measurement location.

We have applied a measurement threshold of 3dB above the system noise floor² of the measurement equipment, below which any E-field strength levels measured are deemed not sufficiently above the system noise floor to be valid. In the results tables below, measurement results are shown to a precision of four decimal places. Results which are not sufficiently above the system noise floor to record as a valid measurement are shown as a dash (-). Results which are too small to register to four decimal places are shown as 0.0000%.

Date of Survey:	24/11/2025	Time Survey completed:	14:11
Survey address:	York YO19		

Measurement equipment		Serial number	Calibration Date
Meter	Keysight Fieldfox N9915A Spectrum Analyser	MY56072602	14/04/2025
Probe	Agos Aria-6000 Antenna	ARIA-6000-1156	08/07/2025
Cabling	1.7m cable	1378	08/07/2025

¹ <https://www.icnirp.org/cms/upload/publications/ICNIRPemfgdl.pdf>

² The noise floor of the measurement equipment is the level of background noise that is present before detecting any external signals. In other words, it indicates the absolute minimum level of detectable signals.

Broadcast bands covered by this report

Frequency Band	Frequency Range	Technology*
	87.5-108 MHz	FM Radio
	174-230 MHz	DAB
	470-694 MHz	Digital TV

Mobile bands covered by this report

Frequency Band	Frequency Range	Technology*
700 MHz	738-788 MHz	4G, 5G
800 MHz	791-821 MHz	4G
900 MHz	925-960 MHz	2G, 3G, 4G
1400 MHz	1452-1492 MHz	4G (Supplementary downlink)
1800 MHz	1805-1880 MHz	2G, 4G
1900 MHz	1900-1920 MHz	4G
2100 MHz	2110-2170 MHz	3G, 4G
2300 MHz	2350-2390 MHz	4G
2600 MHz TDD	2570-2620 MHz	4G
2600 MHz FDD	2620-2690 MHz	4G
3.4 GHz	3410-3680 MHz	5G, 4G
3.8 GHz	3680-4200 MHz	Various
Others**		

* This is an indication of the type of technologies typically deployed in these bands; not all frequency bands and technologies may be in use at all locations. ** All other frequencies between 30 MHz and 6 GHz.

Survey locations

The survey was conducted within the area shown in the map below. Measurements were taken at six locations and are presented in the following pages of this report.



Location 1

Measurement time:	13:24
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01321
174-230 MHz	0.01476
470-694 MHz	0.01145
700 MHz	0.00172
800 MHz	0.00111
900 MHz	0.00086
1400 MHz	0.00062
1800 MHz	0.00083
1900 MHz	0.00026
2100 MHz	0.00074
2300 MHz	0.00054
2600 MHz TDD	0.00046
2600 MHz FDD	0.00018
3.4 GHz	0.00190
3.8 GHz	0.00450
Others	0.17802
Total	0.23114

Location 2

Measurement time:	13:32
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01352
174-230 MHz	0.01502
470-694 MHz	0.01181
700 MHz	0.00193
800 MHz	0.00135
900 MHz	0.00099
1400 MHz	0.00060
1800 MHz	0.00079
1900 MHz	0.00027
2100 MHz	0.00076
2300 MHz	0.00055
2600 MHz TDD	0.00047
2600 MHz FDD	0.00018
3.4 GHz	0.00197
3.8 GHz	0.00466
Others	0.18396
Total	0.23882

Location 3

Measurement time:	13:39
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01360
174-230 MHz	0.01525
470-694 MHz	0.01189
700 MHz	0.00196
800 MHz	0.00152
900 MHz	0.00100
1400 MHz	0.00059
1800 MHz	0.00078
1900 MHz	0.00027
2100 MHz	0.00076
2300 MHz	0.00056
2600 MHz TDD	0.00048
2600 MHz FDD	0.00018
3.4 GHz	0.00198
3.8 GHz	0.00473
Others	0.18602
Total	0.24157

Location 4

Measurement time:	13:47
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01371
174-230 MHz	0.01538
470-694 MHz	0.01193
700 MHz	0.00177
800 MHz	0.00135
900 MHz	0.00110
1400 MHz	0.00060
1800 MHz	0.00081
1900 MHz	0.00027
2100 MHz	0.00076
2300 MHz	0.00055
2600 MHz TDD	0.00048
2600 MHz FDD	0.00019
3.4 GHz	0.00200
3.8 GHz	0.00471
Others	0.18593
Total	0.24152

Location 5

Measurement time:	13:55
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01389
174-230 MHz	0.01533
470-694 MHz	0.01184
700 MHz	0.00197
800 MHz	0.00148
900 MHz	0.00112
1400 MHz	0.00059
1800 MHz	0.00078
1900 MHz	0.00027
2100 MHz	0.00075
2300 MHz	0.00056
2600 MHz TDD	0.00047
2600 MHz FDD	0.00019
3.4 GHz	0.00198
3.8 GHz	0.00472
Others	0.18624
Total	0.24218

Location 6

Measurement time:	14:05
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01402
174-230 MHz	0.01573
470-694 MHz	0.01208
700 MHz	0.00175
800 MHz	0.00113
900 MHz	0.00095
1400 MHz	0.00065
1800 MHz	0.00087
1900 MHz	0.00027
2100 MHz	0.00077
2300 MHz	0.00057
2600 MHz TDD	0.00049
2600 MHz FDD	0.00019
3.4 GHz	0.00202
3.8 GHz	0.00481
Others	0.18938
Total	0.24569

Disclaimer: The results detailed in this report apply only to the tests made at the reported time, using the test equipment detailed. They do not indicate that on another date an identical set of results would be achieved, due to changes in local environmental conditions or other factors which may or may not have an effect on the measurement results obtained at that future time.