

ICNIRP Measurement Report

This report presents the results of measurements of electromagnetic field emission levels in the vicinity of mobile base stations. Results are presented as percentages of the power density reference levels for general public exposure in the 1998 edition of the Guidelines published by the International Commission on Non-Ionizing Radiation Protection (ICNIRP)¹, with figures provided for individual frequency bands used for base station (downlink) transmissions as well as an overall figure for all other frequency bands between 30 MHz to 6 GHz. The total percentage equals the sum of all individual percentages.

The power density reference levels in the ICNIRP Guidelines are the root mean square (rms) values averaged over six minutes. In this report, we have measured the average E-field strength over a six-minute period in each measurement location.

We have applied a measurement threshold of 3dB above the system noise floor² of the measurement equipment, below which any E-field strength levels measured are deemed not sufficiently above the system noise floor to be valid. In the results tables below, measurement results are shown to a precision of four decimal places. Results which are not sufficiently above the system noise floor to record as a valid measurement are shown as a dash (-). Results which are too small to register to four decimal places are shown as 0.0000%.

Date of Survey:	14/01/2026	Time Survey completed:	13:49
Survey address:	Easton on the Hill PE9		

Measurement equipment		Serial number	Calibration Date
Meter	Keysight Fieldfox N9915A Spectrum Analyser	MY56072591	11/12/2025
Probe	Agos Aria-6000 Antenna	ARIA-6000-1023	08/07/2025
Cabling	1.7m cable	1407	08/07/2025

¹ <https://www.icnirp.org/cms/upload/publications/ICNIRPemfgdl.pdf>

² The noise floor of the measurement equipment is the level of background noise that is present before detecting any external signals. In other words, it indicates the absolute minimum level of detectable signals.

Broadcast bands covered by this report

Frequency Band	Frequency Range	Technology*
	87.5-108 MHz	FM Radio
	174-230 MHz	DAB
	470-694 MHz	Digital TV

Mobile bands covered by this report

Frequency Band	Frequency Range	Technology*
700 MHz	738-788 MHz	4G, 5G
800 MHz	791-821 MHz	4G
900 MHz	925-960 MHz	2G, 3G, 4G
1400 MHz	1452-1492 MHz	4G (Supplementary downlink)
1800 MHz	1805-1880 MHz	2G, 4G
1900 MHz	1900-1920 MHz	4G
2100 MHz	2110-2170 MHz	3G, 4G
2300 MHz	2350-2390 MHz	4G
2600 MHz TDD	2570-2620 MHz	4G
2600 MHz FDD	2620-2690 MHz	4G
3.4 GHz	3410-3680 MHz	5G, 4G
3.8 GHz	3680-4200 MHz	Various
Others**		

* This is an indication of the type of technologies typically deployed in these bands; not all frequency bands and technologies may be in use at all locations. ** All other frequencies between 30 MHz and 6 GHz.

Survey locations

The survey was conducted within the area shown in the map below. Measurements were taken at five locations and are presented in the following pages of this report.



Location 1

Measurement time:	12:47
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.00982
174-230 MHz	0.01069
470-694 MHz	0.00880
700 MHz	0.00816
800 MHz	0.00149
900 MHz	0.01068
1400 MHz	0.00043
1800 MHz	0.00131
1900 MHz	0.00021
2100 MHz	0.00085
2300 MHz	0.00042
2600 MHz TDD	0.00035
2600 MHz FDD	0.00014
3.4 GHz	0.00155
3.8 GHz	0.00360
Others	0.13150
Total	0.18999

Location 2

Measurement time:	12:57
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01032
174-230 MHz	0.01163
470-694 MHz	0.00943
700 MHz	0.00163
800 MHz	0.00076
900 MHz	0.00086
1400 MHz	0.00047
1800 MHz	0.00069
1900 MHz	0.00023
2100 MHz	0.00061
2300 MHz	0.00045
2600 MHz TDD	0.00039
2600 MHz FDD	0.00016
3.4 GHz	0.00170
3.8 GHz	0.00397
Others	0.14299
Total	0.18628

Location 3

Measurement time:	13:08
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01122
174-230 MHz	0.01223
470-694 MHz	0.00989
700 MHz	0.00269
800 MHz	0.00096
900 MHz	0.00354
1400 MHz	0.00050
1800 MHz	0.00254
1900 MHz	0.00024
2100 MHz	0.00081
2300 MHz	0.00048
2600 MHz TDD	0.00041
2600 MHz FDD	0.00017
3.4 GHz	0.00182
3.8 GHz	0.00426
Others	0.15163
Total	0.20338

Location 4

Measurement time:	13:32
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01229
174-230 MHz	0.01382
470-694 MHz	0.01105
700 MHz	0.00331
800 MHz	0.00147
900 MHz	0.01498
1400 MHz	0.00056
1800 MHz	0.00437
1900 MHz	0.00027
2100 MHz	0.00098
2300 MHz	0.00054
2600 MHz TDD	0.00046
2600 MHz FDD	0.00019
3.4 GHz	0.00213
3.8 GHz	0.00494
Others	0.17235
Total	0.24371

Location 5

Measurement time:	13:43
Frequency band	Percentage of the ICNIRP reference levels for general public exposure
87.5-108 MHz	0.01289
174-230 MHz	0.01437
470-694 MHz	0.01144
700 MHz	0.00743
800 MHz	0.00171
900 MHz	0.01154
1400 MHz	0.00058
1800 MHz	0.00124
1900 MHz	0.00028
2100 MHz	0.00092
2300 MHz	0.00056
2600 MHz TDD	0.00048
2600 MHz FDD	0.00020
3.4 GHz	0.00222
3.8 GHz	0.00517
Others	0.17797
Total	0.24901

Disclaimer: The results detailed in this report apply only to the tests made at the reported time, using the test equipment detailed. They do not indicate that on another date an identical set of results would be achieved, due to changes in local environmental conditions or other factors which may or may not have an effect on the measurement results obtained at that future time.